DeNeefe Signs

A Subsidiary of Traffic Technologies Ltd



ONE-STOP SIGN SHOP

Fully Approved Static & Electronic Signage

Manufactured and Located Throughout Australia



DENEEFE SIGNS 100 YEARS IN SIGN MANUFACTURE

Celebrating 100 years of history, DeNeefe Signs is Australia's largest manufacturer of fixed metal directional and instructional traffic signs. We have operations in every state and territory of Australia, with the main production facility based in Melbourne, together with Norsign located in the NT and Sunny Signs located in WA.

DeNeefe Signs specialise in the manufacture of a wide range of traffic control products including; vests, brackets, cones and bollards. We also offer Corporate Signage services to both Government and private sectors. We also specialise in electronic warning signs, which can be portable or static, run on solar or mains. In addition to manufacturing street signage we provide sign installation and computer assessment of Local Government Signage.

In September 1993, DeNeefe Signs Victoria, was accredited with Australian Standard 3902 and have since attained ISO 9001, ISO 14001 and ISO 45001 certifications throughout our branches. We prioritise the health, safety and well being of our employees through our Occupational Health and Safety Program.

As an Australian owned company, we take pride in promoting Australian-manufactured products.

At DeNeefe Signs we stay current with the latest technologies and systems to support our continued growth and success. Our computerised Graphics Department have multiple work stations, an image setter for screen printing positives, Our administration utilises state-of-the-art computer systems, for order processing, invoicing, estimating and production planning which streamline workflow across the company.

Our mission is to deliver products that meet our customer's requirements and expectations, at an acceptable price, whilst exceeding their expectations with exceptional customer service.

As the Signage Division of Traffic Technologies, DeNeefe Signs collaborates with all other divisions of Traffic Technologies, to offer a comprehensive 'one-stop-shop' for all our customers' road and traffic related needs













TABLE OF CONTENTS

		PAGE	
>	REGULATORY SIGNS	03	
>	(PARKING SIGNS - PAGE 12)	03	
_			
>	WARNING SIGNS	18	
>	GUIDE SIGNS		
-	(STREET NAME SIGNS - PAGE 35)	28	
_	(STREET INAINIE SIGNS - FAGE 33)		
	LIA ZADO AMADUEDE		
>	HAZARD MARKERS	37	
_			
>	TEMPORARY ROADWORK SIGNS	41	
>	(CORFLUTES & MULTI MESSAGE SIGNS - PAGE 45)	41	
_			
>	TRANSPORT SIGNS	57	
>	WORK ZONE PRODUCTS	65	
_			
	SIGN ACCESSORIES	71	
,	SIGN ACCESSORIES	71	
_			
>	SAFETY SIGNS	77	
-			
		_	
>	RECREATIONAL SIGNS	83	
_			
>	SPECIALTY PRODUCTS		
-	(BRAILLE TACTILE PAGE 90, SPECIAL ORDER ELECTRONIC SIGNAGE - PAGE 93)	87	
_			
`	COMMERCIAL GRAPHICS	95	
-	COMMENCIAL ORALLICO	70	



Care and Storage of DeNeefe Signs

Signs should be stored with either slip sheeting or foam padding between them to reduce the risk of abrasions. If signs are not stored upright with proper padding, DeNeefe cannot accept responsibility for damage, as these damages will most likely be permanent.

Signs should not be stacked flat, rather stored on edge in a dry environment. Stacking signs flat may compress either the glass beads, or prisms in the sheeting, resulting in a loss of necessary reflectivity.

Dear valued customer online Deneefe quote cart can be found at...

www.trafficltd.com.au

















REGULATORY SIGNS INFORM ROAD USERS OF TRAFFIC LAWS OR REGULATIONS WHICH, IF DISREGARDED, IS AN OFFENCE. THEY ARE NORMALLY PLACED AT THE POINT OR BEGINNING OF THE SECTION WHERE THE REGULATION APPLIES.

Included in this classification are signs which indicate the end of a legal restriction imposed by a preceding regulatory sign, e.g. the END LOAD LIMIT sign (R6-5).

Most regulatory signs are rectangular with the long axis vertical and have black legend with or without red annulus and slash on white background.

SIGN CLASSIFICATIONS

The sub-classifications and their relevant prefix and series coding for regulatory signs are as follows:

SERIES No.	CLASSIFICATION
R1	Movement series
R2	Direction series
R3	Pedestrian series
R4	Speed series
R5	Parking series
R6	Miscellaneous series
R7	Exclusive-use lane series
R8	Bicycle/Pedestrian series
R9	Supplementary plates for general use

Wherever practicable, use is made of symbols and arrows to:

- a. Assist in identification
- b. Clarify the instruction; and
- c. Increase legibility

Additional legend may be required on certain signs to restrict their application to particular periods and classes of traffic or to indicate the beginning or end of a special traffic lane.





All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



R1-1A 600 x 600 R1-1B 750 x 750 900 x 900 R1-1C



R1-2AA 375 R1-2A 750 R1-2B 900 R1-2C 1200



TC2235A 600 x 200 TC2235B 750 x 250 Fluoro Yellow Green



R1-3A 750 R1-3B 900 R1-3C 1200



NSW ONLY R1-4A 450 x 450



R2-2A 450 x 600 R2-2B 600 x 800 (L or R)



R2-3AA 300 x 400 R2-3A 450 x 600 R2-3B 600 x 800 (L or R)



NSW. NT & ACT ONLY R2-4A-RTA 450 x 750 R2-4B-RTA 600 x 1000 R2-4C-RTA 750 x 1250



R2-4AA 300 x 300 R2-4A 450 x 450 R2-4B 600 x 600 R2-4C 750 x 750 R2-4D 900 x 900



NSW. NT & ACT ONLY R2-5A-RTA 450 x 750

R2-5B-RTA 600 x 1000



R2-5A 450 x 450 R2-5B 600 x 600 R2-5C 750 x 750 R2-5D 900 x 900





NSW. NT & ACT ONLY

R2-6A-RTA 450 x 900 **R2-6B-RTA** 600 x 1200 (L or R)



R2-6A 450 x 450 R2-6B 600 x 600 R2-6C 750 x 750 **R2-6D** 900 x 900 (L or R)



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



R2-7A 450 x 600 **R2-7B** 600 x 800



R2-8A 450 x 600 **R2-8B** 600 x 800



R2-9A 450 x 750 **R2-9B** 600 x 1000 (L or R)



R2-10A 300 x 300 **R2-10B** 600 x 600



R2-11A 450 x 600 **R2-11B** 600 x 800



R2-14A 600 x 800 **R2-14B** 900 x 1200 (L or R)



R2-15A 450 x 600 **R2-15B** 600 x 800



R2-16A 750 x 600



R2-17A 450 x 800 **R2-17B** 600 x 1050 **R2-17C** 900 x 1600



R2-19A 800 x 1200



R2-20 450 x 800




R2-V21 800 x 1150



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



R2-22 750 x 750



R2-209 150 x 1150



R3-1A 600 R3-1B 750 R3-1C 900



R3-2A 450 R3-2B 600



R3-3A 600 x 600 FLAG C/W DOWEL NON/REFLECTIVE



R3-4A 450 x 1200 R3-4B 600 x 1600



R3-5A 90 x 110 R3-5B 300x 400 (L or R) DECAL



R4-1A 450 x 600 **R4-1B** 600 x 800 **R4-1C** 900 x 1200 R4-1D 1200 x 1600



WA & NT ONLY

R4-2A 600 x 800 R4-2B 900 x 1200



R4-3A 450 x 300 **R4-3B** 600 x 400 R4-3C 900 x 600



R4-4A 450 x 750



R4-5A 450 x 750



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



R4-8A 450 x 300 **R4-8B** 600 x 400



R4-9A 450 x 450 **R4-9B** 600 x 600



R4-10A 450 x 750 **R4-10B** 600 x 1000



R4-11A 450 x 750 **R4-11B** 600 x 1000



R4-12B 600 x 1000 **R4-12C** 800 x 1334



R4-13A 450 x 150 **R4-13B** 600 x 200



R4-14A 450 x 750 **R4-14B** 600 x 1000



R4-V114-1AA 360 x 463 R4-V114-1A 450 x 750 R4-V114-1B 600 x 1000 R4-V114-1C 900 x 1500



NSW ONLY

R4-231A-RTA 900 x 850 **R4-231B-RTA** 1200 x 1135 **R4-231C-RTA** 1800 x 1700



VIC ONLY


R4-V105A 900 x 850 **R4-V105B** 1200 x 1160 **R4-V105C** 1800 x 1740 Fluoro Yellow Green

NSW ONLY

R4-230A-RTA 900 x 850 **R4-230B-RTA** 1200 x 1135 **R4-230C-RTA** 1800 x 1700



R4-V106AA 360 x 1016 **R4-V106A** 450 x 1276



VIC ONLY

R4-V115A 360 x 540 **R4-V115A** 450 x 675 **R4-V115** 600 x 900



R4-V121A 360 x 876 **R4-V121A** 450 x 1095 **R4-V121B** 600 x 1460



NSW ONLY

R4-212A 450 x 900 R4-212B 600 x 1200 R4-212C 900 x 1745 R4-212D 1200 x 2400 (Hinged or Unhinged)





All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



R5-58A 1500 x 1100 (LorR)

NO OVERTAKING OR **PASSING**

R6-1A 750 x 900 R6-1B 1200 x 1440

NO OVERTAKING ON **BRIDGE**

R6-2A 750 x 900 R6-2B 1200 x 1440

BRIDGE LOAD LIMIT **80** t GROSS

R6-3A 600 x 900 R6-3B 900 x 1350



R6-4A 600 x 900 R6-4B 900 x 1350



R6-6A 450 x 750 R6-6B 675 x 1125



R6-7A 450 **R6-7B** 600



R6-8A 450 R6-8B 600



R6-9A 450 x 600



R6-10-1A 600 x 600 R6-10-1B 900 x 900 R6-10-1C 1200 x 1200



R6-10-2A 600 x 600 R6-10-2B 900 x 900 R6-10-2C 1200 x 1200



R6-10-3A 450 x 450 R6-10-3B 600 x 600 R6-10-3C 750 x 750 R6-10-3D 900 x 900



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials

LOW CLEARANCE ©.⊠ m

R6-11A 1950 x 600

CLEARANCE

[3].[3] m

R6-12A 1500 x 600

N0 **PEDESTRIANS BICYCLES** ANIMALS BEYOND THIS POINT

R6-13A 1200 x 1500

R6-14A 450 x 750 R6-14B 675 x 1125



R6-15A 300 x 300 R6-15B 450 x 450

LOW CLEARANCE

R6-16 1950 x 180

BRIDGE LOAD LIMIT (PER AXLE GROUP)

SINGLE AXLE TANDEM AXLE TRI-AXLE

[]] t

R6-17A 1200 x 750



R6-18A 600 x 700 R6-18B 900 x 1050

R6-18C 1200 x 1400

START REEWAY

> R6-19A 1200 x 600 R6-19B 1800 x 900

FREEWAY ENTRANCE

> R6-20A 1200 x 600 R6-20B 1800 x 900

END REEWA

> R6-21A 900 x 450 R6-21B 1800 x 900

TRUCKS & BUSES W GEAR

R6-22A 1200 x 1000 R6-22B 1400 x 1200 R6-22C 1800 x 1500

END RUCK & BUS

R6-23A 1000 x 800 R6-23B 1500 x 1200



R6-25 1350 x 900

R6-26 1350 x 900





All signs are available in CL400 [CL1] & CL1100 [CL1X] materials

TRUCKS **MUST**

R6-27A 600 x 700 R6-27B 900 x 1050 R6-27C 1200 x 1400

TRUCKS USE _EFT ANE

R6-28A 900 x 900 R6-28B 1200 x 1200 R6-28C 1800 x 1800

KEEP LEFT **UNLESS** OVERTAKING

R6-29A 1200 x 600 R6-29B 1800 x 900 R6-29C 2400 x 1200



R6-30A 600 x 1200 R6-30B 900 x 1800



R6-31A 450 x 450 R6-31B 600 x 600 Decal



R6-32A 1200 x 800



R6-33A 800 x 900 R6-33B 1200 x 1350



R7-1-1C 600 x 800 **R7-1-1D** 900 x 1200 R7-1-1E 1200 x 1600



R7-1-3C 600 x 800 R7-1-3D 900 x 1200 **R7-1-3E** 1200 x 1600



R7-1-4B 450 x 600 R7-1-4C 600 x 800 R7-1-4D 900 x 1200



R7-1-5C 600 x 800 R7-1-5D 900 x 1200 R7-1-5E 1200 x 1600



R7-1-6C 600 x 800 R7-1-6D 900 x 1200 R7-1-6E 1200 x 1600



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials

AHEAD

R7-2B 450 x 150 **R7-2C** 600 x 200 **R7-2D** 900 x 300 **R7-2E** 1200 x 400

LEFT LANE

R7-3B 450 x 300 R7-3C 600 x 400 R7-3D 900 x 600 R7-3E 1200 x 800 (L & R)

END

R7-4A 300 x 100 R7-4B 450 x 150 R7-4C 600 x 200 R7-4D 900 x 300 R7-4E 1200 x 400



R7-5B 450 x 300 **R7-5C** 600 x 400 **R7-5D** 900 x 600 **R7-5E** 1200 x 800

RIGHT LANE

LEFT LANE

R7-6-1A 1400 x 400 (L & R)



R7-7-1C 600 x 800 **R7-7-1D** 900 x 1200 **R7-7-1E** 1200 x 1600



R8-1A 300 x 450 **R8-1B** 450 x 600 **R8-1C** 600 x 800

KERB LANE

R7-6-2A 1400 x 400

CENTRE LANE

R7-6-3A 1600 x 400



R7-6-4 1600 x 400



R7-7-2C 600 x 800 **R7-7-2D** 900 x 1200 **R7-7-2E** 1200 x 1600



R8-2A 300 x 450 **R8-2B** 450 x 600 **R8-2C** 600 x 800



R7-8C 600 x 800 **R7-8D** 900 x 1200 **R7-8E** 1200 x 1600



R8-3A 300 x 300 R8-3B 450 x 450 R8-3C 600 x 600 (L or R) (R Shown)



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials

MON-FRI

R9-1-1A 450 x 300 R9-1-1B 600 x 400 R9-1-1C 900 x 600 R9-1-1D 1200 x 800 MON - FRI

R9-1-2A 450 x 450 R9-1-2B 600 x 600 R9-1-2C 900 x 900 **R9-1-2D** 1200 x 1200 AT ALL **TIMES**

R9-1-3B 600 x 400 R9-1-3C 900 x 600 R9-1-3D 1200 x 800

BUSES EXCEPTED

R9-2A 450 x 300 R9-2B 600 x 400 **R9-2C** 750 x 500

BICYCLES EXCEPTED

R9-3A 450 x 300 R9-3B 600 x 400 R9-3C 750 x 500 R9-3D 1500 x 300 **AUTHORISED VEHICLES EXCEPTED**

R9-4A 450 x 300 R9-4B 600 x 400 R9-4C 750 x 500

ON **FREEWAY**

750 x 375 R9-5C **R9-5D** 900 x 450 SCHOOL **TIMES**

360 x 210 G9-V202-AA G9-V202-A 450 x 270 G9-V202-B 600 x 340 G9-V202-C 900 x 510

QLD ONLY

TC1195A 750 TC1195B 900 TC1195C 1200 KEEP L E F T

QLD ONLY

TC9265A 180 x 1200

SCHOOL ZONE 8-939 230-4, SCH00L DAYS

QLD ONLY

R4-O01A 450 x 1400 R4-Q01B 600 x 1900 R4-Q01C 900 x 2800



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



R9-6-1A 750 x 150 **R9-6-1B** 1000 x 200 **R9-6-1C** 1200 x 240



R9-6-2A 450 x 300 **R9-6-2B** 600 x 400 **R9-6-2C** 750 x 500

$\mathbf{NEXT} \ \ \mathbf{\mathbb{Z}} \ \mathbf{km}$

R9-7-1A 750 x 150 **R9-7-1B** 1000 x 200 **R9-7-1C** 1200 x 400



R9-7-2A 450 x 300 **R9-7-2B** 600 x 400 **R9-7-2C** 750 x 500

ONE LANE

R9-9A 600 x 400 **R9-9B** 750 x 500

ON BRIDGE

R9-15A 450 x 300 **R9-15B** 600 x 400 **R9-15C** 900 x 600

SERVICE ROAD

R9-16A 450 x 300 **R9-16B** 600 x 400

ON RAMP

R9-17B 600 x 400 **R9-17C** 900 x 600



R9-19A 750 x 625 **R9-19B** 900 x 750 **R9-19C** 1050 x 875



PARKING SIGNS

Parking controls and the times that they apply vary so widely that parking signs generally have to be designed individually. Many signs contain a number of separate controls on one sign.

A special numbering code comprising a generic number in the R5 Series, together with additional coding has been developed for ordering those signs whose message is variable.

LINEAR PARKING CONTROL PANELS

TYPE OF CONTE	ROL	SIGN NUMBER	
PARKING			
Whole Hours:	1P	R5-1	
	2P	R5-2	
	3P	R5-3	
	4P	R5-4	
	5P	R5-5	
	6P	R5-6	
	7P	R5-7	
	8P	R5-8	
	P No Duration Stated	R5-10	
Part of Hours:	P2 Minute	R5-12	
	P5 Minute	R5-13	
	P10 Minute	R5-14	
	1/4 P	R5-15	
	½ P	R5-16	
	1½ P	R5-17	
ZONE	Bus Zone	R5-20	
	Taxi Zone	R5-21	
	Permit Zone	R5-22	
	Loading Zone	R5-23	
	Truck Zone	R5-24	
	Works Zone	R5-25	
	Mail Zone	R5-26	
NO-STOPPING	No - Stopping (At any time)	R5-35	
	No - Stopping (Specific times of operation)	R5-36	
NO-PARKING	No - Parking (At any time)	R5-40	
	No - Parking (Specific times of operation)	R5-41	
CLEARWAY	Clearway (At all times)	R5-45	
	Clearway (Specific times of operation)	R5-46	






Non-Reflective, CL100 [CL2] & CL400 [CL1] materials

PANEL ARRANGEMENTS ON SIGNS

CODE	SIZE (mm)
NI	225 x 300
N2	225 x 450
WI	450 x 225
W2	450 x 300



Examples of Panel Arrangement Layouts









P11

P22

P32

P42

TRIPOD

PARKING SIGNS

PPT

Sizes Available: S = Single 225 x 450, D = Double 450 x 450, T = Triple 450 x 675. Left, Right & Double Arrows also available.











R5-10DOAL

R5-20

R5-21

R5-22





Non-Reflective, CL100 [CL2] & CL400 [CL1] materials

PARKING SIGNS

Sizes Available: S = Single, D = Double, T = Triple









R5-23

R5-26

R5-35

R5-39A 600 x 225 R5-39B 900 x 337











R5-40

R5-46

R5-50A 600 x 800 R5-50B 900 x 1200

R5-51A 600 x 600 R5-51B 900 x 900

R5-61A 600 x 900 R5-61B 900 x 1350











R5-62A 450 x 800 R5-62B 600 x 1065 R5-63A 600 x 600 R5-63B 900 x 900 R5-65A 450 x 300 R5-65B 600 x 400

R5-71A 600 x 800 R5-71B 900 x 1200 R5-72A 450 x 900 R5-72B 600 x 1065



Non-Reflective, CL100 [CL2] & CL400 [CL1] materials

PARKING SIGNS

Left, Right & Double Arrows available.



R5-73A 450 x 600 **R5-73B** 600 x 800



ACT ONLY ACTR5-1 300 x 450 CL100 (Class 2)



ACT ONLY ACTR5-2 300 x 450 CL100 (Class 2)



ACT ONLY ACTR5-3 300 x 450 CL100 (Class 2)



ACT ONLY ACTR5-20 300 x 450 CL100 (Class 2)



ACT ONLY ACTR5-22/1 300 x 450 CL100 (Class 2)



ACT ONLY ACTR5-23 300 x 450 CL100 (Class 2)



ACT ONLY ACTR5-35 300 x 450 CL100 (Class 2)





ACT ONLY ACTR5-40 300 x 450 CL100 (Class 2)



NSW ONLY RTAR5-400 225 x 450







WARNING SIGNS ARE USED TO WARN TRAFFIC OF POTENTIALLY HAZARDOUS CONDITIONS ON OR ADJACENT TO THE ROAD. WARNING SIGNS ADVISE OF CONDITIONS WHICH REQUIRE CAUTION ON THE PART OF THE DRIVER AND MAY CALL FOR A REDUCTION IN SPEED IN THE INTEREST OF THE SAFETY OF THE DRIVER AND OF OTHER ROAD USERS.

In general, warning signs are diamond shaped (square with one diagonal vertical) with a black legend or symbol, or both, and a black border on a yellow reflectorised background.

The W8 series signs are used in conjunction with other signs in the Warning Series to supplement and clarify the message conveyed and are generally rectangular.

SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

SERIES No.	CLASSIFICATION
W1	Alignment series
W2	Intersection and junction series
W3	Advance warning of traffic control device series
W4	Road width, low and narrow clearance signs
W5	Road obstacle series
W6	Pedestrian, bicycle and school series
W7	Railway level crossing series
W8	Supplementary plate series
W9	Modified intersection series



All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials

SIZE	DIMENSIONS (mm)
Α	600 x 600
В	750 x 750
С	900 x 900
D	1200 x 1200



TURN
W1-1A
W1-1B
W1-1C
W1-1D
(L or R)



REVERSE TURN
W1-2A
W1-2B
W1-2C
W1-2D
(L or R)



CURVE W1-3A W1-3B W1-3C W1-3D (L or R)



REVERSE CURVE W1-4A W1-4B W1-4C

W1-4D

(LorR)



WINDING ROAD W1-5A W1-5B W1-5C W1-5D

(L or R)



TILTING TRUCK W1-8-2B 1500 x 3000 (L or R)



W1-7A W1-7B W1-7C W1-7D (L or R)



W1-9-1 1400 x 1800



CROSS ROAD
W2-1A
W2-1B
W2-1C
W2-1D



T JUCTION
W2-3A
W2-3B
W2-3C
W2-3D



SIDE ROAD JUNCTION
W2-4A
W2-4B
W2-4C
W2-4D
(L or R)



ROUNDABOUT
W2-7A
W2-7B
W2-7C
W2-7D



STAGGERED SIDE ROAD JUNCTION W2-8A W2-8B W2-8C W2-8D

(L or R)



SIDE ROAD JUNCTION ON A CURVE W2-9A W2-9B W2-9C W2-9D

(L or R)



ON A CURVE W2-10A W2-10B W2-10C W2-10D (L or R)

All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



SUCCESSIVE SIDE **ROAD JUNCTION**

W2-11A W2-11B W2-11C W2-11D (L or R)



SUCCESSIVE SIDE **ROAD JUNCTION**

W2-12A W2-12B W2-12C W2-12D (L or R)



SUCCESSIVE SIDE ROAD

W2-13A W2-13B W2-13C W2-13D (L or R)



T-JUNCTION BEYOND

W2-14A W2-14B W2-14C W2-14D

(L or R)



CROSSROAD ON CURVE

W2-15A W2-15B W2-15C W2-15D



STOP SIGN AHEAD

W3-1A W3-1B W3-1C W3-1D



GIVE WAY SIGN AHEAD

W3-2A W3-2B W3-2C W3-2D



SIGNALS AHEAD

W3-3-1A W3-3-1B W3-3-1C W3-3-1D

(L or R)



ROAD HUMPS AHEAD W3-4-1A W3-4-1B



ROAD HUMPS AHEAD W3-4-2A

W3-4-2B (LorR)



ROAD HUMPS AHEAD

W3-4-3A W3-4-3B (L or R)



SIGNALS AHEAD

W3-3-2A

W3-3-2B

W3-3-2C

W3-3-2D Fluoro Yellow Green

NARROW BRIDGE

W4-1A W4-1B W4-1C



ROAD NARROWS W4-3A

W4-3B W4-3C



DIVIDED ROAD

W4-4A W4-4B W4-4C



ISLAND W4-5A W4-5B W4-5C



All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



LOW CLEARANCE ...m (AHEAD) W4-8B W4-8C



LEFT LANE ENDS W4-9B W4-9C



LANE ALLOCATION W4-10B W4-10C



TWO WAY TRAFFIC W4-11A W4-11B W4-11C W4-11D



FERRY W5-1A W5-1B W5-1C



OPENING BRIDGE W5-2A W5-2B W5-2C



FORD W5-6A W5-6B W5-6C



FLOODWAY W5-7-1A W5-7-1B W5-7-1C



FLOODWAYS W5-7-2A W5-7-2B W5-7-2C



LOW LEVEL BRIDGE W5-8A W5-8B W5-8C



DIP W5-9A W5-9B W5-9C



ROAD HUMP W5-10A W5-10B W5-10C



CREST W5-11A W5-11B W5-11C



STEEP DESCENT W5-12A W5-12B W5-12C



STEEP CLIMB W5-13A W5-13B W5-13C



GATE
W5-14A
W5-14B
W5-14C

All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



GRID W5-16A W5-16B W5-16C



ROAD ENDS W5-18A W5-18B W5-18C



GRAVEL ROAD W5-19A W5-19B W5-19C



SLIPPERY W5-20A W5-20B W5-20C



TRUCKS TURNING W5-205A W5-205B W5-205C



TRUCKS CROSSING OR **ENTERING** W5-22A W5-22B

W5-22C



KANGAROOS W5-29A W5-29B W5-29C



AIRCRAFT W5-30A W5-30B W5-30C



SLOW POINT W5-33A W5-33B



W5-34A W5-34B W5-34C W5-34D (L or R)

MERGING TRAFFIC



ADDED LANE W5-35A W5-35B W5-35C W5-35D (L or R)



FIRE STATION W5-36A W5-36B W5-36C



AMBULANCE STATION W5-37A W5-37B W5-37C



STOCK W5-38A W5-38B W5-38C



TRAM W5-41A W5-41B W5-41C



FALLING ROCKS W5-42A W5-42B W5-42C (LorR)



All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



UNEVEN SURFACE

W5-43A W5-43B W5-43C



KOALAS

W5-47A





WOMBATS

W5-48A W5-48B

W5-48C



FARM MACHINERY

W5-50A

W5-50B

W5-50C



DEER

W5-51A W5-51B

W5-51C



HORSE AND RIDER

W-5-53A

W-5-53B W-5-53C



MOTORCYCLE

W5-54A

W5-54B

W5-54C



CONCEALED DRIVEWAY

W5-55-1A

W5-55-1B

W5-55-1C



CONCEALED DRIVEWAYS

W5-55-2A W5-55-2B

W5-55-2C



WILDLIFE

W5-56A

W5-56C

W5-56B



TREES CLOSE TO ROAD

VIC ONLY

W5-V127A W5-V127B

W5-V127C



PEDESTRIANS

W6-1A

W6-1B W6-1C

Fluoro Yellow Green



PEDESTRIAN CROSSING AHEAD

W6-2A W6-2B

W6-2C

Fluoro Yellow Green



CHILDREN

W6-3A

W6-3B W6-3C Fluoro Yellow Green



SCHOOL BUS

W6-204A W6-204B

W6-204C

Fluoro Yellow Green



HOSPITAL

W6-6A

W6-6B

W6-6C



All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



W6-7A W6-7B W6-7C



ROAD AHEAD W6-8A 300 x 300 **W6-8B** 450 x 450



BICYCLES & PEDESTRIANS W6-9A W6-9B W6-9C



BICYCLE HAZARD W6-10A W6-10B W6-10C



BICYCLE SLIPPERY W6-11A W6-11B W6-11C



BICYCLE DESCENDING W6-12A W6-12B W6-12C



BICYCLE ASCENDING W6-13A W6-13B W6-13C



TRACKS

...numbers W7-2-1A 600 x 275 W7-2-1B 800 x 367



TRACKS ...numbers W7-2-2 1000 x 150



RAILWAY LEVEL CROSSING FLASHING SIGNAL AHEAD W7-4B W7-4C



TRAIN W7-7A W7-7B W7-7C (L or R)



TRAIN CROSSING RIGHT ANGLE W7-8A W7-8B W7-8C



TRAIN CROSSING ANGLE W7-9A W7-9B W7-9C (L or R)



TRAIN CROSSING
T-JUNCTION
W7-12A
W7-12B
W7-12C
(L or R)



TRAIN CROSSING INTERSECTION W7-13A W7-13B W7-13C

(LorR)



TRAIN CROSSING W7-14-1A 600 x 400



All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials

X TRACKS DO NOT CROSS WHILE LIGHTS **ARE FLASHING**

DO NOT CROSS W7-14-2A 600 x 400



LOOK FOR TRAINS TRACKS W7-14-4 300 x 450



LOOK FOR TRAINS W7-14-5 300 x 450

DO NOT CROSS WHILE LIGHTS ARE DISPLAYED OR ALARM SOUNDING **郷 TRACKS**

DO NOT CROSS W7-14-6 450 x 400



RAILWAY GATE W7-15A W7-15B W7-15C



RAIL CROSSING ON T INTERSECTION W7-17A W7-17B W7-17C



DRY WEATHER ROAD ONLY W-DWROA W-DWROB W-DWROC



W-RAISPAVA W-RAISPAVB W-RAISPAVC



ADVISORY SPEED ...km/h

W8-2A 600 x 400 W8-2B 750 x 500 W8-2C 900 x 600 W8-2D 1200 x 800



(L or R)

ON SIDE ROAD

W8-3A 600 x 400 W8-3B 750 x 500 W8-3C 900 x 600 (L or R)



DISTANCE ...m

W8-5A 600 x 200 W8-5B 750 x 250 W8-5C 900 x 300 W8-5D 1200 x 400



WHEN WET

W8-7A 600 x 400 W8-7B 750 x 500 W8-7C 900 x 600



WHEN FROSTY

W8-8A 600 x 400 W8-8B 750 x 500 W8-8C 900 x 600 **UNDER SNOW**

UNDER SNOW

W8-9A 600 x 400 W8-9B 750 x 500 W8-9C 900 x 600

PLAYGROUND

W8-13A 600 x 400 W8-13B 750 x 500 W8-13C 900 x 600 Fluoro Yellow Green **SCHOOL**

SCHOOL

W8-14A 600 x 200 W8-14B 750 x 250 W8-14C 900 x 300 Fluoro Yellow Green



All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials



MERGE

W8-15B 750 x 500 W8-15C 900 x 600 W8-15D 1200 x 800 (L or R)

ONE ANE

ONE LANE

W8-16A 600 x 400 W8-16B 750 x 500 W8-16C 900 x 600

NEXT k m

NEXT ...km

W8-17-1A 600 x 400 W8-17-1B 750 x 500 900 x 600 W8-17-1C W8-17-1D 1200 x 800

NEXT m

NEXT ...m

W8-17-2A 600 x 400 W8-17-2B 750 x 500 W8-17-2C 900 x 600

AGED

AGED

W8-18A 600 x 200 W8-18B 750 x 250 W8-18C 900 x 300 Fluoro Yellow Green

BLIND

BLIND

W8-19A 600 x 200 W8-19B 750 x 250 W8-19C 900 x 300 Fluoro Yellow Green

DISABLED

DISABLED

W8-20A 600 x 200 W8-20B 750 x 250 W8-20C 900 x 300 Fluoro Yellow Green

BOGGY WHEN WET

BOGGY WHEN WET

W8-21A 600 x 600 W8-21B 750 x 750 W8-21C 900 x 900

CROSSING AHEAD

CROSSING AHEAD

W8-22A 600 x 400 W8-22B 750 x 500 W8-22C 900 x 600 Fluoro Yellow Green



CROSSING ARROWS

W8-23A 600 x 200 W8-23B 750 x 250

PRESCHOOL

PRESCHOOL

W8-24A 600 x 200 W8-24B 750 x 250 W8-24C 900 x 300 Fluoro Yellow Green

REFUGE SLAND

REFUGE ISLAND

W8-25A 600 x 400 W8-25B 750 x 500 W8-25C 900 x 600 Fluoro Yellow Green

ADDED

ADDED LANE

W8-26A 600 x 400 W8-26B 750 x 500 W8-26C 900 x 600 W8-26D 1200 x 900

PREPARE TO STOP

PREPARE TO STOP

W8-27B 750 x 375 W8-27C 900 x 450 W8-27D 1200 x 600

CROSSING RAMP

CROSSING RAMP

W8-28B 750 x 500 W8-28C 900 x 600 W8-28D 1200 x 800



ON BRIDGE WHEN FROSTY

W8-29A 600 x 750 W8-29B 750 x 900 W8-29C 900 x 1100



All signs are available in CL400 [CL1] & CL1100 [CL1X] & Fluoro Yellow Green [FYG] materials

CURVE IGHTENS

CURVE TIGHTENS

W8-30A 600 x 400 W8-30B 750 x 500 W8-30C 900 x 600 W8-30D 1200 x 800



VIC ONLY

W8-V113A 600 x 480 W8-V113B 750 x 600 W8-V113C 900 x 720 Fluoro Yellow Green



VIC ONLY

W8-V115 900 x 600



W9-1A W9-1B

W9-1C (LorR)



W9-2A W9-2B W9-2C

(L or R)



W9-3A W9-3B

W9-3C (L or R)



W9-4A W9-4B

W9-4C (L or R)



SCHOOL **OLD ONLY**

TC1192A 750 x 750 TC1192B 900 x 900 TC1192C 1200 x 1200



CHILDREN OLD ONLY

TC1193A 750 x 750 TC1193B 900 x 900 TC1193C 1200 x 1200



SCH00L

SCHOOL CROSSING AHEAD **QLD ONLY**

TC1194A 750 x 750 TC1194B 900 x 900 TC1194C 1200 x1200



WA ONLY MR-WDAD-2



WA ONLY MR-WDAD-3



WA ONLY MR-WDAD-5



WA ONLY MR-WDAD-6



WA ONLY MR-WDAD-7





WA ONLY MR-WDAD-8



WA ONLY MR-WDAD-9



WA ONLY MR-WDAD-10



WA ONLY MR-WDAD-11



WA ONLY MR-WDAD-12



WA ONLY MR-WDAD-13



WA ONLY MR-WDAD-14



WA ONLY MR-WDAD-15



WA ONLY MR-WDAD-16



WA ONLY MR-WDAD-17



WA ONLY MR-WDAD-18



WA ONLY MR-WDAD-19



W5-73A 900 x 1200



W3-V109A 1000 x 1445 **W3-V109B** 1200 x 1645 **W3-V109C** 1500 x 1945



W5-V116A 1000 x 1875 **W5-V116B** 1200 x 2200 **W5-V116C** 1500 x 2638



RX11A 1000 x 1770 **RX11B** 1200 x 2075



GUIDE SIGNS S3



GUIDE SIGNS S3



GUIDE SIGNS INFORM AND ADVISE ROAD USERS ABOUT THE ROUTE THEY ARE FOLLOWING AND GIVE DIRECTIONS AND DISTANCES TO DESTINATIONS ON THE ROUTE OR ALONG OTHER ROADS WHICH INTERSECT THE ROUTE. THEY ALSO SUPPLY INFORMATION TO IDENTIFY POINTS OF GEOGRAPHICAL OR HISTORICAL INTEREST AND GIVE DIRECTIONS TO MOTORISTS' SERVICES AND TOURIST FACILITIES AND ATTRACTIONS.

Guide signs are generally rectangular. Where practicable, they should be designed with the long axis horizontal. Exceptions to this are route markers and kilometre plates that are normally on a shield or background of distinctive shape.

The background colour of guide signs is coded to allow road users to recognize them as belonging to a particular category.

SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual guide signs are as follows:

SERIES NO.	CLASSIFICATION
G1	Advance direction series
G2	Intersection direction series
G3	Finger Boards
G4	Reassurance direction series
G5	Street name & pedestrian direction series
G6	Geographical feature series
G7	Service series
G8	Route marker series
G9	Traffic instruction series
G10	Kilometre posts
G11	Tourist series
GE	Freeway guide series
Note:	The prefix S is used to identify symbols for use on G7 series signs.

These Categories are:

- A black legend on a white background signifies general information signs, national route markers and street name signs.
- A white legend on a green background is used for signs such as advance direction signs, finger boards, intersection and special direction signs, advance exit and exit direction signs on freeways, reassurance direction signs and kilometre posts.
- c. A white legend on blue background indicates roadside facilities, services and service areas (including rest and camping areas), state route markers, bicycle route markers, and bicycle and pedestrian route information and direction signs.
- d. A black legend on a yellow background is used for exit speed signs and special instruction (e.g. ONLY) panels within certain direction signs.
- A white legend on a red background is used for signs which indicate to a driver the need to stop or reduce speed considerably and signs indicating wrongway movements.
- f. A white legend on a brown background is used for tourist signs and tourist route markers.

GUIDE SIGNS



G1 - ADVANCE DIRECTION SERIES



G1-1



G1-2



G1-3



G1-4



G1-5



G1-6

G2 - INTERSECTION DIRECTION SERIES



G2-1



G2-2(A)



G2-2(B)



G2-4



G2-5(A)



G2-5(B)

G3 - FINGER BOARDS

G4 - REASSURANCE DIRECTION SERIES



G3-3



G3-8

NEWELL HIGHWAY





G4-1

G3-4

G3-5



GUIDE SIGNS

G6 - GEOGRAPHICAL FEATURE SERIES



SWAN RIVER

CITY OF ALBURY SHIRE OF HUME MOONBI RANGE 914 m

G6-1

G6-2

G6-5

G6-6

G7 - SERVICE SERIES









G7-1-1A G7-1-1B G7-1-2A G7-1-2B G7-2-3A G7-2-3B G7-3-4A G7-3-4B



G7-4-3A G7-4-3B L or R



G7-6-1A G7-6-1B



DNP1CENTRE MOUNTED



DNPBSM 500 x 750 SIDE MOUNTED DOUBLE SIDED



G7-7-1A G7-7-1B



G7-8-2A G7-8-2B



G7-9-1A G7-9-1B



G7-10-1A G7-10-1B



G7-11



G7-12



G7-13-1A 400 x 400 **G7-13-1B** 600 x 600



G7-14-1A G7-14-1B





G8 - ROUTE MARKER SERIES

TS1

S27



G8-1-1A 310 x 360

G8-1-1B 413 x 480



TS2



TS3

TS4

G8-1-2A 310 x 360 G8-1-2B 413 x 480



TS6

TS7

TS5

G8-2-1A 310 x 200 G8-2-1B 410 x 265 (L or R)



MS01

G8-2-2A 310 x 200 G8-2-2B 410 x 265



MS03

MS02

G8-2-3A 310 x 200 G8-2-3B 410 x 265 (L or R)



G8-2-4A 310 x 200 G8-2-4B 410 x 265 (L or R)



G8-2-5A 310 x 200 G8-2-5B 410 x 265



G8-2-6A 310 x 200 G8-2-6B 410 x 265



G8-2-7A 310 x 200 G8-2-7B 410 x 265



G8-3-1A 310 x 200 G8-3-1B 410 x 265



G8-4-1A 310 x 200

G8-4-1B 410 x 265

G8-8-8A 375 x 360 G8-8-8B 500 x 480



G8-9-1 360 x 360



G8-9-2 360 x 360



G8-9-3 360 x 360



G8-9-5 2010 x 600 LorR





G8-10-3 950 x 1200



G8-11-1 600 x 450



G8-11-2 600 x 300



END A70





G9 - TRAFFIC INSTRUCTION SERIES

LOW BRIDGE AHEAD

HIGH VEHICLES
DETOUR

G9-3 1700 x 900 (L or R)

LOAD LIMIT t
ON BRIDGE GROSS
HEAVY VEHICLES
DETOUR

G9-4 1700 x 900 (L or R)

DETOUR FOR HIGH VEHICLES

G9-5-1 1300 x 350 (L or R)

G9-5-2 1400 x 350 (L or R)

DETOUR FOR

HEAVY VEHICLES

REDUCE SPEED

G9-9A 1500 x 750 **G9-9B** 1800 x 900

VEHICLE LANE AHEAD

SLOW

G9-10A 900 x 900

SLOW VEHICLE LANE km AHEAD

G9-11A 900 x 1100

SLOW VEHICLES USE LEFT LANE

G9-12A 950 x 1100

FORM 1 LANE

G9-15A 600 x 800 **G9-15B** 900 x 1200 **G9-15C** 1200 x 1600 FORM 2 LANES

G9-16A 600 x 800 **G9-16B** 900 x 1200 **G9-16C** 1200 x 1600 NO THROUGH ROAD

G9-18A 600 x 400 **G9-18B** 900 x 600

ROAD SUBJECT TO

FLOODING

INDICATORS SHOW DEPTH

ROAD CLOSED

G9-20 900 x 550

1.8 -1.6 -1.4 -1.2 -

m

1.4_ 1.2_ 0.8_ 0.6_ 0.6_ 0.4_ 0.2_

G9-22A 200 x 1350

m m 4 6 3.8 = 5.8 = 3.6 5.6 _ 3.4 _ 5.4 3.2 5.2. 3. 5 2.8 4.8-2.6= 4.6 2.4 4.4. 4.2 2.2

G9-22-1 200 x 2350

G9-22-2 200 x 2350

G9-22-3 200 x 2350 (QLD - RHS ONLY)

ROAD SUBJECT TO FLOODING
DO NOT ENTER WHEN FLOODED

G9-21-3 2150 x 1100

SAFETY RAMP

G9-24A 2200 x 800 **G9-24B** 4400 x 1600

ROAD SUBJECT TO FLOODING INDICATORS

INDICATORS SHOW DEPTH

G9-21-2 1400 x 1400

SAFETY RAMP m

G9-25A 2200 x 800 **G9-25B** 4400 x 1600



G9 - TRAFFIC INSTRUCTION SERIES

SAFETY RAMP ON RIGHT

RAILWAY CROSSING

OVERTAKING LANE m AHEAD

G9-26 2200 x 1100

G9-32 2100 x 450

G9-33 2100 x 450

G9-37 2600 x 1300

VATCH FOR

OVERTAKING LANE km AHEAD

G9-38 2600 x 1300

LOCAL **TRAFFIC** ONLY

G9-40-1A 900 x 600

L₀₀K FOR TRAINS

G9-48A 600 x 600 **G9-48B** 750 x 750 **G9-48C** 900 x 900 **G9-57A** 900 x 800 **G9-57B** 1200 x 1100



G9-58A 450 x 450 **G9-58B** 600 x 600



G9-60A 450 x 600 **G9-60B** 600 x 800



G9-63A 900 x 900 (L or R)



G9-64A 750 x 600



G9-65A 600 x 1200



G9-66



G9-67-1A 600 x 600 **G9-67-1B** 750 x 750



G9-67-2 600 x 1200





EMERGENCY EXIT PUSH GATE

G9-68 400 x 300

WRONG WAY **GO BACK**

G9-69 2300 x 1500

NO STOPPING ON REEWA

G9-70 1400 x 1400

SERVICE ROAD **ENTRY**

G9-71 600 x 750



G9-73A(R) 900 x 900 G9-73B(R) 1200 x 1200



G9-73AA(L) 600 x 600 900 x 900 G9-73A(L) G9-73B(L) 1200 x 1200



G9-78A 600 x 200 **G9-78B** 900 x 300 **G9-78C** 1200 x 400



G9-79A 450 x 750 G9-79B 600 x 1000 **G9-79C** 800 x 1350

ON RIGHT

G9-80-1A 1800 x 450 G9-80-1B 3600 x 900

ON RIGHT

G9-80-2A 1500 x 800 G9-80-2B 3000 x 1600



G9-82 3000 x 1400

G9-84A 600 x 400 G9-84B 900 x 600 G9-84C 1200 x 800

AFTER

G9-85A 600 x 400 **G9-85B** 900 x 600 **G9-85C** 1200 x 800



G9-87-1A 600 x 600 **G9-87-1B** 900 x 900 **G9-87-1C** 1200 x 1200



G9-87-2A 600 x 600 G9-87-2B 900 x 900 **G9-87-2C** 1200 x 1200



G10 - KILOMETRE POSTS





G10-3A 450 x 450



G11-1



G11-4 (L or R)

GE - FREEWAY GUIDE SERIES



GE1-6



GE1-11



GE2-1-1



GE1-13



GE1-14



GE2-3 1800 x 1600



GE7-5-3 2120 x 2930



GE7-8 200 x 350 (L or R)



GE7-9 200 x 100



GE9-3A 2600 x 2000



GE9-15AA 450 x 300 GE9-15A 600 x 400 GE9-15B 750 x 500



GE9-V22-1B 1800 x 1100 GE9-V22-1C 2400 x 1470 GE9-V22-1D 3200 x 1960



G5 - STREET NAME SERIES

Guide signs are generally rectangular.

Australian Standard 1742-5: 1997 "Street Name and Community Facility Name Signs" requires the following:

- a) That "street name signs" be mounted at the "optimum height for illumination by vehicle headlights".
- b) They should be made using a retro-reflective material as a background which in the least meets the requirements of Class 1 material as specified.
- c) Where possible "Series D" letters should be used. This letter style spaced in accordance with the Standard ensures quick name recognition and facilitates traffic flow



LEGEND	BACKGROUND					
	WHITE	YELLOW	STANDARD GREEN	BLUE	BROWN	BLACK
WHITE	-	NO (3)	YES (5)	YES (5)	NO (2,4)	NO (2,4)
YELLOW	NO (3)	-	NO (2)	NO (2,3)	NO (2,4)	NO (4)
STANDARD GREEN	YES (1)	YES (1)	=	NO (3)	NO (3)	NO (3)
BLUE	YES (1)	YES (1)	NO (3)	-	NO (3)	NO (3)
BROWN	YES (1)	YES (1)	NO (3)	NO (3)	-	NO (3)
BLACK	YES (1)	YES (1,6)	NO (3)	NO (3)	NO (3)	-

Notes:

- 1. Legend shall be non-reflectorised.
- 2. Not suitable for street name. May be used for local government name or logo.
- 3. Inadequate contrast between colours.
- 4. Sign will not be sufficiently conspicuous.

- 5. Background shall be reflectorised
- 6. Use of this combination in conjunction with the NO THROUGH ROAD sign may compromise the warning impact of the colour of the latter.

Source: AS1742.5:2.7 - 1997

Drive DR	Place, Plaza PL
FI I- FCD	
Esplanade ESP	Promenade PRM
Expressway EXP	Quay QY
Freeway FWY	Road RD
Gardens GDN	Square SQ
Grove GR	Street ST
Highway HWY	Terrace TCE
Junction JNC	Walk WK
Lane LA	Way (Not usually abbreviated) WY
Parade PDE	
Parkway PWY	
	Freeway FWY Gardens GDN Grove GR Highway HWY Junction JNC Lane LA Parade PDE

Source: AS1742.55:2.5 - 1997

Note: Some councils use abbreviations different to the above



G5 - STREET NAME SERIES





NICHOLSON 12-20

G5-1

G5-2

G5-3

CITY OF SYDNEY ST

CITY OF SYDNEY ST

TO NICHOLSON ST

G5-4

G5 - 9 G5-5

G5-6



PRIDE ST **BEST ST** VIA SERVICE ROAD

G5-11

G5-10 WHITE OR YELLOW **B/GROUND**

STREET NAME PLATES WITH LOGOS

Increasingly common is the practice of municipal councils using their logos and other branding on Street Name signs. In this circumstance logos can be screened on a reflective or non-reflective background and can be in a variety of colours.







HAZARD MARKERS S4



HAZARD MARKERS S4



HAZARD SIGNS ARE USED TO HIGHLIGHT TO APPROACHING TRAFFIC A MARKED CHANGE IN THE DIRECTION OF TRAVEL AND THE PRESENCE AND WIDTH OF AN OBSTRUCTION.

Guide signs are generally rectangular. Hazard signs are rectangular and generally consist of a series of alternate black and white bands. The white portion is always reflectorized, but the reflective material may cover only the central portion of each white band to achieve a balance between the areas of black and white under headlight illumination. The bands may consist of either diagonal strips where only a target is required, or of chevrons where directional, as well as target, properties are desirable.

Typically, there are 4 types of hazard marker:

- Uni-directional Hazard Marker used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.
- b. Bi-directional Hazard Marker used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.
- width Marker normally erected in pairs, one on either side of a vertical obstruction facing in the direction of traffic flow.
- d. Obstruction Marker used to delineate obstructions such as road closures or obstructions above the road.




HAZARD MARKERS

LEGEND

UNI-DIRECTIONAL HAZARD MARKER

Used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.



BI-DIRECTIONAL HAZARD MARKER

Used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.





WIDTH MARKER

Normally erected in pairs, one or either side of a vertical obstruction facing in the direction of traffic flow.



OBSTRUCTION MARKERS

Used to delineate obstructions such as road closures or obstructions above the road.



HAZARD MARKERS



UNI-DIRECTIONAL HAZARD MARKER

D4-1-1AA 1200 x 300 D4-1-1A 1600 x 400 D4-1-1B 3200 x 800



UNI-DIRECTIONAL HAZARD MARKER

D4-1-2A 450 x 450 **D4-1-2B** 600 x 600



BI-DIRECTIONAL HAZARD MARKER

VIC ONLY

D4-V103 1800 x 600 **D4-V108** 1000 x 500



UNI-DIRECTIONAL HAZARD MARKER

D4-1-3C 1800 x 300

VIC ONLY

D4-V102 1800 x 600



BI-DIRECTIONAL HAZARD MARKER

D4-2-1C 1800 x 300



BI-DIRECTIONAL HAZARD MARKER

D4-2-2A 300 x 750 D4-2-2B 400 x 1000

HAZARD MARKERS





BI-DIRECTIONAL HAZARD MARKER

D4-2-3AA 1200 x 300 D4-2-3A 1600 x 400 D4-2-3B 3200 x 800



WIDTH MARKER

(L or R)

D4-3A 225 x 450 D4-3B 450 x 900



OBSTRUCTION MARKER

D4-5-1 1800 x 400



OBSTRUCTION MARKER

D4-5-2 1800 x 400



CHEVRON ALIGNMENT MARKER

D4-6A 600 x 750 **D4-6B** 750 x 900 **D4-6C** 900 x 1125



CHEVRON MARKER & SPEED

D4-7A 1400 x 750 **D4-7B** 1680 x 900 **D4-7C** 2100 x 1125 (L or R)



WIDTH MARKER VIC ONLY

D4-V105A 450 x 300 D4-V105B 600 x 400



WA ONLY

MR-HM1 2400 x 400



WA ONLY

MR-HM3 2400 x 400



WA ONLY

MR-HM4 2400 x 400



WA ONLY

MR-HM2 2400 x 400



WA ONLY

MR-HM5 2400 x 400





NSW ONLY

G9-257 700 x 390 (LorR) (Self Adhesive)



WA ONLY

MR-HM6 2400 x 400



HAZARD MARKERS



WA ONLY

MR-HM7 2400 x 400



WA ONLY

MR-HM8 4800 x 800



WA ONLY

MR-HM9 4800 x 800



WA ONLY

MR-HM10 4800 x 800



WA ONLY

MR-HM11 230 x 230



WA ONLY

MR-HM12 450 x 600

QLD ONLY

D4-2-2-QO1A 450 x 600 D4-2-2-QO1B 900 x 1200



WA ONLY

MR-HM16A 360 x 1300 MR-HM16B 480 x 1340 MR-HM16C 600 x 1460







TEMPORARY SIGNS ARE MOSTLY USED FOR WORKS ON ROADS AND FOOTPATHS TO WARN USERS OF TEMPORARY HAZARDOUS CONDITIONS WHICH COULD ENDANGER THEMSELVES OR THOSE WORKING ON THE ROAD. THEY ALSO INDICATE THE TRAVEL PATH THROUGH, AROUND OR PAST WORK SITES, AND IN THIS WAY, CONTRIBUTE TOWARDS THE PROTECTION OF PARTIALLY COMPLETED WORKS FROM DAMAGE.

Guide signs are generally rectangular. Other signs in this classification are used to warn of temporary hazardous conditions which are not related to road works, e.g. sign T1-11, TRAFFIC ACCIDENT AHEAD.

Temporary signs are generally rectangular with the long axis horizontal for ease of mounting.

The colour codings used for temporary signs are as follows:

- a. General temporary signs a yellow retro-reflective background, black border and symbol or legend.
- Signs warning of workers a combination of fluorescent/reflective red or orange background, black symbol and border.
- c. Signs warning of blasting operations red background, white legend.

SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual temporary roadwork signs are as follows:

SERIES No.	CLASSIFICATION
T1	Advance series
T2	Position series
Т3	Road condition series
T4	Special hazard series
T5	Traffic diversion series
Т6	Vehicle mounted series
T7	Hand banner series
Т8	Pedestrian series



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials

ROADWORK AHEAD

T1-1A 1800 x 600 **T1-1B** 2400 x 900

BRIDGEWORK AHEAD

T1-2A 1800 x 600

ROAD PLANT AHEAD

T1-3-1A 900 x 600

ROAD PLANT AHEAD

T1-3-2A 1800 x 600

GRADER AHEAD

T1-4A 900 x 600



T1-5A 900 x 600 **T1-5B** 1200 x 900 Fluoro Orange

DETOUR AHEAD


T1-6A 1200 x 600 **T1-6B** 1800 x 900



T1-10A 1200 x 600

LINE MARKING AHEAD

T1-15A 1500 x 600



T1-16A 1800 x 600 **T1-16B** 2400 x 900

PREPARE TO STOP

T1-18A 900 x 600 **T1-18B** 1200 x 900



T1-19A 900 x 600 **T1-19B** 1200 x 900



T1-21A 1800 x 600

CHANGED SIGNALS

T1-22A 1200 x 600

CHANGED TRAFFIC CONDITIONS

T1-23A 1800 x 900



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



T1-24A 1800 x 600 T1-24B 2400 x 900



T1-25A 1800 x 600

ROAD PLANT ON SIDE ROAD

T1-27 1800 x 600



BRIDGEWORK km AHEAD

T1-30A 900 x 600



T1-28A 600 x 600 T1-28B 900 x 900

T1-29A 1800 x 600

CHANGED INTERSECTION

T1-33 1800x 600

T1-31 900 x 1200

T1-34A 900 x 600 T1-34B 1200 x 900 Fluoro Orange

STOP HERE WHEN **DIRECTED**

SIDE ROAD

CLOSED

T1-32 1500 x 600

ROAD CLOSED

T2-4A 1800 x 300

PART ROAD **CLOSED**

T2-5A 1500 x 600

T1-35A 900 x 600 T1-35B 1200 x 900



T2-6-ITOPBMAG 400 x 300



T2-6-MAGARR 400 x 610 (Available in various arrow combinations)



T2-6-1A 1200 x 900 T2-6-1B 1800 x 1200



T2-6-2A 1800 x 900 T2-6-2B 2400 x 1200



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials

WATER OVER ROAD

T2-13A 900 x 600 **T2-13B** 1200 x 900

END ROADWORK

T2-16A 1800 x 600

END ROAD WORK

T2-17A 900 x 1200

END DETOUR

T2-23A 1200 x 600



T2-24A 900 x 600



T2-25 900 x 600



T3-3A 900 x 600 T3-3B 1500 x 900

SOFT EDGES

T3-6A 900 x 600

ROUGH SURFACE

T3-7A 900 x 600 **T3-7B** 1500 x 900



T3-9A 900 x 600 **T3-9B** 1500 x 900

NEW WORK NO LINES MARKED

T3-11 1500 x 900

NO LINES DO NOT OVERTAKE UNLESS SAFE

T3-12A 1500 x 900

GRAVEL ROAD

T3-13A 900 x 600

LOOSE SURFACE

T3-14A 900 x 600 **T3-14B** 1500 x 900



T3-15 600 X 450



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



TRI-V5 750 x 900 Box Edge



TRI-V6 900 x 900 Box Edge

POWER LINE WORKS IN PROGRESS

T4-5 1800 x 900

SMOKE HAZARD

T4-6A 900 x 600 T4-6B 1200 x 900 Fluoro Yellow









T5-1(R) 1200 x 300 T5-1(R) 1800 x 450



T5-1A 1200 x 300 T5-1B 1800 x 450



T5-4 1500 x 450





T5-6 600 x 600 (L or R)

PEDESTRIANS WATCH YOUR STEP

T8-1 900 x 600



T5-5 600 x 600 (Flat or Box)





T8-2(L) 1200 x 300 T8-2(R) 1200 x 300



FOOTPATH CLOSED



T8-5 900 x 600





TAS ONLY **TASERW** 1200 x 600

(Box edge or Quad Sign Magnetic Speed overlays available).



QLD ONLY

T1-O05A 900 x 1000 T1-O05B 1200 x 900 T1-Q05C 900 x 600



T8-4 900 x 600



STOP/SLOW BATS

SSB450 450 SSB600 600

(CL400, & CL1100) **EXTHAN** - Alum, Extendable Handle

WOODH - Wooden Handle



STOP/STOP BATS **DOUBLE SIDED**

BAT-H - CL400

BAT-FR - Fluoro Orange 450mm Dia.

BCOV450 - Bat Cover 450mm Dia. BCOV600 - Bat Cover 600mm Dia.



CORFLUTES & MULTI MESSAGE SIGNS

The multi-message sign system regulates speed limits on work sites with minimal light weight signs that are more conspicuous because of their striking colour combinations.

The new Australian Standard ASI742.3:2002 requires that retro-reflective material be used on signs for roadworks. It must meet at least the requirements of Class I. Signs warning of works personnel shall have a combination fluorescent reflective red or orange background.

Please note that Corflute and Multi Message Signs are not used in the Northern Territory or NSW.





RM4-1-24H 600 x 600 **QLD ONLY - TC1217**



RM4-1-50KH 600 x 600 **QLD ONLY - TC1217**



RM4-1-25H 600 x 600 QLD ONLY - TC1217



RM4-1-55H 600 x 600 **QLD ONLY - TC1217**



RM4-1-26H 600 x 600 **QLD ONLY - TC1217**



RM4-1-57H 600 x 600 **OLD ONLY - TC1217**



RM4-1-39H 600 x 600 QLD ONLY - TC1217



RM4-1-110H 600 x 600 QLD ONLY - TC1217

POSSIBLE DELAY 15 MIN.

TM-27H 600 x 600



TM-28H 600 x 600 QLD ONLY - TC1172



TM-6X6HY 600 x 600



TM-12X6HY 1200 x 600



ROAD

TM1-1A 600 x 600 TM1-1B 1200 x 300 TM1-1C 1200 x 600 **QLD ONLY - TC1169**

BRIDGE WORK **AHEAD**

TM1-2A 600 x 600 TM1-2C 1200 x 600

ROAD PLANT AHEAD

TM1-3-1A 600 x 600 TM1-3-1C 1200 x 600

GRADER AHEAD

TM1-4A 600 x 600 TM1-4C 1200 x 600



TM1-5A 600 x 600 TM1-5C 1200 x 600 **QLD ONLY- TC1332** Fluoro Orange



TM1-6A 600 x 600 TM1-6B 1200 x 300



TM1-10A 600 x 600 TM1-10C 1200 x 600



TM1-18A 600 x 600 TM1-18B 1200 x 300 QLD ONLY - TC1362



TM1-25C 1200 x 600



TM1-27C 1200 x 600



TM1-28A 600 x 600 TM1-28B 1200 x 300



TM1-30A 600 x 600



TM1-32A 600 x 600



TM1-34A 600 x 600 Fluoro Orange



TM1-35C 1200 x 600

>>>

TEMPORARY ROADWORK SIGNS



TM1-36B 1200X300



TM1-38A 600 x 600

SIGNAL WORKS AHEAD

TM1-39A 600 x 600

LINE MARKING AHEAD

TM1-40A 600 x 600

MOWING AHEAD

TM1-41A 600 x 600

TRAM WORKS AHEAD

TM1-42A 600 x 600

ROAD CLOSED AHEAD

TM1-43A 600 x 600 TM1-43C 1200 x 600 BURNING OFF AHEAD

TM1-44A 600 x 600 TM1-44C 1200 x 600

TRAFFIC INCIDENT AHEAD

TM1-45A 600 x 600 TM1-45C 1200 x 600 QUEUED TRAFFIC AHEAD

TM1-46A 600 x 600



TM1-47A 600 x 600

ROAD SIDE HAZARD

TM1-49A 600 x 600

AHEAD

TM1-51B 1200 X 300

ROAD CLOSED

TM2-4A 600 x 600 TM2-4B 1200 x 300 TM2-4C 1200 x 600 END ROAD WORK

TM2-17A 600 x 600 TM2-17C 1200 x 600 QLD ONLY - TC1170 END DETOUR

TM2-23A 600 x 600 TM2-23C 1200 x 600





TM2-24A 600 x 600



TM2-25A 600 x 600

ROAD WORK

TM2-26A 600 x 600 TM2-26B 1200 x 300 TM2-26C 1200 x 600

BRIDGE WORK

TM2-27A 600 x 600 TM2-27B 1200 x 300 TM2-27C 1200 x 600

END BRIDGE WORK

TM2-28A 600 x 600

MOWING

TM2-30B 1200X300

UTILITY REPAIRS

TM2-32A 600 x 600 TM2-32B 1200 x 300

EMERGENCY WORKS

TM2-33A 600 x 600 TM2-33B 1200 x 300

ROAD PLATES IN USE

TM2-36A 600 x 600 TM2-36C 1200 x 600

POWER LINE WORKS

TM2-37A 600 x 600 TM2-37C 1200 x 600

ON

TM2-38A 600 x 600 TM2-38B 1200 x 300

MERGE FFT

TM2-39A 600 x 600 TM2-39B 1200 x 300

MERGE RIGHT

TM2-40A 600 x 600 TM2-40B 1200 x 300

LOCAL ACCESS ONLY

TM2-41A 600 x 600

SLOW MOVING

TM2-42A 600 x 600

SIDE ROAD

TM2-43A 600 x 600



TM2-44A 600 x 600



TM2-48A 600 x 600



TM2-49A 600 x 600



TM2-50A 600 x 600



TM2-51A 600 x 600



TM2-52A 600 x 600



TM3-3A 600 x 600 QLD ONLY - TC1218



TM3-6A 600 x 600 TM3-6B 1200 x 300



TM3-7A 600 x 600 TM3-7B 1200 x 300



TM3-9A 600 x 600 QLD ONLY - TC1219



TM3-13A 600 x 600 TM3-13B 1200 x 300



TM3-14A 600 x 600 TM3-14B 1200 x 300



TM3-16-1A 600 x 600



TM3-17 600 x 600



TM3-18A 600 x 600 TM3-18B 1200 x 300



TM3-21A 600 x 600



ROAD FLOODED

TM3-24A 600 x 600

SMOKE HAZARD

TM4-6A 600 x 600 TM4-6B 1200 x 300

BUSH FIRE

TM4-9A 600 x 600 TM4-9B 1200 x 300



TM5-1B(L) 1200 x 300



TM5-1B(R) 1200 x 300



TM5-6A 600 x 600



TM5-7A 600 x 600 TM5-7B 1200 x 300



TM5-9A 600 x 600 TM5-9B 1200 x 300



TM5-1B(S) 1200 x 300



TM8-3A 600 x 600



TM8-4A 600 x 600



TM-44H 600 x 600



TM8-1C 1200 x 600



TM8-6A 600 x 600



TM8-7A 600 x 600



TM8-8A 600 x 600



TM8-5C 1200 x 600



TM8-9A 600 x 600

NARROW FOOTPATH AHEAD

TM8-10A 600 x 600

PATH CLOSED AHEAD

TM8-11A 600 x 600

PATH CLOSED

TM8-12A 600 x 600



TM8-13A 600 x 600 TM8-13B 1200 x 300



TM8-14A 600 x 600 TM8-14B 1200 x 300



TM8-16A 600 x 600



TM8-17A 600 x 600



TM8-18A 600 x 600



TM9-1A 600 x 600 TM9-1B 1200 x 300 Fluoro Yellow Green



TM9-2A 600 x 600 TM9-2B 1200 x 300 Fluoro Yellow Green



TM9-3A 600 x 600 TM9-3B 1200 x 300 Fluoro Yellow Green



TM9-7A 600 x 600 Fluoro Yellow Green



TM9-8A 600 x 600 Fluoro Yellow Green



TM10-1A 600 x 600



TM10-2A 600 x 600





TM10-3A 600 x 600



TM10-4A 600 x 600



TM10-5A 600 x 600



TM10-6A 600 x 600



TM10-7A 600 x 600



TM10-8A 600 x 600



TM10-11A 600 x 600



TM10-12A 600 x 600



TM10-13A 600 x 600



TM10-14A 600 x 600



TM10-15A 600 x 600



TM10-16A 600 x 600



TM-43H 600 x 600



TM-SDH 600 x 600



TM-PRCH 600 x 600



RM2-4A 600 x 600



RM2-6A (L) 600 x 600



RM2-6A (R) 600 x 600



RM2-14A(L) 600 x 600 RM2-14A(R) 600 x 600



RM4-12D 600 x 900

NO **OVERTAKING OR PASSING**

RM6-1C 1200 x 600



RM6-6C 1200 x 600




WM3-2A 600 x 600

LOCAL TRAFFIC ONLY

GM9-40-2A 600 x 600



GM9-58A 600 x 600



GM9-89C 1200 x 600



GM9-V79-40 600 x 900



GM9-V79-60 600 x 900



GM9-V79-80 600 x 900

DO NOT OVERTAKE

GM9-90B 1200 x 300 **QLD ONLY - TC1174**

AT INTERSECTION

GM9-91B 1200 x 300

AT SIGNALS

GM9-92B 1200 x 300



ROADWORK AHEAD

TM1-1B 1200 x 300

DETOUR AHEAD

TM1-6B 1200 x 300

PREPARE TO STOP

TM1-18B 1200 x 300 QLD ONLY - TC1362

NEXT [2] km

TM1-36B 1200 x 300

ROAD CLOSED

TM2-4B 1200 x 300

ROADWORK

TM2-26B 1200 x 300

BRIDGEWORK

TM2-27B 1200 x 300

TRENCHING WORKS

TM2-29B 1200 x 300

LITTER COLLECTION

TM2-31B 1200 x 300

UTILITY REPAIRS

TM2-32B 1200 x 300

EMERGENCY WORKS

TM2-33B 1200 x 300

ON RAMP

TM2-38B 1200 x 300

MERGE LEF1

TM2-39B 1200 x 300

MERGE RIGHT

TM2-40B 1200 x 300

SOFT EDGES

TM3-6B 1200 x 300

ROUGH SURFACE

TM3-7B 1200 x 300

GRAVEL ROAD

TM3-13B 1200 x 300

LOOSE SURFACE

TM3-14B 1200 x 300

LINE MARKING

TM3-18B 1200 x 300

LOOSE STONES

TM3-19B 1200 x 300

DUE TO FLOODING

TM3-22B 1200 x 300



FALLEN ROCKS

TM3-23B 1200 x 300

SMOKE HAZARD

TM4-6B 1200 x 300

BUSH FIRE

TM4-9B 1200 x 300

DETOUR

TM5-7B 1200 x 300



TM5-8B 1200 x 300

ON SIDE ROAD

TM5-9B 1200 x 300 QLD ONLY - TC1325



TM5-10B(L) 1200 x 300



TM5-10B (R) 1200 x 300



TM8-2B(L) 1200 x 300

PEDESTRIANS -

TM8-2B(R) 1200 x 300

PEDESTRIAN HAZARD

TM8-13B 1200 x 300

CYCLING HAZARD

TM8-14B 1200 x 300

EVENT AHEAD

TM9-1B 1200 x 300 Fluoro Yellow Green

END EVENT

TM9-2B 1200 x 300 Fluoro Yellow Green

EVENT IN PROGRESS

TM9-3B 1200 x 300 Fluoro Yellow Green

EVENT ON SIDE ROAD

TM9-4B 1200 x 300 Fluoro Yellow Green

EVENT ON SIDE OF ROAD

TM9-4C 1200 x 600 Fluoro Yellow Green

← ON SIDE ROAD

TM9-5B(L) 1200 x 300 Fluoro Yellow Green

ON SIDE ROAD →

TM9-5B(R) 1200 x 300 Fluoro Yellow Green

DRIVE SAFELY

TM-18H 1200 x 300 QLD ONLY - TC1177

REDUCE SPEED

TM-REDUCESP 1200 x 300



STANDS



QUADRAPED STAND ONLY

QST6x6 600 x 600 QST9x6 900 x 600 QST12x9 1200 x 900

QUADRAPED SIGN ONLY QST1-5AALFR9x6 900 x 600



WLM STAND


WLM600 600 x 600 WLM900 900 x 600 STAND ONLY



AD BASE BOARD

ADBT1-5FR 600 x 900 ADBASE

BASE ONLY



OUAD STAND OST12X6 - 1200 x 600

TAS ONLY

BI-POD-SOLID BIPODS 1200mm (Spread)



BIPOD-Y-HOLLOW


BIPODSY-YELL



1200mm (Spread)

PREPARE TO STOP **MULTI MESSAGE** SIGN FRAME MMSF FRAME ONLY

FOLDING BI-POD MMBL



STAR PICKET & DRIVER STARPICKET **STARPICKETDRIVE**





MULTI MESSAGE FRAME ONLY

MMSF-6X9 600 x 900 x 2



COLLAPSIBLE CHEVRON DELINEATOR T5-Q02 250 x 1200














HEAVY VEHICLE MARKER PLATES

AS 4001.2: CL400 on Aluminium or Pressure Sensitive Decal





HAZARDOUS GOODS SIGNS



250 x 250 EXP1P250 DECAL 250 x 250



FS4M250 STEEL 250 x 250 **FS4P250 STEEL** 250 x 250



250 x 250 NFNTGP250 DECAL 250 x 250



OA5M250 STEEL 250 x 250 OA5P250 DECAL 250 x 250



250 x 250 IS6P250 DECAL 250 x 250



EXP14M250 STEEL 250 x 250 EXP14P250 DECAL 250 x 250



FG2M250 STEEL 250 x 250 **FG2P250 DECAL** 250 x 250



DGM250 STEEL 250 x 250 DGP250 DECAL 250 x 250



OA5M250 STEEL 250 x 250 OA5P250 DECAL 250 x 250



T6M250 STEEL 250 x 250 **T6P250 DECAL** 250 x 250



EXP15M250 STEEL 250 x 250 EXP15P250 DECAL 250 x 250



F3M250 STEEL 250 x 250 **F3P250 DECAL** 250 x 250



250 x 250 **C8P250 DECAL** 250 x 250



OP5M250 STEEL 250 x 250 OP5P250 DECAL 250 x 250



TGM250 STEEL 250 x 250 TGP250 DECAL 250 x 250



250 x 250 **EXP16P250 DECAL** 250 x 250



FC4M250 STEEL 250 x 250 FC4P250 DECAL 250 x 250



DWWM250 STEEL 250 x 250 DWWP250 DECAL 250 x 250



R7M250 STEEL 250 x 250 **R7P250 DECAL** 250 x 250



MDGM250 STEEL 250 x 250 MDGP250 DECAL 250 x 250





HAZCHEM6X3 600 x 300









Sample Layout **TANK** 800 X 400 TRUCK 800 X 600

HAZCHEM 2WE

HAZ 600 x 120

HAZ-2WE 600 x 150



FLIPOVERKIT 350



EXPLOSIVE *1

FLAMMABLE SOLID 4

FLAMMABLE GAS 2

FLAMMABLE LIQUID 3

SPONTANEOUSLY COMBUSTIBLE

NON-FLAMMABLE GAS 2

DANGEROUS GOODS

CORROSIVE 8

DANGEROUS WHEN WET

MISCELLANEOUS DANGEROUS GOODS


TOXIC GAS 2

TOXIC 6

OXIDISING AGENT 5.1

ORGANIC PEROXIDE 5.2

CLASS LABEL HOLDER



MHOLD250 250 x 250



CLASS LABEL HOLDER



510 x 250

OTHER SIZES AVAILABLE UPON REQUEST

EFLARE WARNING BEACON EFLARE CONE CLIP



EFLARE RUBBER BASE





COLLAPSIBLE CONES WITH BUILT IN LIGHT FLASHING OR STEADY



CLASSIFICATION

A full range of oversize plates are available to meet the Australian Transport Commission Regulations

OPTIONS

- Aluminium Plates
- Pressure Sensitive Decals
- Fabric Banners with Eyelets
- Double Sided Plates

- Two Piece Plates
- Hinged Plates
- Two Piece Hinged
- Multiple Hinged Plates

RETRO-REFLECTIVE SIGNS: HINGED, STEEL, ALUMINIUM, PRESSURE SENSITIVE, PVC, BANNER CL100 & CL400

OVERSIZE

OSZSS STEEL

1200 X 450 (Single/Sided)
OSALS ALUM

1200 X 450 (Single/Sided)
OSALSHI

1200 X 450 (Single/Sided) Hi-Intensity

OVER SIZE

OSALS-VERHINGED 1200 X 450

(Alum. Vert. Hinged)

OVERSIZE LOAD AHEAD

OSLAALD ALUM

1200 X 600 (Double Sided)
OSLAZSD STEEL

1200 X 600 (Double Sided)

OVERSIZE

OSALD ALUM

1200 X 450 (Double Sided)

OVERSIZE

OSFACES

1200 X 450 (Reflective Decal)



OSBR FABRIC BANNER

1200 X 450 (Reflective)

OVER SIZE

OSALS-HINGED

1200 X 450

(Alum. Horizontal Hinged)



OS-2PIECE-AL-HI 1200 X 450

(in 2 pieces Over and Size)



OSAALS ALUM

1200 X 600 (Single Sided)



OSLABR BANNER

1200 X 600 (Reflective)

DO NOT OVERTAKE TURNING VEHICLE

1800 DECAL

1675 X 75

Also Available 1225 X 70

ALL THE ABOVE SIGNS
ARE AVAILABLE IN OTHER SIZES UPON REQUEST

TRANSPORT SIGNS



LONGVBAN

1200 X 300 (Fabric Banner)



LONGVHH

1200 X 300 (Single Sided) (Alum. Horizontal Hinged)



RTLV12X3

1200 X 300 - 1 PIECE (Alum. Horizontal Hinged) LONG VEHICLE & ROAD TRAIN



RTLV510X250

510 X 250 - 2 PIECES (Alum. Horizontal Hinged) **ROAD TRAIN & LONG VEHICLE**



RT12250AL ALUM

1200 X 250 (Single Sided)



RT12250ALVH

1200 X 250 (Alum. Vertical Hinged)



LONGVHCLE12X3

1200 X 300 (Alum. Vert. Hinged)



VEHICL

LONGVEH60X25

600 X 245 (Alum. in 2 pieces Long and Vehicle) LONGVEH6X3

600 X 300 (Alum. in 2 pieces Long and Vehicle)



LONGVHCLE

1200 X 300 (Alum)



LVRT510X250

510 X 250 - 2 PIECES (Alum. Horizontal Hinged) LONG VEHICLE & ROAD TRAIN



RT12250 BANNER

1200 X 250



RT12250ALHH

1200 X 250

(Alum. Horizontal Hinged)



RT12250AL-1

600 X 250

(Alum. Road Only)

TRAII

RT12250AL-2 600 X 250

ROAD RT510250-1PS

TRAIN

RT510250-2PS

510 X 250 (Decal Train Only) ROAL

TRAIN

(Alum. Train Only)

510 X 250 (Decal Road Only)

RT510250-1 510 X 250 (Alum. Road Only)

RT510250-2 510 X 250 (Alum. Train Only)

ALSO AVAILABLE AS A KIT RT510250KIT

ALL THE ABOVE SIGNS ARE AVAILABLE IN OTHER SIZES UPON REQUEST

TRANSPORT SIGNS



R4 SERIES 100KM/H SPEED LIMITED STEEL, PRESSURE SENSITIVE, PVC, CL100 & CL400



R4-213 STEEL 300 x 400 R4-213P P/S 300 x 400



R4-214 STEEL 300 x 300 R4-214P P/S 300 x 300



100 SPEED LIMITED

R4-218 STEEL 250 x 250 R4-218P P/S 250 x 250 R4-215 STEEL R4-215P P/S

680 x 80 680 x 80

VESTS



HI-VISIBILITY VESTS Reflective - Day And Night Logo Can Be Printed On Request

OVERSIZE FLAG - DOWEL



450 x 450 (Cloth) (Dowel Flag)

OVERSIZE FLAG



450 X 450 (Cloth with Eyelets)

FLUORESCENT FLAG



FFL 300 300 X 300 (Vinyl)

FIRE EXTINGUISHER



DRIVER UNDER INSTRUCTION

DRIVER UNDER INSTRUCTION

DUI 525 x 250

GIVE WAY TO BUSES



R6-31A 350 x 350 DECAL

FIRST AID KIT



BREAKDOWN TRIANGLE





FLASHING WARNING LIGHT



FWL



TRANSPORT SIGNS

FIRE SAFETY SIGNS CORFLUTE, ALUMINIUM, STEEL, POLYPROPYLENE, SELF-ADHESIVE

FULL RANGE AVAILABLE UPON REQUEST



FIRE-262

(A) 300 X 450 (B) 450 X 600



FIRE-263 (A) 300 X 450 (B) 450 X 600

& HOSE REEL

FIRE-264 (A) 300 X 450 (B) 450 X 600



FIRE-265 (A) 300 X 450 (B) 450 X 600



FIRE-266 (A) 300 X 450 (B) 450 X 600



FIRE-280 (A) 200



FIRE-281 (A) 200



(A) 200



(A) 200



(A) 200



FIRE-285 (A) 200

CONSPICUITY & FLEET TAPES

Reflective contour markings on trucks make detection easy, giving drivers time to see a vehicle, react and avoid a collision.

V-6700B - Rigid Surfaces

Available in the European and Asia-Pacific markets only, V-6700B tape is ECE Certified for contour marking, meeting the stringent requirements of the ECE 104, Class C regulation. Designed for use on trucks and trailers with rigid surfaces, V-6700B provides superior reflectivity and enhanced night-time safety. It is a high quality, durable, microprismatic retroreflective material with a pressure sensitive adhesive and a single layer construction that does not require edge sealing.

V-6790 - Flexible Surfaces

Another product available in the European and Asia-Pacific markets only, V-6790 tape is also ECE Certified for contour marking, meeting the stringent requirements of the ECE 104, Class C regulation. It provides the same superior nighttime visibility performance as the V-6700B tape, but is designed for use on trucks and trailers with flexible surfaces.



PRODUCT SPECIFICATION

PRODUCT	DURABILITY	APPLICATION	SPECIFICATIONS	APPROVAL	SIZE		COLOURS	
				MARK		WHITE	YELLOW	RED
V-6700B	8 YEARS	RIGID SURFACES TRUCKS/TRAILERS	ECE 104, CLASS C	104R 000001	50mm X 50mtr	✓	1	1
V-6790	3 YEARS	FLEXIBLE SURFACES TRUCKS/TRAILERS	ECE 104, CLASS C	104R 000002	50mm X 50mtr	1	1	1







PRODUCTS S7





HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/ WHITE	PRODUCT CODE
TRAFFIC CONE 300	300mm	Plain With Class 1 Collar	X	300 300HCS
TRAFFIC CONE 450	450mm	Plain With Class 1 Collar	X	450 450HCS
TRAFFIC CONE 700	700mm	Plain With Class 1 Collar	X	700 700HCS
TRAFFIC CONE 900	900mm	Plain With Class 1 Collar	X	900 900HCS



HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/ WHITE	PRODUCT CODE
STACKABLE T-TOP BOLLARD	lm Stem	Class 1 Reflective Band 8kg base		TTOPSTEMAS TTOPBASE8
HBAS BOLLARD	1M Stem	Class 1 Reflective Band 8kg Base		HBASSTEM HBBASE8

WHEEL STOP & SPEED HUMPS



WHEEL STOP WSR-1650BY



SPEED HUMP

SHRB - BLACK SECTION 250 x 350 x 50

SHRY - YELLOW SECTION 250 x 350 x 50

SHREND-B - BLACK END CAP 175 x 350 x 50

SHREND-Y - YELLOW END CAP 175 x 350 x 50

SAFETY PRODUCTS



VIC ROADREFLECTIVE VEST VRSV



FLASHING LAMPS & BATTERIES (Sold Separately)

FLASHING LAMP - FA **BATTERY** - BATT



BARRIERS/SAFETY FENCING & TAPES



BUNTING **BUNTF30**



FLUORESCENT FLAG FFL - 400 x 400 FFL 300 - 300 x 300



NIGHT LINE NL23HN





RED/WHITE BLACK/YELLOW BARRIER TAPE

RWBT100 - Red/White BYBT75-100 - Black/Yellow 100m Rolls

DELINEATORS & ACCESSORIES



WEBBING BNET50N

STANDARD DENEEFE WEBBING

DNWEB50T - 5KG **DNWEB50HD** - 9KG



CORNER CUBE DELINEATOR

ACC - Amber

WCC - White/Clear

GCC - Green

RCC - Red BCC - Blue



GD3 DELINEATOR GD3



GD4 DELINEATOR GD4



DELINEATORS & ACCESSORIES



CH3 DELINEATOR CH3



RD3 DELINEATOR RD3



DEL - 50 x 200-3990 (White) **DEL** - 50 x 200-3992 (Red) (Pressure Sensitive)



STAR PICKET COVER STARCOVYCAP (Yellow Cap)



TEMPORARY REFLECTIVE ROAD FLAP

TRF - White TRFR - Red TRFY - Yellow



HAND GUN FOR 600MM TWIN PACK MEGAPOXY

AHG - Gun



A & B MEGAPOXY 36 MEGATT - 600 grams

A & B MEGAPOXY MEGA4L - 4 Litre Mega 4L



PLASTIC LINE-O-DOT LINODOTWHITE



1 WAY REFLECTIVE PAVEMENT MARKERS 80B SERIES - Standard



2 WAY REFLECTIVE PAVEMENT MARKERS 80A SERIES - Standard



SPOT PAINT - 350grams

WSPAINT - White **BLSPAINT** - Blue

PSPAINT - Pink YSPAINT - Yellow

BSPAINT - Black



LINEMARKING PAINT CANS (500gm) 12 PER BOX

WTPAINT - White YTPAINT - Yellow GTPAINT - Green **BTPAINT** - Black



LINEMARKING MACHINE **LMMACH**



BLOCKS OF BITUMEN ADHESIVE BIT-6.25KG BLOCK **BITACT-1KG BLOCK**



AMP BITUMINOUS PAD 6903AMP



CRAK-BAK DELINEATOR

RHCB - 50 x 100 **WHCB** - 50 x 100



NSW ONLY PEDESTRIAN BOLLARD **REFBOL1** - 600 x 400



NSW ONLY RUMBLE BARS RUMBLEBARWHI - White **RUMBLEBARYEL** - Yellow



TRAFFIC WAND **TWAND**

GUIDE POSTS & DRIVERS



STEELGP STEELGPDRIVER - Driver



FLEXIBLE PVCPOST - 1400 x 100 x 4 **PVCPOSTDRIVER** - Driver



RECPGPD - 95 x 45 x 1500





LANE SEPARATORS

PRODUCT CODE	DESCRIPTION	SIZE	PRODUCT IMAGE
DNLS-C	LANE SEPARATOR CENTRE	1000 X 270 X 90MM	T. C.
DNLS-F	LANE SEPARATOR FEMALE END	440 X 270 X 90MM	
DNLS-M	LANE SEPARATOR MALE END	480 X 270 X 90MM	
DNLSP-SSL	LANE SEPARATOR PADDLE LEFT BLACK/YELLOW CL400	200 X 900MM	
DNLSP-SSR	LANE SEPARATOR PADDLE RIGHT BLACK/YELLOW CL400	200 X 900MM	
70 1300 8			D. P. C. C.















BRACKETS

UNBRACED SIGNS



TD1 Single Sided 60mm OD TD1

(Hex Head Bolt) TD3

(Anti-Vandal Bolt)



TD2 Double Sided 60mm OD

TD2 (Hex Head Bolt) TD4 (Anti-Vandal Bolt)



FRISBEE

FBEE 2 piece Single/Double Sided 60mm OD Post



TRILOBULAR KEY

(TD3 Key)



SECURITY SPANNER SPAN

Suits Trilobular

BRACED SIGNS



UNISTRUT BRACKETS

Single

P2041 60mm OD P2046 76mm OD P2050 89mm OD

P2054 102mm OD

P2058 114mm OD P2066 140mm OD



CAM **BRACKETS**

CAMBKTDS - Alum Rib CAMBKTDS - Uni - Unistrut



UNISTRUT **BRACKETS**

CB2-TT Double Sided 60mm OD



SADDLE BRACKET

Single Sided UN15-60 60mm OD **UN15-76** 76mm OD UN15-89 89mm OD

UN15-102 102mm OD **UN15-114** 114mm OD UN15-140 140mm OD



ARC BRACKET

ARC060 60mm OD **ARC076** 76mm OD **ARC089** 89mm OD **ARC102** 102mm OD

ARC114 114mm OD



CB1 Single Sided CB1



CB₂ Double Sided CB₂



UCC BRACKET UCC002



RSJ CLAMP **RSJCLAMP**



TIMBER FRANGIBLE BRACKET **FRANGBKT**



DN 250



BACK TO BACK CLIP BBC060 BBC076 BBC089



RHS BRACKET RHSBRACKET



STREET NAME SIGNS



STREET BLADE (1 Way) **AL16** 150mm AL18 200mm



STREET BLADE (2 Way) AL26 150mm AL28 200mm



STREET BLADE (3 Way) AL36 150mm AL38 200mm



B.S.CAP **BSCAP**



B.S.JOINING SET BSJS



STREET BLADE TIMBER POST **ALT6** 150mm **ALT8** 200mm



ML1



ML2



BSL BRACKET



BS CROSS BRACKET



SLOTTED BRACKET ALT6B/ALT8B



FOLDED BRACKETS ALT6B-F ALT8B-F



SUSPENSION **BRACKET** CODE SB 1.6 AL PLATE ONLY



TD BOLT TDBOLT



ANTI-VANDAL **BOLT TDTRIBOLT**

BAND-IT RANGE



BAND ROLLS (30MT) **STR13** 13mm **STR19** 19mm

STAINLESS STEEL



BANDING BRACKET UR151 (13mm Band) UR251 (16 & 19mm Band)



BANDIT BUCKLE BBUC13 13mm **BBUC19** 19mm



BANDING TOOL BTOOL



NSW PARKING SIGN BRACKETS SINGLE/DOUBLE RTA-SPB RTA-DPB



SOCKETS



LOC-SOCKET LSOCKETORIG 370mm



LSOCSPI450 450mm LSOCSPI600


600mm




LOC-SOCKET DRIVING TOOL LSOCDRIV



LOC-SOCKET WEDGE LSWEDGE



STB SLEEVE STB 400mm STB550 550mm c/w Anti Twist Bar



ROSTA SLEEVE RS 540mm Long (With Anti Twist Bar)



ANTI TWIST BAR ATBAR



GIBB/ROSTA KEY RK



ROADSIDE WEDGE WEDGE




VLOC VLOC-CON VLOC-SOIL



VLOC WEDGE VLOCWEDGE



LOC-SOCKET ALUMINIUM (Signfix Version) ALUM-SOC 300 ALUM-SOC 450



BASE PLATE 150 150 X 150mm BASE PLATE 200

200 x 200mm

BASE PLATE



POSTCAPS
PCAP - Aluminium
PCAPGAL - Steel
Galvanised



POSTS

- · All posts are galvanized
- Can be plain or pre-drilled to any specification, generally with 1, 2, 3 or 4 holes.
- Posts can be powder coated or 2 pack painted in any colour.
- Can be manufactured with base plates for surface mount installations.
- Standard base plate: 250 x 250 x 6mm
- Standard lengths: 1600, 2100, 2800, 3200, 3600, 3900, 4200 & 6500mm.

POST DIMENSIONS							
Nominal Bore (mm)	50	65	80	90	100	125	150
Outside Diameter (mm)	60.3	76.1	88.9	101.6	114.3	139.7	165.1








FRANGIBLE FLUTED POSTS

- Manufactured from Marine Grade alloy
- · Light and easy to handle
- Simple to install
- The pole flutes are designed to assist in the breakaway process by reducing the external contact surface at the shear point.
- Available in: 60, 76, 89, 102, 114 OD (mm).











SAFETY SIGNS S9





DANGER SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 225	A	Steel	S
450 x 300	В	Steel	S
600 x 450	С	Steel	S
300 x 225	A	Polypropylene	Р
450 x 300	В	Polypropylene	Р
600 x 450	С	Polypropylene	Р
450 x 300	В	Fluted Plastic	F

Note: Steel & aluminium only available in NT. Please specify sizes and add to end of code when ordering.











DB-AUTHO

DB-HIGHVOL

DB-LIVEWIRES1

DB-NOACCESS

DB

EMERGENCY FIRE / FIRST AID SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	٨	Steel	c
	A		3
450 x 600	В	Steel	2
300 x 450	A	Polypropylene	Р
450 x 600	В	Polypropylene	Р
450 x 600	В	Fluted Plastic	F

Note: Steel & aluminium only available in NT



HOSEREEL



FIREREEL



CUSTOM



AS473









AS471

AS472



HAZARD SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	В	Steel	S
300 x 450	A	Polypropylene	Р
450 x 600	В	Polypropylene	Р
450 x 600	В	Fluted Plastic	F

Note: Steel & aluminium only available in NT











AS 441

AS 442

AS 443

AS 444

AS 445











AS 446

AS 447

AS 448

AS 449

AS 450









AS 451

AS 452

AS 453

CUSTOM



MANDATORY SIGNS

SIZE (mm)	CODE		CODE
300 x 450	A	Steel	S
450 x 600	В	Steel	S
300 x 450	A	Polypropylene	Р
450 x 600	В	Polypropylene	Р
450 x 600	В	Fluted Plastic	F





Note: Steel & aluminium only available in NT

AS 421

THIS POINT

AS 422













AS 423

MUST BE WORN **AS 424**

AS 425

IN THIS AREA **AS 426**

AS 427









AS 428

AS 429

AS 430

CUSTOM

PIPE MARKERS

PIPE DIAMETER (OUTER DIAMETER)	PIPE MARKER DIMENSION
40mm or less	100 x 450mm
41mm to 75mm	450 x 30mm
75mm or more	450 x 60mm







PIPELINEMARKERS-FH

PIPELINEMARKERS-E

PIPELINEMARKERS-NG



PROHIBITED SIGNS

SIZE (mm)			CODE
300 x 450	A	Steel	S
450 x 600	В	Steel	S
300 x 450	A	Polypropylene	Р
450 x 600	В	Polypropylene	Р
450 x 600	В	Fluted Plastic	F



Note: Steel & aluminium only available in NT













AS403

AS404

NO **ENTRY**

NO **SMOKE**

CUSTOM

SAFETY TAGS

MATERIAL		COLOUR	CODE	PACK SIZE
Polypropylene	82 x 140	Yellow	ST7-P	100
Polypropylene	82 x 140	Blue	ST8-P	100
Polypropylene	82 x 140	Red	ST9-P	100
Polypropylene	82 x 140	White	ST10-P	100
Polypropylene	82 x 140	Green	ST11-P	100
Polypropylene	82 x 140	Orange	ST12-P	100











82 x 140

82 x 140

82 x 140

82 x 140

CUSTOM





HYDRANT MARKERS

Available in red or green Scotchlite letters on a white Scotchlite background.



FH-A 150 x 100mm



HP-A 150 x 100mm




SV-A 150 x 100mm



75 x 125mm Н



HP-B 75 x 250mm



FH-B 75 x 250mm



HR 75 x 250mm



SV-B 75 x 250mm

FIRE SIGNS



FIRE-262 (A) 300 X 450 (B) 450 X 600



FIRE-263 (A) 300 X 450 (B) 450 X 600



FIRE-264 (A) 300 X 450 (B) 450 X 600



FIRE-265 (A) 300 X 450 (B) 450 X 600



FIRE-266 (A) 300 X 450 (B) 450 X 600

RECREATIONAL SIGNS \$10





RECREATIONAL SIGNS S10





RECREATIONAL SIGNS S10

RECREATIONAL SIGNS ARE USED PRIMARILY FOR THREE PURPOSES: TO INFORM THE PUBLIC OF RULES AND REGULATIONS IN A PARTICULAR AREA, TO ALERT THEM TO POTENTIAL HAZARDS AND LASTLY TO DIRECT THEM TO PARTICULAR FACILITIES.



- Advisory
- Regulatory/Prohibition
- Warning

Multiple Message Signs also fall into this category.



RECREATIONAL SIGNS

Sizes Available: (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm All Pictograms – Available in Circular or Square Plates.



TOILETS A1



WOMENS TOILETS A2



MENS TOILETS A3



DISABLED TOILETS A4



FIREPLACES A5



PICNIC AREA A6



PICNIC SHELTER Α7



CAMPING AREA Α8



PLAYGROUND Α9



DRINKING WATER A10



PARKING A11



INFORMATION A12



TELEPHONE A13



FIRST AID A14



DIRECTIONAL ARROW (1) A15



DIRECTIONAL ARROW (2) A16



FAMILY WALK A17



SELF-GUIDED WALK A18



HIKING A19



CYCLING A20



HORSE RIDING A21



FISHING AREA A22



SWIMMING AREA A23



CANOEING A24



DIVING A25

RECREATIONAL SIGNS



REGULATORY/PROHIBITION

Sizes Available: (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm All Pictograms – Available in Circular or Square Plates.



CAMPING PROHIBITED P1



CATS & DOGS PROHIBITED P2



VEHICLES PROHIBITED Р3



FIRES PROHIBITED P4



TRAILBIKES PROHIBITED P5



HORSES PROHIBITED Р6



FIREARMS PROHIBITED P7



BICYCLES PROHIBITED Р8



SWIMMING PROHIBITED Р9



DIVING **PROHIBITED** P10



FISHING PROHIBITED P11



PICKING OF PLANTS **PROHIBITED** P12



CUSTOM





RECREATIONAL SIGNS


WARNING

Sizes Available: (A) 300 x 300mm & (B) 450 x 450mm



MULTIPLE MESSAGE SIGNS

Sizes Available: 75 x 200mm (1.5M), 75 x 300mm (1.5M), 75 x 300mm (1.5M) & 75 x 450mm (1.8M) Totem Colour: Black, Grey, Green & Blue





AIRPORT CONES AND GABLES



LARGE CONE WHITE



LARGE CONE YELLOW



LARGE CONE WHITE & RED



LARGE CONE WHITE



LARGE CONE YELLOW



LARGE CONE WHITE & RED



MINI CONE WHITE & SILVER



MINI CONE **YELLOW & BLUE**



TRIANGLE REFLECTOR YELLOW & BLUE



1500mm GABLE WHITE 3000mm GABLE WHITE



1500mm GABLE YELLOW 3000mm GABLE YELLOW





SPECIALITY PRODUCTS S11





SPECIALITY PRODUCTS S1



AIRPORT LIGHTS



STANDS







A FRAME **STRUT**



ROLLUP-A 594 x 1188 **ROLLUP-B** 840 x 2185 **ROLLUP-C** 1000 x 2185 **ROLLUP-D** 1200 x 2185

SPECIALTY SIGNS



BUILDING AUSTRALIA TYPE B ALUMINIUM SIGNAGE

900 x 1200



AFDRS AUSTRALIAN FIRE DANGER RATING SYSTEM (SIZED TO STATE SPECIFICATIONS)

1800 x 1585



NATIONAL BUILDING PROGRAM ROADS TO RECOVERY

900 x 1200



NATIONAL BUILDING PROGRAM BLACK SPOT PROGRAM

900 x 1200



AFDRS OPTIONAL INTERCHANGEABLE **NUMERIC / MONTH PLATES**

PLAN AND PREPARE

BE READY TO ACT

TAKE ACTION NOW

LEAVE BUSHFIRE RISK AREA

FIRE DANGER SEASON RULES APPLY

BE BUSHFIRE READY

IN AN EMERGENCY TUNE INTO XXXAM

AFDRS OPTIONAL INTERCHANGEABLE INFORMATION PLATES

1400 x 150

TOTAL FIRE BAN TODAY

TOTAL FIRE BAN TODAY TFBT

OTHER PRODUCTS





WIDTH	SIZE (mm)
W	600
W	900
W	1200

WA ONLY **GRAB RAIL HANDRAILS**

Cycle hand rails, available in various colours and sizes. Available with or without tapes.



BRAILLETACTILE

BRAILLE TACTILE SIGNS

DeNeefe Signs offer Braille Tactile Signs that are Fully Compliant with the relevant Australian Standards and Building Codes of Australia.

These Quality Signs feature a Continuous Surface and Fully Encapsulated Polycarbonate Membrane, Ensuring Durability and allowing them to be kept Hygienically Clean.

Choose from our extensive Standard Range in 'White on Blue' or 'Black on Silver', supplied on a full backing of self-adhesive, ensure an easy installation to flat or curved surfaces.

Our Standard Range is available in multiple colour and material options (including aluminium), or you may choose to customise colours, backings and sizes to suit your requirements.

Looking for something fully custom, no worries, and we can assist you with your specific requirements from design through to manufacture and supply.

BRAILLE TACTILE SIGNS

DeNeefe Signs proudly distribute the Braille Tactile Signs (Aust)® product that are Fully Compliant with the relevant Australian Standards and Building Codes of Australia

Norsign NT is the official distributor for the NT











BTS02N-SLV



BTS03-SLV



BTS05N-SLV



BTS06N-SLV



BTS01N-BLU



BTS02N-BLU



BTS03N-BLU



BTS05N-BLU



BTS06N-BLU



SPECIALITY PRODUCTS











BTS11LHN-SLV

BTS11RHN-SLV

BTS33LHN-SLV

BTS33RHN-SLV

BTS35LHN-SLV











BTS11LHN-BLU

BTS11RHN-BLU

BTS33LHN-BLU

BTS33RHN-BLU

BTS35LHN-BLU











BTS35RHN-SLV

BTS63-SLV

BTS68-SLV

BTS72-SLV

BTS207-SLV











BTS35RHN-BLU

BTS63-BLU

BTS68-BLU

BTS72-BLU

BTS207-BLU











BTS222N-SLV

BTS223N-SLV

BTS224N-SLV

BTS235-SLV













BTS222N-BLU

BTS223N-BLU

BTS224N-BLU

BTS235-BLU

BTS235-AL-BLU

SPECIALITY PRODUCTS













BTS236-AL-SLV

BTS236-SLV

BTS270-SLV

BTS287-SLV

BTS308-AIRLOCK-SLV





Exit Level 1

BTS270-BLU





BTS308- AIRLOCK-BLU

BTS287-BLU



BTS236-AL-BLU

Unisex Toilets

BTS308-SLV



BTS236-BLU



Toilet RH

BTS407-AL-SLV

BTS379LH-SLV

BTS379RH-SLV







Hearing Loop

BTS350-SLV

BTS350-BLU



BTS379LH-BLU



BTS379RH-BLU



BTS407-BLU

Stock signs are available with a standard blue background with white graphics applied to a blue PVC substrate. Custom brailletactile[™] signs can be manufactured to match any colour range and can be supplied applied to PVC, aluminium or to any nominated substrate. Custom **braille**tactile[™] signs are priced on application.



SPECIALITY PRODUCTS

SPECIAL ORDER ELECTRONIC SIGNAGE





VEHICLE ACTIVATED SIGNS (VAS)



W5-V116A 1000 x 1875

W5-V116B 1200 x 2200

W5-V116C 1500 x 2638

CROSSING AHEAD

W5-V131A 1000 x 1875

W5-V131B 1200 x 2200

W5-V131C 1500 x 2638



W5-V122A 1000 x 1770 W5-V122B 1200 x 2075 W5-V122C 1500 x 2470



RX11A 1000 x 1770 **RX11B** 1200 x 2075



W3-V101A 1000 x 1770 W3-V101B 1200 x 2075 W3-V101C 1500 x 2470

ELECTRONIC SPEED LIMIT SIGNS (ESLS)





These are just a selection of our Electronic and Solar Panel Signs. Please contact our sales team on 1300 88 SIGN to find more information on the electronic signage options available.



EVOLIS



STATE OF THE ART RADAR SPEED AWARENESS SIGN



Radar Speed Awareness Sign with programmable messaging and speed accuracy, striking visibility, reliability in all conditions, easy to install, the EVOLIS Vision radar boasts a host of advantages that have made it an international benchmark: over 10,000 town councils have adopted it and there are over 30,000 units in operation worldwide.

TRAILER MOUNTED ALSO AVAILABLE

An impactful display making it the most effective of radars

- Greater visibility meaning earlier driver awareness
- Three-colour display reflecting the different speed bands
- Customizable messages to match your priorities
- Accurate, long-range Doppler radar antenna (300 meters)

Connected radar for high-performance analysis

- Traffic data recorded in both directions
- A software package for analyzing your traffic data
- Various connectivity options

Durability and long-term reliability

- Extremely durable housing
- Robust front face
- Two-year parts and labour guarantee
- Service contract for your peace of mind

Simple, safe installation

- Easy installation built into the design
- Can be configured directly on the appliance
- Four power supply modes to suit sites of all kinds
- Lightweight: only one person needed for installation or relocation

rs)

PHONE: 1300 88 SIGN

or email

info@trafficltd.com.au

for further details



COMMERCIAL GRAPHICS S12



COMMERCIAL GRAPHICS \$12



DENEEFE SIGNS IS ONE OF THE LARGEST SIGN MANUFACTURERS IN AUSTRALIA. OUR SPECIALISED DEPARTMENTS ARE ABLE TO CARRY OUT A WIDE RANGE OF PROJECTS INCLUDING VEHICLE MARKINGS, BUILDING GRAPHICS, INDOOR AND OUTDOOR SIGNAGE AND PRESSURE SENSITIVE DECALS.

Screen printing

Up to 8 colour process and line art

Graphics

Digital printing and graphic design

Converting

 Computer cut lettering, anti graffiti films and sign lay up

Metal

 Plate manufacture, fabrication of specialist sign frames, stands, light boxes and freeway structures, flat bed router and engraving, fully automatic and hand held spray booths capable of baked enamel, acrathane, automotive and anti graffiti finishes.

Stores/Despatch


- A Nationwide network of couriers and freight companies able to transport any size sign or complete project.
- Put all of the above together with our ISO9001, ISO45001, ISO14001 accredited systems and over 75 years of sign manufacturing experience, and we can ensure unsurpassed quality and customer satisfaction. DeNeefe Signs can formulate you a complete sign package from beginning to end.







COMMERCIAL GRAPHICS



COMMERCIAL GRAPHICS





















COMMERCIAL GRAPHICS















3M SIGN WARRANT

DeNeefe Signs is an innovative manufacturer of Traffic Control Signage and associated equipment, ranging from the smallest pressure sensitive decal to the largest guide sign. Since the early 1950's, DeNeefe have had a close association with 3M Australia Pty Ltd and as such, are able to provide the full flow on benefits of 3M's extended sign replacement warranty for all of our durable and permanent traffic signs.

This together with our technical expertise and manufacturing know how, developed over the past 80 years, our ongoing commitment towards customer satisfaction and the manufacture of quality products has made us the largest traffic sign manufacturer in Australia with branches in VIC, NSW, QLD, ACT, WA, SA, TAS & NT.

We are proud to say we are an Australian owned company and promote Australian manufactured products.

BASE/BACKGROUND SHEETING			APPLICABLE EXTENDED WARRANTY	
Applicable Standards of Retroreflective Sheeting for AS/NZS 1906.1 2007	Compliant 3M Retroreflective Sheeting	3M Approved Legend & Graphics †	Warranted Vertical Outdoor Exposure	Warranted Retained Luminance (CIL/m² Percentile)*
CLASS 1100	3M Diamond Grade" DG3 Reflective Sheeting Series 4000 (non-fluorescent colours)	3M™ Electrocut™ Film Series 1170	12 years	80%**
		3M UV Ink Series 8800, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M Diamond Grade" DG3 Reflective Sheeting Series 4083 Fluorescent Yellow/Green & 4081 Fluorescent Yellow	3M" Electrocut" Film Series 1170	10 years‡	
		3M UV Ink Series 8800 , with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M Diamond Grade™ DG3 Reflective Sheeting Series 4084 Fluorescent Orange	3M Electrocut™ Film Series 1170	3 years	
		3M UV Ink Series 8800 , with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 900	3M VIP 3990 series (non-fluorescent colours)	3M Electrocut™ Film Series 1170	12 years	80%**
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M VIP 3990 series 3983 Fluorescent Yellow/Green & 3981 Fluorescent Yellow	3M Electrocut™ Film Series 1170	10 years	
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 400	3M High Intensity Prismatic Reflective Sheeting Series 3900	3M Electrocut™ Film Series 1170	10 years	50%**
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 100	3M Engineer Grade™ 3200 Beaded Series	3M UV Ink Series 8800 and 8900, with 1170 clear overlay	7 years	
		3M Screen Process Colours Series 990 for series 3200 only		

^{*}Warranted retained brightness levels apply to reflective sheetings used for sign background borders and legends.

^{**} Retained CIL percentile is based on minimum CIL values for new reflective sheetings by Class for Obsevation Angle 0.2" and Entrance Angle 4" defined in relevant tables inluded in AS/NZS 1906.12017

[†] If 3M" Scotchcal" Electrocut Film Series 7725-12 Black is used for legend or graphics, the sign will only have a Warranted Vertical Outdoor Exposure of 8 years.

^{‡3}M full replacement warranty applicable for 12 years in NSW on RMS permanent signs.

NB: 3M 1160 Anti Graffiti Film and 1180 Anti Dew Film can be used in addition to any of the above legend and graphic material combinations. The finished signs maintain the warranty periods and conditions listed above. The 1180 maintains anti dew properties for up to 5 year.





Avery Dennison ICS Platinum Warranty Certificate

ICS Warranty No: 20171212DS

Avery Dennison is pleased to offer the following ICS Platinum Extended Warranty Certificate:

Sign Manufacturer: De Neefe Signs, 25 Brisbane Street, Eltham, Victoria, 3095 Application: Permanent Traffic Signs to Government Agencies in Australia

Substrate: Conditioned aluminium as per AS/NZS1906.1:2007

Films: The complete range of Avery Dennison Reflective Traffic Products

Warranty Period: T-1500 EG Class 2 to 7 years with 4930 series screen inks or OL2000 series coloured or

transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

T-6500 Prismatic Class 1/1W to 10 years with 4930 series screen inks and to 12 years with OL-2000 series coloured or transparent clear film or TrafficJet Spot colours with

OL-1000 or OL-2000 film

T-11500 Omni-Cube Prismatic Class 1X to 10 years with 4930 series screen inks and to 12 years with OL2000 series coloured or transparent clear film or TrafficJet Spot

colours with OL-1000 or OL-2000 film

From the date of sign manufacture and if within the warranted period of vertical outdoor exposure, the reflective sheeting deteriorates due to natural causes to the extent that the sign fails to retain the minimum retro reflectivity values as defined in the Warranty Schedule, Avery Dennison shall meet the total cost of replacing the sign including all labour and materials. This ICS Platinum Extended Warranty shall remain in place for 24 months from the date of issue subject to De Neefe Signs complying with ongoing Avery Dennison Quality Audits.

Warranty Conditions

This warranty shall be effective only if all of the following conditions are met:

The sign manufacturer must have been an Avery Dennison certified authorized converter at the time the sign was manufactured.

The failure must have resulted solely from a manufacturing defect or deterioration of the sheeting due to natural causes. Without limiting the generality of the foregoing, there is no warranty for the failure of the sheeting due to improper sign fabrication, improper storage, handling, installation, or maintenance, or failure of the sign substrate, or vandalism or malicious mischief. Slight color fading, cracking, chalking, edge lifting, or slight reduction in gloss or reflectivity will not materially detract from appearance and does not constitute a breach of warranty.

If Avery Dennison products with differing warranty periods are combined on a sign, the lesser warranty period will apply.

Avery Dennison has published instructional bulletins pertaining to the storage, handling, and cleaning of sheeting, approved sheeting substrates, and sheeting application procedures (collectively, the "Procedures"). The sheeting must have been processed and applied to blank sign material in accordance with the Procedures, as such may be amended from time to time. The sign dating, warranty registration, and claim procedures promulgated by Avery Dennison must be followed, and failure to follow such procedures shall void this warranty.

Replacement sheeting carries only the unexpired warranty of the sheeting it replaces.

It is a condition of this warranty that Avery Dennison reserves the right to properly clean the sign under complaint and subject it to any testing deemed necessary to determine the validity of any claim.

Warranty Limitations

The remedies provided under this warranty are exclusive. Avery Dennison shall not be liable for any direct, indirect, incidental or consequential damages or specific relief, and, except as specifically provided herein, in no event shall Avery Dennison product giving rise to liability. THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHERS. ANY AND ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANT-ABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED.

YOUR GUIDE TO SIGN STORAGE AND HANDLING

A GUIDE TO HIGHLIGHT THE IMPORTANT ASPECTS OF REFLECTIVE SIGN STORAGE AND HANDLING

GENERAL STORAGE

Signs should be handled, transported and stored to protect the sign face. Signs should be stored vertically with edges clear of the ground.

INDOOR STORAGE

Storing signs indoors is preferable. Moisture should not come in contact with the sign face. Packing that becomes damp or wet should be removed immediately. Steps should be taken to ensure signs are not stored in areas of high temperature and humidity.

OUTDOOR STORAGE

Signs stored outdoors should be unwrapped, stored upright and sit on wooden battens. A racking system ensures sign faces do not become damaged by signs resting against each other and allows adequate air circulation which prevents a build up of moisture.

SIGN TRANSPORTATION

Large direction signs should be braced with stiffener to avoid buckling and adequately supported and secured to avoid damage due to scuffing, abrasion and load shifting.

SIGN ERECTION

Once on site, signs should not be laid flat on the ground as it can result in damage to the reflective sign face. Bolts should be tightened using offset spanners. Avoid over tightening. Nylon washers should be used between the bolt head and sign face. After installation, signs should be inspected to see that they have not been damaged and are free of oil and dirt residue.

SIGN COVERING

The covering of signs is not recommended. If it is necessary to cover a sign then a porous cloth should be used allowing air circulation, and then only for limited periods. Do not use paper or plastic covers as heat and moisture entrapment can cause permanent damage to the reflective sign face.

SIGN CLEANING

For maximum performance signs should be kept clean and free from dirt, road tar, oil, bituminous material and mulch. Cleaning with a wet, detergent type non-abrasive cleaner is recommended. Following the use of any cleaning agent, the sign face should be thoroughly and immediately rinsed with water. Care should be taken not to abrade the sign face.

DeNeefe Signs

A Subsidiary of Traffic Technologies Ltd

FOR ORDERS & ENQUIRIES PHONE 1300 88 SIGN



