

PRODUCT  
CATALOGUE

# Norsign

YOUR ONE-STOP  
SIGN SHOP

N.T.

*A subsidiary of Traffic Technologies Ltd.*



VIC & ACT

FOR ORDERS AND ENQUIRIES PHONE - 08 8947 0733

# DENEEFEE SIGNS HISTORY



Established in 1926, DeNeeffe Signs is Australia's largest manufacturer of fixed metal directional and instructional traffic signs. It has operations in every state of Australia, with the main production facility located in Melbourne and Norsign, a division of DeNeeffe, located in the Northern Territory.

Primarily, DeNeeffe Signs manufacture a wide range of traffic control products, vests, brackets, cones and bollards, as well as Corporate Signage to both Government and private sectors. We also provide sign installation and computer assessment of Local Government Signage.

In September 1993, DeNeeffe Signs Victoria, was accredited with Australian Standard 3902 and have since attained ISO 9001 certification. All our interstate branches now also have the same accreditation. We have initiated an Occupational Health and Safety Program to safeguard the health and well being of our employees.

We are proud to say we are an Australian owned company and promote Australian manufactured products.













DeNeeffe Signs seek the latest technology and systems to support our continued growth and success. Our computerised Graphics Department currently have 5 work stations, an image setter for screen printing positives and computer and flatbed cutters which increase workflow to other areas of the company. Our administration has the latest 'state of the art' computer system, which services the processing of orders, invoicing, estimating and production planning.

Our mission is to provide our customers with a product which meets their requirements and expectations, at a price acceptable to all parties and a customer service which exceeds their expectations.

As the Signage Division of Traffic Technologies, DeNeeffe Signs work in conjunction with the other divisions of Traffic Technologies, to provide a 'one-stop-shop' for all our customers traffic requirements.



# TABLE OF CONTENTS

	PAGE	
➤ REGULATORY SIGNS	03	
➤ (PARKING SIGNS - PAGE 12)		
➤ WARNING SIGNS	17	
➤ GUIDE SIGNS	27	
➤ (STREET NAME SIGNS - PAGE 33)		
➤ HAZARD MARKERS	35	
➤ TEMPORARY ROADWORK SIGNS	39	
➤ (CORFLUTES & MULTI MESSAGE SIGNS - PAGE 43)		
➤ TRANSPORT SIGNS	49	
➤ WORK ZONE PRODUCTS	53	
➤ SIGN ACCESSORIES	59	
➤ SAFETY SIGNS	65	
➤ RECREATIONAL SIGNS	71	
➤ SPECIALTY PRODUCTS	75	
(SPECIAL ORDER ELECTRONIC SIGNAGE - PAGE 80)		
➤ COMMERCIAL GRAPHICS	81	







# REGULATORY SIGNS

All signs are available in CLI Hi Intensity (H) & CLIX Diamond Grade (DG) Materials



R1-1A 600 x 600  
R1-1B 750 x 750  
R1-1C 900 x 900



R1-2AA 375  
R1-2A 750  
R1-2B 900  
R1-2C 1200



R1-3A 750  
R1-3B 900  
R1-3C 1200



**NSW ONLY**  
R1-4A 450 x 450



R2-2A 450 x 600  
R2-2B 600 x 800  
(L or R)



R2-3AA 300 x 400  
R2-3A 450 x 600  
R2-3B 600 x 800  
(L or R)



**NSW, NT & ACT ONLY**  
R2-4A-RTA 450 x 750  
R2-4B-RTA 600 x 1000  
R2-4C-RTA 750 x 1250



R2-4AA 300 x 300  
R2-4A 450 x 450  
R2-4B 600 x 600  
R2-4C 750 x 750  
R2-4D 900 x 900



**NSW, NT & ACT ONLY**  
R2-5A-RTA 450 x 750  
R2-5B-RTA 600 x 1000



R2-5A 450 x 450  
R2-5B 600 x 600  
R2-5C 750 x 750  
R2-5D 900 x 900



**NSW, NT & ACT ONLY**  
R2-6A-RTA 450 x 900  
R2-6B-RTA 600 x 1200  
(L or R)



R2-6A 450 x 450  
R2-6B 600 x 600  
R2-6C 750 x 750  
R2-6D 900 x 900  
(L or R)

# REGULATORY SIGNS



All signs are available in CLI Hi Intensity (H) & CLIX Diamond Grade (DG) Materials



R2-7A 450 x 600  
R2-7B 600 x 800



R2-8A 450 x 600  
R2-8B 600 x 800



R2-9A 450 x 750  
R2-9B 600 x 1000  
(L or R)



R2-10A 600 x 600



R2-11A 450 x 600  
R2-11B 600 x 800



R2-14A 600 x 800  
R2-14B 900 x 1200  
(L or R)



R2-15A 450 x 600  
R2-15B 600 x 800



R2-16A 750 x 600



R2-17A 450 x 800  
R2-17B 600 x 1050  
R2-17C 900 x 1600



R2-19A 800 x 1200



R2-20 450 x 800



R2-2 800 x 1100



# REGULATORY SIGNS

All signs are available in CLI Hi Intensity (H) & CLIX Diamond Grade (DG) Materials



R2-22 750 x 750




R2-209 150 x 1150



R3-1A 600  
R3-1B 750  
R3-1C 900



R3-2A 450  
R3-2B 600



R3-3A 600 x 600  
FLAG C/W DOWELL  
NON/REFLECTIVE



R3-4A 450 x 1200  
R3-4B 600 x 1600



R3-5A 90 x 110  
(L or R)  
DECAL



R4-1A 450 x 600  
R4-1B 600 x 800  
R4-1C 900 x 1200  
R4-1D 1200 x 1600



**WA & NT ONLY**  
R4-2A 600 x 800  
R4-2B 900 x 1200



R4-3A 450 x 300  
R4-3B 600 x 400  
R4-3C 900 x 600



R4-4A 450 x 750



R4-5A 450 x 750

# REGULATORY SIGNS



All signs are available in CL1 Hi Intensity (H) & CL1X Diamond Grade (DG) Materials



R4-8A 450 x 300  
R4-8B 600 x 400



R4-9A 450 x 450  
R4-9B 600 x 600



R4-10A 450 x 750  
R4-10B 600 x 1000



R4-11A 450 x 750  
R4-11B 600 x 1000



R4-12B 600 x 1000  
R4-12C 800 x 1334



**NSW ONLY**

R4-231A-RTA 900 x 850  
R4-231B-RTA 1200 x 1135  
R4-231C-RTA 1800 x 1700



**VIC ONLY**

R4-V105A 900 x 850  
R4-V105B 1200 x 1135  
R4-V105C 1800 x 1700



**VIC ONLY**

R4-V106AA 360 x 1016  
R4-V106A 450 x 1270



R4-V114-1AA 360 x 463  
R4-V114-1A 450 x 612  
R4-V114-1B 600 x 877




R4-V1115 (L)

R4-V1115 (R)

**VIC ONLY**

R4-V115AA 360 x 540  
R4-V115A 450 x 675  
R4-V115 600 x 900



R4-V121AA 360 x 876  
R4-V121A 450 x 1095  
R4-V121B 600 x 1460



**NSW ONLY**

R4-212A 450 x 900  
R4-212B 600 x 1200  
R4-212C 900 x 1745  
R4-212D 1200 x 2400  
(Hinged or Unhinged)



# REGULATORY SIGNS

All signs are available in CLI Hi Intensity (H) & CLIX Diamond Grade (DG) Materials



R5-58A 1500 x 1100  
(L or R)



R6-1A 750 x 900  
R6-1B 1200 x 1440



R6-2A 750 x 900  
R6-2B 1200 x 1440



R6-3A 600 x 900  
R6-3B 900 x 1350



R6-4A 600 x 900  
R6-4B 900 x 1350



R6-6A 450 x 750  
R6-6B 675 x 1125



R6-7A 450  
R6-7B 600



R6-8A 450  
R6-8B 600



R6-9A 450 x 600



R6-10-1A 600 x 600  
R6-10-1B 900 x 900  
R6-10-1C 1200 x 1200



R6-10-2A 600 x 600  
R6-10-2B 900 x 900  
R6-10-2C 1200 x 1200



R6-10-3A 450 x 450  
R6-10-3B 600 x 600  
R6-10-3C 750 x 750  
R6-10-3D 900 x 900

# REGULATORY SIGNS



All signs are available in CL1 Hi Intensity (H) & CL1X Diamond Grade (DG) Materials



R6-11A 1950 x 600



R6-12A 1500 x 600



R6-13A 1200 x 1500



R6-14A 450 x 750

R6-14B 675 x 1125




R6-15A 300 x 300

R6-15B 450 x 450



R6-16 1950 x 180



R6-17A 1200 x 750



R6-18A 600 x 700

R6-18B 900 x 1050

R6-18C 1200 x 1400



R6-19A 1200 x 600

R6-19B 1800 x 900



R6-20A 1200 x 600

R6-20B 1800 x 900



R6-21A 900 x 450

R6-21B 1800 x 900



R6-22A 1200 x 1000

R6-22B 1400 x 1200

R6-22C 1800 x 1500



R6-23A 1000 x 800

R6-23B 1500 x 1200



R6-25 1350 x 900



R6-26 1350 x 900





# REGULATORY SIGNS

All signs are available in CLI Hi Intensity (H) & CLIX Diamond Grade (DG) Materials



R6-27A 600 x 700  
R6-27B 900 x 1050  
R6-27C 1200 x 1400



R6-28A 900 x 900  
R6-28B 1200 x 1200  
R6-28C 1800 x 1800



R6-29A 1200 x 600  
R6-29B 1800 x 900  
R6-29C 2400 x 1200



R6-30A 600 x 1200  
R6-30B 900 x 1800



R6-31A 350 x 350  
Decal



R6-32A 1200 x 800



R6-33 1200 x 1350



R7-1-1C 600 x 800  
R7-1-1D 900 x 1200  
R7-1-1E 1200 x 1600



R7-1-3C 600 x 800  
R7-1-3D 900 x 1200  
R7-1-3E 1200 x 1600



R7-1-4B 450 x 600  
R7-1-4C 600 x 800  
R7-1-4D 900 x 1200



R7-1-5C 600 x 800  
R7-1-5D 900 x 1200



R7-1-6C 600 x 800  
R7-1-6D 900 x 1200  
R7-1-6E 1200 x 1600

# REGULATORY SIGNS



All signs are available in CLI Hi Intensity (H) & CLIX Diamond Grade (DG) Materials



- R7-2B 450 x 150
- R7-2C 600 x 200
- R7-2D 900 x 300
- R7-2E 1200 x 400



- R7-3B 450 x 300
- R7-3C 600 x 400
- R7-3D 900 x 600
- R7-3E 1200 x 800  
(L & R)



- R7-4A 300 x 100
- R7-4B 450 x 150
- R7-4C 600 x 200
- R7-4D 900 x 300
- R7-4E 1200 x 400



- R7-5B 450 x 300
- R7-5C 600 x 400
- R7-5D 900 x 600
- R7-5E 1200 x 800



- R7-6-1A 1400 x 400  
(L & R)



- R7-6-2A 1400 x 400



- R7-6-3A 1600 x 400

- R7-6-4 1600 x 400



- R7-7-1C 600 x 800
- R7-7-1D 900 x 1200
- R7-7-1E 1200 x 1600



- R7-7-2C 600 x 800
- R7-7-2D 900 x 1200
- R7-7-2E 1200 x 1600



- R7-8C 600 x 800
- R7-8D 900 x 1200
- R7-8E 1200 x 1600



- R8-1A 300 x 450
- R8-1B 450 x 600
- R8-1C 600 x 800



- R8-2A 300 x 450
- R8-2B 450 x 600
- R8-2C 600 x 800



- R8-3A 300 x 300
- R8-3B 450 x 450
- R8-3C 600 x 600  
(L or R) (R Shown)




# REGULATORY SIGNS

All signs are available in CLI Hi Intensity (H) & CLIX Diamond Grade (DG) Materials



- R9-1-1A 450 x 300
- R9-1-1B 600 x 400
- R9-1-1C 900 x 600
- R9-1-1D 1200 x 800



- R9-1-2A 450 x 450
- R9-1-2B 600 x 600
- R9-1-2C 900 x 900
- R9-1-2D 1200 x 1200



- R9-1-3B 600 x 400
- R9-1-3C 900 x 600
- R9-1-3D 1200 x 800



- R9-2A 450 x 300
- R9-2B 600 x 400
- R9-2C 750 x 500



- R9-3A 450 x 300
- R9-3B 600 x 400
- R9-3C 750 x 500



- R9-4A 450 x 300
- R9-4B 600 x 400



- R9-5C 750 x 375
- R9-5D 900 x 450



- R9-6-1A 750 x 150
- R9-6-1B 1000 x 200
- R9-6-1C 1200 x 240



- QLD ONLY**
- TC1195A 750
- TC1195B 900
- TC1195C 1200



- QLD ONLY**
- TC9265A 180 x 1200



- QLD ONLY**
- R4-Q01A 450 x 1400
- R4-Q01B 600 x 1900
- R4-Q01C 900 x 2800

# REGULATORY SIGNS



## PARKING SIGNS

Parking controls and the times that they apply vary so widely that parking signs generally have to be designed individually. Many signs contain a number of separate controls on one sign.

A special numbering code comprising a generic number in the R5 Series, together with additional coding has been developed for ordering those signs whose message is variable.

### LINEAR PARKING CONTROL PANELS

TYPE OF CONTROL		SIGN NUMBER
<b>PARKING</b>		
Whole Hours:	1P	R5-1
	2P	R5-2
	3P	R5-3
	4P	R5-4
	5P	R5-5
	6P	R5-6
	7P	R5-7
	8P	R5-8
	P No Duration Stated	R5-10
Part of Hours:	P2 Minute	R5-12
	P5 Minute	R5-13
	P10 Minute	R5-14
	¼ P	R5-15
	½ P	R5-16
	1½ P	R5-17
<b>ZONE</b>		
	Bus Zone	R5-20
	Taxi Zone	R5-21
	Permit Zone	R5-22
	Loading Zone	R5-23
	Truck Zone	R5-24
	Works Zone	R5-25
	Mail Zone	R5-26
<b>NO-STOPPING</b>		
	No - Stopping (At any time)	R5-35
	No - Stopping (Specific times of operation)	R5-36
<b>NO-PARKING</b>		
	No - Parking (At any time)	R5-40
	No - Parking (Specific times of operation)	R5-41
<b>CLEARWAY</b>		
	Clearway (At all times)	R5-45
	Clearway (Specific times of operation)	R5-46






# REGULATORY SIGNS

All signs are available in Enamel (E), CL2 Engineers Grade & CL1 Hi Intensity

## PANEL ARRANGEMENTS ON SIGNS

CODE	SIZE (mm)
N1	225 x 300
N2	225 x 450
W1	450 x 225
W2	450 x 300



## Examples of Panel Arrangement Layouts

P11 P22 P32 P42 PORTABLE PARKING TRIPOD PPT

## PARKING SIGNS

Sizes Available: S = Single 225 x 450, D = Double 450 x 450, T = Triple 450 x 675. Left, Right & Double Arrows also available.

R5-1 R5-10DOAL R5-20 R5-21 R5-22

# REGULATORY SIGNS



All signs are available in Enamel (E), CL2 Engineers Grade & CL1 Hi Intensity

## PARKING SIGNS

Sizes Available: S = Single, D = Double, T = Triple



R5-23



R5-26



R5-35




R5-39A 600 x 225

R5-39B 900 x 337



R5-40



R5-46



R5-50A 600 x 800

R5-50B 900 x 1200



R5-51A 600 x 600

R5-51B 900 x 900



R5-61A 600 x 900

R5-61B 900 x 1350



R5-62A 450 x 800

R5-62B 600 x 1065



R5-63A 600 x 600

R5-63B 900 x 900



R5-65A 450 x 300

R5-65B 600 x 400



R5-71A 600 x 800

R5-71B 900 x 1200



R5-72A 450 x 900

R5-72B 600 x 1065





# REGULATORY SIGNS

All signs are available in Enamel (E), CL2 Engineers Grade & CL1 Hi Intensity

## PARKING SIGNS

Left, Right & Double Arrows available.




R5-73A 450 x 600  
R5-73B 600 x 800



**ACT ONLY**  
ACTR5-1 300 x 450  
(Class 2)



**ACT ONLY**  
ACTR5-2 300 x 450  
(Class 2)



**ACT ONLY**  
ACTR5-3 300 x 450  
(Class 2)



**ACT ONLY**  
ACTR5-20 300 x 450  
(Class 2)



**ACT ONLY**  
ACTR5-22/1 300 x 450  
(Class 2)



**ACT ONLY**  
ACTR5-23 300 x 450  
(Class 2)



**ACT ONLY**  
ACTR5-35 300 x 450  
(Class 2)



**ACT ONLY**  
ACTR5-40 300 x 450  
(Class 2)



**NSW ONLY**  
RTAR5-400







# WARNING SIGNS

All signs are available in CLI Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials

SIZE	DIMENSIONS (mm)
A	600 x 600
B	750 x 750
C	900 x 900
D	1200 x 1200



### TURN

W1-1A  
W1-1B  
W1-1C  
(L or R)



### REVERSE TURN

W1-2A  
W1-2B  
W1-2C  
(L or R)



### CURVE

W1-3A  
W1-3B  
W1-3C  
(L or R)



### REVERSE CURVE

W1-4A  
W1-4B  
W1-4C  
(L or R)



### WINDING ROAD

W1-5A  
W1-5B  
W1-5C  
(L or R)




### HAIRPIN BEND

W1-7A  
W1-7B  
W1-7C  
(L or R)



**TILTING TRUCK**  
W1-8B 1500 x 3000  
(L or R)



**EXIT SPEED**  
W1-9-1 1400 x 1800  
km/h



### CROSS ROAD

W2-1A  
W2-1B  
W2-1C



### T JUNCTION

W2-3A  
W2-3B  
W2-3C



### SIDE ROAD JUNCTION

W2-4A  
W2-4B  
W2-4C  
(L or R)



### ROUNDABOUT

W2-7A  
W2-7B  
W2-7C

# WARNING SIGNS



All signs are available in CLI Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



**STAGGERED SIDE ROAD JUNCTION**

W2-8A  
W2-8B  
W2-8C  
(L or R)



**SIDE ROAD JUNCTION ON A CURVE**

W2-9A  
W2-9B  
W2-9C  
(L or R)



**SIDE ROAD JUNCTION ON A CURVE**

W2-10A  
W2-10B  
W2-10C  
(L or R)



**SUCCESSIVE SIDE ROAD JUNCTION**

W2-11A  
W2-11B  
W2-11C  
(L or R)



**SUCCESSIVE SIDE ROAD JUNCTION**

W2-12A  
W2-12B  
W2-12C  
(L or R)



**SUCCESSIVE SIDE ROAD**

W2-13A  
W2-13B  
W2-13C  
(L or R)



**T-JUNCTION BEYOND**

W2-14A  
W2-14B  
W2-14C  
(L or R)



**CROSSROAD ON CURVE**

W2-15  
(L or R)



**STOP SIGN AHEAD**

W3-1A  
W3-1B  
W3-1C  
W3-1D



**GIVE WAY SIGN AHEAD**

W3-2A  
W3-2B  
W3-2C  
W3-2D



**SIGNALS AHEAD**

W3-3A  
W3-3B  
W3-3C  
W3-3D



**ROAD HUMPS AHEAD**

W3-4A  
W3-4B  
W3-4C



**NARROW BRIDGE**

W4-1A  
W4-1B  
W4-1C



**ROAD NARROWS**

W4-3A  
W4-3B  
W4-3C



**DIVIDED ROAD**

W4-4A  
W4-4B  
W4-4C



**ISLAND**

W4-5A  
W4-5B  
W4-5C  
W4-5D



# WARNING SIGNS

All signs are available in CLI Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



LOW CLEARANCE  
...m (AHEAD)  
W4-8B  
W4-8C



LEFT LANE ENDS  
W4-9B  
W4-9C



LANE ALLOCATION  
W4-10B  
W4-10C



TWO WAY TRAFFIC  
W4-11A  
W4-11B  
W4-11C  
W4-11D



FERRY  
W5-1A  
W5-1B  
W5-1C



OPENING BRIDGE  
W5-2A  
W5-2B  
W5-2C



FORD  
W5-6A  
W5-6B  
W5-6C



FLOODWAY  
W5-7-1A  
W5-7-1B  
W5-7-1C



FLOODWAYS  
W5-7-2A  
W5-7-2B  
W5-7-2C



LOW LEVEL BRIDGE  
W5-8A  
W5-8B  
W5-8C



DIP  
W5-9A  
W5-9B  
W5-9C



ROAD HUMP  
W5-10A  
W5-10B  
W5-10C



CREST  
W5-11A  
W5-11B  
W5-11C



STEEP DESCENT  
W5-12A  
W5-12B  
W5-12C



STEEP CLIMB  
W5-13A  
W5-13B  
W5-13C



GATE  
W5-14A  
W5-14B  
W5-14C

# WARNING SIGNS



All signs are available in CLI Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



**GRID**  
W5-16A  
W5-16B  
W5-16C



**ROAD ENDS**  
W5-18A  
W5-18B  
W5-18C



**GRAVEL ROAD**  
W5-19A  
W5-19B  
W5-19C



**SLIPPERY**  
W5-20A  
W5-20B  
W5-20C



**TRUCKS CROSSING OR ENTERING**  
W5-22A  
W5-22B  
W5-22C



**KANGAROOS**  
W5-29A  
W5-29B  
W5-29C



**AIRCRAFT**  
W5-30A  
W5-30B  
W5-30C



**SLOW POINT**  
W5-33A  
W5-33B



**MERGING TRAFFIC**  
W5-34A  
W5-34B  
W5-34C  
W5-34D  
(L or R)



**ADDED LANE**  
W5-35A  
W5-35B  
W5-35C  
W5-35D  
(L or R)



**FIRE STATION**  
W5-36A  
W5-36B  
W5-36C



**AMBULANCE STATION**  
W5-37A  
W5-37B  
W5-37C



**STOCK**  
W5-38A  
W5-38B  
W5-38C



**FALLING ROCKS**  
W5-42A  
W5-42B  
W5-42C  
(L or R)



**TRUCKS TURNING**  
W5-205A  
W5-205B  
W5-205C



**KOALAS**  
W5-47A  
W5-47B  
W5-47C





# WARNING SIGNS

All signs are available in CLI Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



**WOMBATS**  
W5-48A  
W5-48B  
W5-48C



**TREES CLOSE TO ROAD**  
**VIC ONLY**  
W5-V127A  
W5-V127B  
W5-V127C



**PEDESTRIANS**  
W6-1A  
W6-1B  
W6-1C



**PEDESTRIAN CROSSING AHEAD**  
W6-2A  
W6-2B  
W6-2C



**SCHOOL BUS**  
W6-204A  
W6-204B  
W6-204C



**CHILDREN**  
W6-3A  
W6-3B  
W6-3C



**HOSPITAL**  
W6-6A  
W6-6B  
W6-6C



**BICYCLES**  
W6-7A  
W6-7B  
W6-7C



**ROAD AHEAD**  
W6-8A 300 x 300  
W6-8B 450 x 450



**W6-9A**  
W6-9B  
W6-9C



**TRACKS**  
...numbers  
W7-2-1A 600 x 275  
W7-2-1B 800 x 367



**TRACKS**  
...numbers  
W7-2-2 1000 x 150



**RAILWAY LEVEL CROSSING FLASHING SIGNAL AHEAD**  
W7-4B  
W7-4C  
W7-4D



**TRAIN**  
W7-7A  
W7-7B  
W7-7C  
(L or R)



**TRAIN CROSSING RIGHT ANGLE**  
W7-8A  
W7-8B  
W7-8C



**TRAIN CROSSING ANGLE**  
W7-9A  
W7-9B  
W7-9C  
(L or R)

# WARNING SIGNS



All signs are available in CLI Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



**TRAIN CROSSING  
T-JUNCTION**

W7-12A  
W7-12B  
W7-12C  
(L or R)



**TRAIN CROSSING  
INTERSECTION**

W7-13A  
W7-13B  
W7-13C  
(L or R)



**TRAIN CROSSING**  
W7-14-1A 600 x 400



**DO NOT CROSS**  
W7-14-2A 600 x 400



**DO NOT CROSS**  
W7-14-4 450 x 400



**DO NOT CROSS**  
W7-14-5 450 x 400



**DO NOT CROSS**  
W7-14-6 450 x 400



**RAILWAY GATE**  
W7-15A  
W7-15B  
W7-15C



**DRY WEATHER  
ROAD ONLY**  
W8-DWROA  
W8-DWROB  
W8-DWROC



**HORSE AND RIDER**  
W8-H&RA  
W8-H&RB  
W8-H&RC



**W-RAISPAVA  
W-RAISPAVB  
W-RAISPAVC**



**ADVISORY SPEED**  
...km/h  
W8-2A 600 x 400  
W8-2B 750 x 500  
W8-2C 900 x 600  
W8-2D 1200 x 800



**ON SIDE ROAD**  
W8-3A 600 x 400  
W8-3B 750 x 500  
W8-3C 900 x 600  
(L or R)



**DISTANCE ...m**  
W8-5A 600 x 200  
W8-5B 750 x 250  
W8-5C 900 x 300  
W8-5D 1200 x 400



**WHEN WET**  
W8-7A 600 x 400  
W8-7B 750 x 500  
W8-7C 900 x 600



**WHEN FROSTY**  
W8-8A 600 x 400  
W8-8B 750 x 500  
W8-8C 900 x 600



## WARNING SIGNS

All signs are available in CLI Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



### UNDER SNOW

**W8-9A** 600 x 400  
**W8-9B** 750 x 500  
**W8-9C** 900 x 600



### PLAYGROUND

**W8-13A** 600 x 400  
**W8-13B** 750 x 500  
**W8-13C** 900 x 600



### SCHOOL

**W8-14A** 600 x 200  
**W8-14B** 750 x 250  
**W8-14C** 900 x 300



### MERGE

**W8-15B** 750 x 500  
**W8-15C** 900 x 600  
**W8-15D** 1200 x 800  
(L or R)



### ONE LANE

**W8-16A** 600 x 400  
**W8-16B** 750 x 500  
**W8-16C** 900 x 600



### NEXT ...km

**W8-17-1A** 600 x 400  
**W8-17-1B** 750 x 500  
**W8-17-1C** 900 x 600  
**W8-17-1D** 1200 x 800



### NEXT ...m

**W8-17-2A** 600 x 400  
**W8-17-2B** 750 x 500  
**W8-17-2C** 900 x 600



### AGED

**W8-18A** 600 x 200  
**W8-18B** 750 x 250  
**W8-18C** 900 x 300



### BLIND

**W8-19A** 600 x 200  
**W8-19B** 750 x 250  
**W8-19C** 900 x 300



### DISABLED

**W8-20A** 600 x 200  
**W8-20B** 750 x 250  
**W8-20C** 900 x 300



### BOGGY WHEN WET

**W8-21A** 600 x 400  
**W8-21B** 750 x 500  
**W8-21C** 900 x 600



### CROSSING AHEAD

**W8-22A** 600 x 400  
**W8-22B** 750 x 500  
**W8-22C** 900 x 600



### CROSSING ARROWS

**W8-23A** 600 x 200  
**W8-23B** 750 x 250



### PRESCHOOL

**W8-24A** 600 x 200  
**W8-24B** 750 x 250  
**W8-24C** 900 x 300



### REFUGE ISLAND

**W8-25A** 600 x 400  
**W8-25B** 750 x 500  
**W8-25C** 900 x 600



### ADDED LANE

**W8-26A** 600 x 400  
**W8-26B** 750 x 500  
**W8-26C** 900 x 600  
**W8-26D** 1200 x 800

# WARNING SIGNS



All signs are available in CL1 Hi Intensity (H), CL1X Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials

**PREPARE TO STOP**

**PREPARE TO STOP**

W8-27B 750 x 375  
W8-27C 900 x 450  
W8-27D 1200 x 600

**CROSSING RAMP**

**CROSSING RAMP**

W8-28B 750 x 500  
W8-28C 900 x 600  
W8-28D 1200 x 800

**SCHOOL BUS STOP AHEAD**

**VIC ONLY**

W8-V113A 600 x 480  
W8-V113B 750 x 600  
W8-V113C 900 x 720

**INJURED WILDLIFE**  
0499 999 999

**VIC ONLY**

W8-V115 900 x 600



W9-1A  
W9-1B  
W9-1C  
(L or R)



W9-2A  
W9-2B  
W9-2C  
(L or R)



W9-3A  
W9-3B  
W9-3C  
(L or R)



W9-4A  
W9-4B  
W9-4C  
(L or R)



**SCHOOL**  
**QLD ONLY**

TC1192A 750 x 750  
TC1192B 900 x 900  
TC1192C 1200 x 1200



**CHILDREN**  
**QLD ONLY**

TC1193A 750 x 750  
TC1193B 900 x 900  
TC1193C 1200 x 1200



**SCHOOL CROSSING AHEAD**  
**QLD ONLY**

TC1194A 750 x 750  
TC1194B 900 x 900  
TC1194C 1200 x 1200



**WA ONLY**  
**MR-WDAD-2**



**WA ONLY**  
**MR-WDAD-3**



**WA ONLY**  
**MR-WDAD-6**



**WA ONLY**  
**MR-WDAD-7**



**WA ONLY**  
**MR-WDAD-8**



# WARNING SIGNS

All signs are available in CLI Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



**WA ONLY**  
MR-WDAD-9



**WA ONLY**  
MR-WDAD-10



**WA ONLY**  
MR-WDAD-11



**WA ONLY**  
MR-WDAD-12



**WA ONLY**  
MR-WDAD-13



**WA ONLY**  
MR-WDAD-14



**WA ONLY**  
MR-WDAD-15



**WA ONLY**  
MR-WDAD-16



**WA ONLY**  
MR-WDAD-17



**WA ONLY**  
MR-WDAD-18



**WA ONLY**  
MR-WDAD-19



**WA ONLY**  
MR-WDAD-20



**W5-73**



**W3-V109A** 1445 x 1000  
**W3-V109B** 1645 x 1200  
**W3-V109C** 1945 x 1500



**W5-V116A** 1875 x 1000  
**W5-V116B** 2201 x 1200  
**W5-V116C** 2638 x 1500



**RX11A** 1770 x 1000  
**RX11B** 2075 x 1200








## G1 - ADVANCE DIRECTION SERIES




G1-1



G1-2



G1-3



G1-4



G1-5



G1-6

## G2 - INTERSECTION DIRECTION SERIES



G2-1



G2-2(A)



G2-2(B)



G2-4



G2-5(A)



G2-5(B)

## G3 - FINGER BOARDS



G3-3



G3-8



G3-4



G3-5

## G4 - REASSURANCE DIRECTION SERIES



G4-1



G6 - GEOGRAPHICAL FEATURE SERIES

**ECHUCA**

G6-1

**SWAN RIVER**

G6-2

CITY OF  
ALBURY

SHIRE OF  
HUME

G6-5

**MOONBI RANGE**  
914 m

G6-6

G7 - SERVICE SERIES



G7-1-1A  
G7-1-1B



G7-1-2A  
G7-1-2B



G7-2-3A  
G7-2-3B



G7-3-4A  
G7-3-4B



G7-4-3A  
G7-4-3B



G7-6-1A  
G7-6-1B



DNP1 450 x 750  
CENTRE MOUNTED



DNPBSM 500 x 750  
SIDE MOUNTED  
DOUBLE SIDED



G7-7-1A  
G7-7-1B



G7-8-2A  
G7-8-2B



G7-9-1A



G7-10-1A



G7-11



G7-12



# GUIDE SIGNS




## G8 - ROUTE MARKER SERIES




G8-1-1A 310 x 360  
G8-1-1B 413 x 480




G8-1-2A 310 x 360  
G8-1-2B 413 x 480



G8-2-1A 310 x 200  
G8-2-1B 410 x 265




G8-2-2A 310 x 200  
G8-2-2B 410 x 265



G8-2-3A 310 x 200  
G8-2-3B 410 x 265  
(L or R)



G8-2-4A 310 x 200  
G8-2-4B 410 x 265  
(L or R)



G8-2-5A 310 x 200  
G8-2-5B 410 x 265



G8-2-6A 310 x 200  
G8-2-6B 410 x 265



G8-2-7A 310 x 200  
G8-2-7B 410 x 265



G8-3-1A 310 x 200  
G8-3-1B 410 x 265



G8-4-1A 310 x 200  
G8-4-1B 410 x 265



G8-8-8A 375 x 360  
G8-8-8B 500 x 480



G8-9-1 360 x 360



G8-9-2 360 x 360



G8-9-3 360 x 360

## G9 - TRAFFIC INSTRUCTION SERIES



G9-3 1700 x 900  
(L or R)



G9-4 1700 x 900  
(L or R)



G9-5-1 1300 x 350  
(L or R)



G9-5-2 1400 x 350  
(L or R)



## G9 - TRAFFIC INSTRUCTION SERIES



G9-9A 1500 x 750  
G9-9B 1800 x 900



G9-10A 900 x 900



G9-11A 900 x 1100



G9-12A 950 x 1100



G9-15A 600 x 800  
G9-15B 900 x 1200  
G9-15C 1200 x 1600




G9-16A 600 x 800  
G9-16B 900 x 1200  
G9-16C 1200 x 1600



G9-18A 600 x 400  
G9-18B 900 x 600



G9-20 900 x 550



G9-22A 200 x 1350

G9-22-1 200 x 2350  
G9-22-2 200 x 2350  
G9-22-3 200 x 2350  
(QLD - RHS ONLY)



G9-21-1 2150 x 800



G9-21-2 1400 x 1400



G9-24A 2200 x 800  
G9-24B 4400 x 1600



G9-25A 2200 x 800  
G9-25B 4400 x 1600



## G9 - TRAFFIC INSTRUCTION SERIES



G9-26 2200 x 1100



G9-32 2100 x 450



G9-33 2100 x 450



G9-37 2600 x 1200



G9-38 2600 x 1200



G9-40-1A 900 x 600



G9-48A 600 x 600  
G9-48B 750 x 750  
G9-48C 900 x 900



G9-57A 900 x 800  
G9-57B 1200 x 1100



G9-58A 450 x 450  
G9-58B 600 x 600



G9-60A 450 x 600  
G9-60B 600 x 800



G9-63A 900 x 900  
(L or R)



G9-64A 750 x 600



G9-65A 600 x 1200



G9-73A 900 x 900  
G9-73B 1200 x 1200



G9-78A 600 x 200  
G9-78B 900 x 300  
G9-78C 1200 x 400



G9-79A 450 x 750  
G9-79B 600 x 1000  
G9-79C 800 x 1350

# GUIDE SIGNS



## G10 - KILOMETRE POSTS



G10-3A 450 x 450



G11-1



G11-4

## GE - FREEWAY GUIDE SERIES



GE1-6



GE1-11



GE2-1-1



GE1-13



GE1-14



GE2-3 1800 x 1600



GE7-6A 600 x 700  
GE7-6B 900 x 1050



GE7-8 200 x 350  
(L or R)



GE7-9 200 x 100



GE9-15AA 450 x 300  
GE9-15A 600 x 400  
GE9-15B 750 x 500



GE9-3A 2600 x 2000



GE9-V22-1B 1800 x 1100  
GE9-V22-1C 2400 x 1470  
GE9-V22-1D 3200 x 1960



## G5 - STREET NAME SERIES

Guide signs are generally rectangular.

Australian Standard 1742-5: 1997 "Street Name and Community Facility Name Signs" requires the following:

- a) That "street name signs" be mounted at the "optimum height for illumination by vehicle headlights".
- b) They should be made using a retro-reflective material as a background which in the least meets the requirements of Class I material as specified.
- c) Where possible "Series D" letters should be used. This letter style spaced in accordance with the Standard ensures quick name recognition and facilitates traffic flow.



LEGEND	BACKGROUND					
	WHITE	YELLOW	STANDARD GREEN	BLUE	BROWN	BLACK
WHITE	-	NO (3)	YES (5)	YES (5)	NO (2,4)	NO (2,4)
YELLOW	NO (3)	-	NO (2)	NO (2,3)	NO (2,4)	NO (4)
STANDARD GREEN	YES (1)	YES (1)	-	NO (3)	NO (3)	NO (3)
BLUE	YES (1)	YES (1)	NO (3)	-	NO (3)	NO (3)
BROWN	YES (1)	YES (1)	NO (3)	NO (3)	-	NO (3)
BLACK	YES (1)	YES (1,6)	NO (3)	NO (3)	NO (3)	-

### Notes:

1. Legend shall be non-reflectorised.
2. Not suitable for street name. May be used for local government name or logo.
3. Inadequate contrast between colours.
4. Sign will not be sufficiently conspicuous.
5. Background shall be reflectorisid
6. Use of this combination in conjunction with the NO THROUGH ROAD sign may compromise the warning impact of the colour of the latter.

Source: AS1742.5:2.7 – 1997

ABBREVIATIONS		
Arcade ARC	Drive DR	Place, Plaza PL
Avenue AV	Esplanade ESP	Promenade PRM
Boulevard BVD	Expressway EXP	Quay QY
Brace, Brae BR	Freeway FWY	Road RD
Chase CH	Gardens GDN	Square SQ
Circuit CCT	Grove GR	Street ST
Circle, Circllet, Circus CIR	Highway HWY	Terrace TCE
Close CL	Junction JNC	Walk WK
Corner CNR	Lane LA	Way (Not usually abbreviated) WY
Court CT	Parade PDE	
Crescent CR	Parkway PWY	

Source: AS1742.55:2.5 – 1997

Note: Some councils use abbreviations different to the above

# GUIDE SIGNS



## G5 - STREET NAME SERIES



G5-1



G5-2



G5-3



G5-4



G5-5



G5-6



G5-10  
WHITE OR YELLOW  
B/GROUND



G5-11

## STREET NAME PLATES WITH LOGOS

Increasingly common is the practice of municipal councils using their logos and other branding on Street Name signs. In this circumstance logos can be screened on a reflective or non-reflective background and can be in a variety of colours.







# HAZARD MARKERS

## LEGEND

### UNI-DIRECTIONAL HAZARD MARKER

Used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.




### BI-DIRECTIONAL HAZARD MARKER

Used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.



### WIDTH MARKER

Normally erected in pairs, one on either side of a vertical obstruction facing in the direction of traffic flow.



### OBSTRUCTION MARKERS

Used to delineate obstructions such as road closures or obstructions above the road.



## HAZARD MARKERS



UNI-DIRECTIONAL  
HAZARD MARKER

D4-1-1A 1600 x 400

D4-1-1B 3200 x 800



UNI-DIRECTIONAL  
HAZARD MARKER

D4-1-2A 450 x 450

D4-1-2B 600 x 600



BI-DIRECTIONAL  
HAZARD MARKER

**VIC ONLY**

D4-V103 1800 x 600

D4-V108 1000 x 500



UNI-DIRECTIONAL  
HAZARD MARKER

D4-1-3C 1800 x 300

**VIC ONLY**

D4-V102 1800 x 600



BI-DIRECTIONAL  
HAZARD MARKER

D4-2-1C 1800 x 300



BI-DIRECTIONAL  
HAZARD MARKER

D4-2-2 400 x 1000

**QLD ONLY**

D4-2-2A 300 x 750

# HAZARD MARKERS



**BI-DIRECTIONAL  
HAZARD MARKER**

**D4-2-3A** 1600 X 400  
**D4-2-3B** 3200 X 800



**WIDTH MARKER  
(L or R)**

**D4-3A** 225 x 450  
**D4-3B** 450 x 900




**OBSTRUCTION  
MARKER**

**D4-5A** 1800 x 400



**CHEVRON  
ALIGNMENT MARKER**

**D4-6A** 600 x 750  
**D4-6B** 750 x 900  
**D4-6C** 900 x 1125



**WIDTH MARKER  
VIC ONLY**

**D4-V105A** 450 x 300  
**D4-V105B** 600 x 400



**WA ONLY  
MR-HM1** 2400 x 400



**WA ONLY  
MR-HM2** 2400 x 400



**WA ONLY  
MR-HM3** 2400 x 400



**WA ONLY  
MR-HM4** 2400 x 400



**WA ONLY  
MR-HM5** 2400 x 400



**NSW ONLY  
G9-257** 700 x 390  
(L or R)  
(Self Adhesive)



**WA ONLY  
MR-HM6** 2400 x 400



# HAZARD MARKERS



**WA ONLY**

**MR-HM7** 2400 x 400



**WA ONLY**

**MR-HM8** 4800 x 800




**WA ONLY**

**MR-HM9** 4800 x 800



**WA ONLY**

**MR-HM10** 4800 x 800



**WA ONLY**

**MR-HM11** 230 x 230



**WA ONLY**

**MR-HM12** 450 x 600

**QLD ONLY**

**D4-2-2-QO1A** 450 x 600

**D4-2-2-QO1B** 900 x 1200



**WA ONLY**

**MR-HM16A** 360 x 1300

**MR-HM16B** 480 x 1340

**MR-HM16C** 600 x 1460





# TEMPORARY ROADWORK SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



T1-1A 1800 x 600  
T1-1B 2400 x 900



T1-2A 1800 x 600  
T1-2B 2400 x 900



T1-3-1A 900 x 600



T1-3-2A 1800 x 600



T1-4A 900 x 600



T1-5A 900 x 600  
T1-5B 1200 x 900  
T1-5C 1800 x 1200  
Fluoro Diamond  
Grade



T1-6A 1200 x 600  
T1-6B 1800 x 900



T1-10A 1200 x 600



T1-15A 1500 x 600



T1-16A 1800 x 600  
T1-16B 2400 x 900



T1-18A 900 x 600  
T1-18B 1200 x 900



T1-19A 900 x 600  
T1-19B 1200 x 900



T1-21A 1800 x 600



T1-22A 1200 x 600



T1-23A 1800 x 900

# TEMPORARY ROADWORK SIGNS



All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



**TI-24A** 1800 x 600  
**TI-24B** 2400 x 900



**TI-25A** 1800 x 600  
**TI-25B** 2400 x 900



**TI-27** 1800 x 600



**TI-28A** 600 x 600  
**TI-28B** 900 x 900



**TI-29A** 1800 x 600  
**TI-29B** 2400 x 900



**TI-30A** 900 x 600  
**TI-30B** 1200 x 900



**TI-31** 900 x 1200



**TI-34A** 900 x 600  
**TI-34B** 1200 x 900  
**TI-34C** 1800 x 1200  
Fluoro Diamond  
Grade



**NSW ONLY**  
**TI-200-2B** 1200 x 900



**NSW ONLY**  
**TI-200-3B** 1200 x 900  
**TI-200-3C** 1800 x 1200



**NSW ONLY**  
**TI-224A** 1200 x 900  
**TI-224C** 1800 x 1200



**T2-4A** 1800 x 300



**T2-6-MAGARR** 400 x 610  
(Available in various  
arrow combinations)



**T2-6-ITOPBMAG** 400 x 300



**T2-5A** 1500 x 600



**T2-6-1** 1200 x 900



# TEMPORARY ROADWORK SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



T2-6-2 1800 x 900



T2-13A 900 x 600  
T2-13B 1200 x 900



T2-16A 1800 x 600



T2-17A 900 x 1200



T2-23A 1200 x 600



T2-24A 900 x 600



T2-25 900 x 600



T3-3A 900 x 600  
T3-3B 1500 x 900



T3-6A 900 x 600



T3-7A 900 x 600  
T3-7B 1500 x 750



T3-9A 900 x 600  
T3-9B 1500 x 900



T3-11 1500 x 900



T3-12A 1500 x 900



T3-13A 900 x 600  
T3-13B 1500 x 750



T3-14A 900 x 600  
T3-14B 1500 x 900

# TEMPORARY ROADWORK SIGNS



**TRI-V5** 750 x 900  
Box Edge



**TRI-V6** 900 x 900  
Box Edge



**T4-5A** 1800 x 900



**T4-6A** 900 x 600  
**T4-6B** 1200 x 900



**T5-1A** 1200 x 300  
**T5-1B** 1800 x 450  
(L or R)



**T5-4A** 1500 x 450



**T5-6A** 450 x 450  
**T5-6B** 600 x 600



**T5-5A** 600 x 600  
(Flat or Box)



**T8-1A** 900 x 600



**T8-2A** 1200 x 300  
(L or R)



**T8-3A** 900 x 600



**T8-4A** 900 x 600



## TAS ONLY

**TASERW** 1200 x 600  
(Box edge or Quad Sign Magnetic Speed overlays available).



**STOP/SLOW BATS**  
**SSB450** 450  
**SSB600** 600  
(Class 1, & D/G)



**STOP/STOP BATS**  
**DOUBLE SIDED**  
**BAT-H** - Class 1  
**BAT-FR** - Diamond Grade 450mm Dia.  
**BCOV450** - Bat Cover 450mm Dia.  
**BCOV600** - Bat Cover 600mm Dia.



**QLD ONLY**  
**T1-Q05A** 900 x 1000  
**T1-Q05B** 1200 x 900

**EXTHAN** - Alum. Extendable Handle  
**WOODH** - Wooden Handle





# TEMPORARY ROADWORK SIGNS

## CORFLUTES & MULTI MESSAGE SIGNS

The multi-message sign system regulates speed limits on work sites with minimal light weight signs that are more conspicuous because of their striking colour combinations.

The new Australian Standard AS1742.3:2002 requires that retro-reflective material be used on signs for roadworks. It must meet at least the requirements of Class 1. Signs warning of works personnel shall have a combination fluorescent reflective red or orange background.

Please note that Corflute and Multi Message Signs are not used in the Northern Territory or NSW.



**CT284-24H** 600 x 600  
QLD ONLY - TC1217



**CT284-50KH** 600 x 600  
QLD ONLY - TC1217



**CT284-25H** 600 x 600  
QLD ONLY - TC1217



**CT284-55H** 600 x 600  
QLD ONLY - TC1217



**CT284-26H** 600 x 600  
QLD ONLY - TC1217



**CT284-57H** 600 x 600  
QLD ONLY - TC1217



**CT284-39H** 600 x 600  
QLD ONLY - TC1217



**CT284-110H** 600 x 600  
QLD ONLY - TC1217



**CT284-27H** 600 x 600



**CT284-28H** 600 x 600  
QLD ONLY - TC1172



**CT284-40FR** 600 x 600  
QLD ONLY - TC1332

# TEMPORARY ROADWORK SIGNS



CT284-29H 600 x 600  
CT284-29-12X3H 1200 x 300  
QLD ONLY - TC1170



CT284-32H 600 x 600  
QLD ONLY - TC1218



CT284-33H 600 x 600  
QLD ONLY - TC1219



CT284-42H 600 x 600  
QLD ONLY - TC1169



TM1-V3 600 x 600




CT284-43H 600 x 600



CT284-44H 600 x 600



CT284-52H 600 x 600



CT284-FCH 600 x 600



CT284-LTOHW 600 x 600



CT284-LTOHY 600 x 600



CT284-PRCH 600 x 600



CT284-R2-4H 600 x 600



CT284-R2-6LH 600 x 600



CT284-R2-6RH 600 x 600



# TEMPORARY ROADWORK SIGNS



CT284-T1-6H 600 x 600



CT284-T1-10H 600 x 600



CT284-T1-200-DG 600 x 600



CT284-T2-13H 600 x 600



CT284-T2-23H 600 x 600



CT284-T2-25CH 600 x 600



CT284-T3-7H 600 x 600



CT284-T8-1H 600 x 600



CT284-RC-AH 600 x 600



CT284-SDH 600 x 600



CT284-W3-3H 600 x 600



CT284-6X6HY 600x600



GM9-V79-40 600 x 900



GM9-V79-60 600 x 900



GM9-V79-80 600 x 900



CT284-42-6X9H 600 x 900



**DO NOT OVERTAKE**

CT284-12H 1200X300

QLD ONLY - TC1174

**LOOSE STONES**

CT284-13H 1200X300

**PREPARE TO STOP**

CT284-15H 1200 x 300

CT284-156X6H 600 x 600

QLD ONLY - TC1362

**MERGE RIGHT**

CT284-16H 1200X300

**MERGE LEFT**

CT284-17H 1200X300

**DRIVE SAFELY**

CT284-18H 1200X300

QLD ONLY - TC1177

**ROADWORK AHEAD**

CT284-20H 1200 x 300

**AHEAD**

CT284-36H 1200X300

**ON SIDE ROAD**

CT284-37-12X3H 1200X300

CT284-37H 600 x 600

QLD ONLY - TC1325

**ROADWORKS**

CT284-38-12X3H 1200X300



# TEMPORARY ROADWORK SIGNS

**ROAD CLOSED**

CT284-49H 1200X300  
CT284-56H 600X600  
CT284-56-12x6H 1200X600

**← DETOUR**

CT284-T5-1LH 1200X300

**DETOUR →**

CT284-T5-IRH 1200X300

**DETOUR ↑**

CT284-T1-6UPH 1200X300

**DETOUR AHEAD**

CT284-T1-612X3H 1200X300

**← PEDESTRIANS**

CT284-T8-1LH 1200X300

**PEDESTRIANS →**

CT284-T8-1RH 1200X300

**REDUCE SPEED**

CT284-REDUCESP 1200X300



CT284-ARROW3X6H 300X600  
CT284-ARROWH 600X600



CT284-TONLYH 300X600



CT284-12X3HY 1200X300



CT284-12X6HY 1200X600

# TEMPORARY ROADWORK SIGNS



## STANDS



**QUADRAPED STAND**

**QST6x6** 600 x 600  
**QST9x6** 900 x 600  
**QST12x9** 1200 x 900  
STAND ONLY



**WLM STAND**

**WLM600** 600 x 600  
**WLM900** 900 x 600  
STAND ONLY




**AD BASE BOARD**

**ADBTI-5FR** 600 x 900  
**ADBASE**  
BASE ONLY



**QUAD STAND**

**QST12X6** - 1200 x 600  
**TAS ONLY**



**BI-POD**


**BIPODSMEDIUM**  
1200mm  
(Spread)



**MULTI MESSAGE  
SIGN AND FRAME**  
**MMSF**



**FOLDING BI-POD CLOSED**  
**MMBL**



**STAR PICKET & DRIVER**  
**STARPICKET**  
**STARPICKETDRIVE**



**COLLAPSIBLE CHEVRON  
DELINEATOR**  
**T5-Q02** 250 x 1200



# TRANSPORT SIGNS

## HEAVY VEHICLE MARKER PLATES

AS 4001.2: CLASS 1 ON ALUMINIUM



**31L**  
300 x 100



**33**  
300 x 300



**33L**  
300 x 300



**34A**  
300 x 400



**41A**  
400 x 100



**41B**  
400 x 100



**615A-L**  
600 x 150



**615B-R**  
600 x 150



**161**  
1600 x 100




**81A-LEFT** 800 x 100  
**81B-RIGHT** 800 x 100  
**81C-DOUBLE** 800 x 100

ADR 45 CLASS 2 REAR MARKER PLATES: STEEL OR PRESSURE SENSITIVE



**1801 P/S**  
**1801ZS STEEL**  
420 x 300



**1803 P/S**  
**1806 STEEL**  
400 x 400



**1805 P/S**  
**1808 STEEL**  
400 x 400

**DO NOT OVERTAKE TURNING VEHICLE**

**1800**  
1675 x 75

# TRANSPORT SIGNS



## ADR 45 CLASS 2 REAR MARKER PLATES: STEEL OR PRESSURE SENSITIVE



1811 P/S  
1810 STEEL  
1600 x 200



1814 P/S (L)  
1812 STEEL (L)  
800 x 200



1815 P/S (R)  
1813 STEEL (R)  
800 x 200

## R4 SERIES 100KM/H SPEED LIMITED



R4-213 STEEL 300 x 400  
R4-213P P/S 300 x 400



R4-214 STEEL 300 x 300  
R4-214P P/S 300 x 300



R4-218 STEEL 250 x 250  
R4-218P P/S 250 x 250



R4-215 STEEL 680 x 80  
R4-215P P/S 680 x 80

## REFLECTIVE SIGNS: STEEL, ALUMINIUM, PRESSURE SENSITIVE, PVC, BANNER, CL2, CL1



OSZSS STEEL 1200 x 450 (S/S)  
OSALS ALUM 1200 x 450 (S/S)  
OSALD ALUM 1200 x 450 (D/S)  
OSBR BANNER 1200 x 450



OSLAALS ALUM 1200 x 600 (S/S)  
OSLAZSD STEEL 1200 x 600 (D/S)  
OSLAALD ALUM 1200 x 600 (D/S)  
OSLABR BANNER 1200 x 600



RTI2250AL 1200 x 250  
RTI200B BANNER 1200 x 300





# TRANSPORT SIGNS



DUI 525 x 250



OSFD 450 x 450 (Cloth)  
(Dowel Flag)



OSFE 450 x 450 (Cloth)  
(Eyelet)



BREAKDOWN TRIANGLES  
BREAK  
Set of 3

## HAZARDOUS GOODS SIGNS



EXP1M250 STEEL 250 x 250  
EXP1P250 DECAL 250 x 250



C8M250 STEEL 250 x 250  
C8P250 DECAL 250 x 250



NFNTGM250 STEEL 250 x 250  
NFNTGP250 DECAL 250 x 250



OA5M250 STEEL 250 x 250  
OA5P250 DECAL 250 x 250



DWWM250 STEEL 250 x 250  
DWWP250 DECAL 250 x 250



FG2M250 STEEL 250 x 250  
FG2P250 DECAL 250 x 250



HAZCHEM6X3 600 x 300



HAZ 600 x 120



HAZ-2WE 600 x 150



CLASS LABEL  
HOLDER  
MHOLD250 250 x 250





# WORK ZONE PRODUCTS



## HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/WHITE	PRODUCT CODE
<p>TRAFFIC CONE 300</p> 	300mm	Plain With Class 1 Collar	X	300  300HCS
<p>TRAFFIC CONE 450</p> 	450mm	Plain With Class 1 Collar	X	450  450HCS
<p>TRAFFIC CONE 700</p> 	700mm	Plain With Class 1 Collar	X	700  700HCS
<p>TRAFFIC CONE 900</p> 	900mm	Plain With Class 1 Collar	X	900  900HCS

# WORK ZONE PRODUCTS



## HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/WHITE	PRODUCT CODE
 <p>STACKABLE T-TOP BOLLARD</p>	1m Stem	Class 1 Reflective Band 8kg base		TTOPSTEMAS TTOPBASE8
 <p>HBAS BOLLARD</p>	1M Stem	Class 1 Reflective Band 8kg Base		HBASSTEM HBBASE8

## LIGHTS



### FLASHING LAMPS & BATTERIES

(Sold Separately)

FLASHING LAMP - FA  
BATTERY - BATT



## SAFETY PRODUCTS



### VIC ROADREFLECTIVE VEST VRSV



# WORK ZONE PRODUCTS


## BARRIERS/SAFETY FENCING & TAPES



**BUNTING**  
**BUNTF30**



**FLUORESCENT FLAG**  
FFL - 400 x 400  
FFL 300 - 300 x 300



**NIGHT LINE**  
**NL23HN**



**STANDARD BARRIER**  
**PBBH**



**STANDARD DENEEFE WEBBING**  
DNWEB50T - 5KG  
DNWEB50HD - 9KG



**WEBBING**  
**BNET50N**



**RED/WHITE**  
**BLACK/YELLOW BARRIER TAPE**  
RWBT100 - Red/White  
BYBT75-100 - Black/Yellow  
100m Rolls

## DELINEATORS & ACCESSORIES



**CORNER CUBE DELINEATOR**  
ACC - Amber  
WCC - White/Clear  
GCC - Green  
RCC - Red  
BCC - Blue



**GD3 DELINEATOR**  
**GD3**



**GD4 DELINEATOR**  
**GD4**

# WORK ZONE PRODUCTS




## DELINEATORS & ACCESSORIES



**CH3 DELINEATOR**  
CH3



**RD3 DELINEATOR**  
RD3



**DIAMOND GRADE  
3900 SERIES**  
DEL - 50 x 200-3990 (White)  
DEL - 50 x 200-3992 (Red)  
(Pressure Sensitive)



**STAR PICKET COVER**  
**STARCOVYCAP**  
(Yellow Cap)  
**STARCOVER**  
(Orange Reflective Cap)



**TEMPORARY REFLECTIVE  
ROAD FLAP**  
TRF - White  
TRFR - Red  
TRFY - Yellow



**HAND GUN FOR 600MM  
TWIN PACK MEGAPOXY**  
AHG - Gun



**A & B MEGAPOXY 36  
MEGATT - 600grams**



**A & B MEGAPOXY  
MEGA4L - 4 Litre Mega 4L**



**PLASTIC LINE-O-DOT**  
LINODOTWHITE



**1 WAY REFLECTIVE  
PAVEMENT MARKERS**  
80B SERIES - Standard  
C80B SERIES - Coated



**2 WAY REFLECTIVE  
PAVEMENT MARKERS**  
80A SERIES - Standard  
C80A SERIES - Coated



**SPOT PAINT - 350grams**  
WSPAIN - White  
BLSPAIN - Blue  
PSPAIN - Pink  
YSPAIN - Yellow  
BSPAIN - Black



# WORK ZONE PRODUCTS




**LINEMARKING PAINT CANS**  
(500gm) 12 PER BOX  
WTPAINT - White  
YTPAINT - Yellow  
GTPAINT - Green  
BTPAINT - Black



**LINEMARKING MACHINE**  
LMMACH



**BLOCKS OF BITUMEN**  
ADHESIVE  
BIT-6.25KG BLOCK  
BITACT-1KG BLOCK



**AMP BITUMINOUS PAD**  
6903AMP



**CRAK-BAK DELINEATOR**  
RHCB - 50 x 100  
WHCB - 50 x 100



**NSW ONLY**  
**PEDESTRIAN BOLLARD**  
REFBOL1 - 600 x 400



**NSW ONLY**  
**RUMBLE BARS**  
RUMBLEBARWHI - White  
RUMBLEBARYEL - Yellow



**TRAFFIC WAND**  
TWAND

## GUIDE POSTS & DRIVERS




**STEEL**  
**STEELGP**  
STEELGPDRIIVER - Driver



**FLEXIBLE**  
PVCPOST - 1400 x 100 x 4  
PVCPOSTDRIVER - Driver



**RECYCLED**  
RECPGPD - 95 x 45 x 1500









# SIGN ACCESSORIES

## BRACKETS


### UNBRACED SIGNS



**TD1**  
Single Sided  
60mm OD  
**TD1**  
(Hex Head Bolt)  
**TD3**  
(Anti-Vandal Bolt)




**TD2**  
Double Sided  
60mm OD  
**TD2**  
(Hex Head Bolt)  
**TD4**  
(Anti-Vandal Bolt)



**FRISBEE**  
**FBEE**  
2 piece  
Single/Double  
Sided  
60mm OD Post




**TRILOBULAR  
KEY**  
(TD3 Key)



**SECURITY SPANNER  
SPAN**  
Suits Trilobular


### BRACED SIGNS




**UNISTRUT BRACKETS**  
Single  
**P2041** 60mm OD  
**P2046** 76mm OD  
**P2050** 89mm OD  
**P2054** 102mm OD  
**P2058** 114mm OD  
**P2066** 140mm OD




**CAM  
BRACKETS**  
**CAMBKTDS** - Alum Rib  
**CAMBKTDS** - Uni - Unistrut




**UNISTRUT  
BRACKETS**  
**CB2-TT**  
Double Sided  
60mm OD




**SADDLE BRACKET**  
Single Sided  
**UN15-60** 60mm OD  
**UN15-76** 76mm OD  
**UN15-89** 89mm OD  
**UN15-102** 102mm OD  
**UN15-114** 114mm OD  
**UN15-140** 140mm OD




**ARC BRACKET**  
**ARC060** 60mm OD  
**ARC076** 76mm OD  
**ARC089** 89mm OD  
**ARC102** 102mm OD  
**ARC114** 114mm OD




**CB1**  
Single Sided  
**CB1**




**CB2**  
Double Sided  
**CB2**




**UCC BRACKET**  
**UCC002**




**RSJ CLAMP**  
**RSJ/CLAMP**




**TIMBER FRANGIBLE  
BRACKET**  
**FRANGBK1**



**DN 250**



**BACK TO BACK CLIP**  
**BBC060**  
**BBC076**  
**BBC089**




**RHS BRACKET**  
**RHSBRACKET**


# SIGN ACCESSORIES




## STREET NAME SIGNS



**STREET BLADE**  
(1 Way)  
AL16 150mm  
AL18 200mm




**STREET BLADE**  
(2 Way)  
AL26 150mm  
AL28 200mm




**STREET BLADE**  
(3 Way)  
AL36 150mm  
AL38 200mm



**B.S.CAP**  
BSCAP




**B.S. JOINING SET**  
BSJS




**STREET BLADE**  
**TIMBER POST**  
ALT6 150mm  
ALT8 200mm




**ML1**




**ML2**



**BSL BRACKET**




**BS CROSS BRACKET**



**SLOTTED BRACKET**  
ALT6B/ALT8B




**FOLDED**  
**BRACKETS**  
ALT6B-F  
ALT8B-F



**SUSPENSION**  
**BRACKET**  
CODE SB  
1.6 AL PLATE ONLY




**TD BOLT**  
TDBOLT




**ANTI-VANDAL**  
**BOLT**  
TDTRIBOLT


## BAND-IT RANGE



**STAINLESS STEEL**  
**BAND ROLLS**  
**(30MT)**  
STR13 13mm  
STR19 19mm



**BANDING**  
**BRACKET**  
UR151 19mm High  
(13mm Band)  
UR251 29mm High  
(16 & 19mm Band)



**BANDIT BUCKLE**  
BBUC13 13mm  
BBUC19 19mm



**BANDING TOOL**  
BTOOL



**NSW PARKING**  
**SIGN BRACKETS**  
**SINGLE/DOUBLE**  
RTA-SPB  
RTA-DPB



# SIGN ACCESSORIES

## SOCKETS



**LOC-SOCKET**  
**LSOCKETORIG**  
370mm




**LOC-SOCKET SPIKE**  
**LSOCSPI450**  
450mm  
**LSOCSPI600**  
600mm




**LOC-SOCKET**  
**DRIVING TOOL**  
**LSOCDRIV**




**LOC-SOCKET**  
**WEDGE**  
**LSWEDGE**



**STB SLEEVE**  
**STB 400mm**  
**STB550 550mm**  
c/w Anti Twist Bar



**ROSTA SLEEVE**  
**RS 540mm Long**  
(With Anti Twist Bar)



**ANTI TWIST BAR**  
**ATBAR**




**GIBB/ROSTA KEY**  
**RK**




**ROADSIDE WEDGE**  
**WEDGE**




**VLOC**  
**VLOC-CON**  
**VLOC-SOIL**



**VLOC WEDGE**  
**VLOCWEDGE**



**LOC-SOCKET**  
**ALUMINIUM**  
(Signfix Version)  
**ALUM-SOC 300**  
**ALUM-SOC 450**



**BASE PLATE**  
**BASE PLATE 150**  
150 X 150mm  
**BASE PLATE 200**  
200 x 200mm



**POSTCAPS**  
**PCAP - Aluminium**  
**PCAPGAL - Steel**  
Galvanised



## POSTS

- All posts are galvanized
- Can be plain or pre-drilled to any specification, generally with 1, 2, 3 or 4 holes.
- Posts can be powder coated or 2 pack painted in any colour.
- Can be manufactured with base plates for surface mount installations.
- Standard base plate: 250 x 250 x 6mm
- Standard lengths: 1600, 2800, 3200, 3600, 3900, 4200 & 6500mm.

### POST DIMENSIONS


	50	65	80	90	100	125	150
Nominal Bore (mm)	50	65	80	90	100	125	150
Outside Diameter (mm)	60.3	76.1	88.9	101.6	114.3	139.7	165.1





## FRANGIBLE FLUTED POSTS

- Manufactured from Marine Grade alloy
- Light and easy to handle
- Simple to install
- The pole flutes are designed to assist in the breakaway process by reducing the external contact surface at the shear point.
- Available in: 60, 76, 89, 102, 114 OD (mm).




# SIGN ACCESSORIES



## GALVANISED STEEL SLIP BASE POST

- Slip Base Posts are generally used for mounting large signs in exposed locations such as freeways.
- The unique design of the Slip Base post ensures that the supports fail in a controlled manner when struck. The stubs are often undamaged after impact, allowing easy replacement of the posts.
- All components are hot dip galvanized to prevent corrosion.





## DANGER SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 225	A	Steel	S
450 x 300	B	Steel	S
600 x 450	C	Steel	S
300 x 225	A	Polypropylene	P
450 x 300	B	Polypropylene	P
600 x 450	C	Polypropylene	P
450 x 300	B	Fluted Plastic	F

**Note:** Steel & aluminium only available in NT. Please specify sizes and add to end of code when ordering.



DB-AUTHO



DB-HIGHVOL



DB-LIVEWIRES1



DB-NOACCESS



DB

## EMERGENCY FIRE / FIRST AID SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

**Note:** Steel & aluminium only available in NT



HOSEREEL



FIREREEL



CUSTOM



AS473



AS471



AS472

# SAFETY SIGNS



## HAZARD SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

**Note:** Steel & aluminium only available in NT



AS 441



AS 442



AS 443



AS 444



AS 445



AS 446



AS 447



AS 448



AS 449



AS 450



AS 451



AS 452



AS 453



CUSTOM





# SAFETY SIGNS

## MANDATORY SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

**Note:** Steel & aluminium only available in NT



AS 421



AS 422



AS 423



AS 424



AS 425



AS 426



AS 427




AS 428



AS 429



AS 430



CUSTOM

## PIPE MARKERS

PIPE DIAMETER (OUTER DIAMETER)	PIPE MARKER DIMENSION
40mm or less	100 x 450mm
41mm to 75mm	450 x 30mm
75mm or more	450 x 60mm



PIPELINEMARKERS-FH



PIPELINEMARKERS-E



PIPELINEMARKERS-NG

# SAFETY SIGNS



## PROHIBITED SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F



**Note:** Steel & aluminium only available in NT

AS402



AS403



AS404



NO ENTRY



NO SMOKE



CUSTOM

## SAFETY TAGS

MATERIAL	SIZE (mm)	COLOUR	CODE	PACK SIZE
Polypropylene	82 x 140	Yellow	ST7-P	100
Polypropylene	82 x 140	Blue	ST8-P	100
Polypropylene	82 x 140	Red	ST9-P	100
Polypropylene	82 x 140	White	ST10-P	100
Polypropylene	82 x 140	Green	ST11-P	100
Polypropylene	82 x 140	Orange	ST12-P	100



82 x 140



82 x 140



82 x 140



82 x 140



CUSTOM



# SAFETY SIGNS

## HYDRANT MARKERS

Available in red or green Scotchlite letters on a white Scotchlite background.



**FH-A** 150 x 100mm




**HP-A** 150 x 100mm




**SV-A** 150 x 100mm



**H** 75 x 125mm



**HP-B** 75 x 250mm



**FH-B** 75 x 250mm



**HR** 75 x 250mm



**SV-B** 75 x 250mm

## FIRE SIGNS

SIZE (mm)	CODE
100	FT100
200	FT200
350	FT350



**WATER**



**WET CHEMICAL**



**FOAM**



**DRY CHEMICAL**



**CARBON  
DIOXIDE**





## RECREATIONAL SIGNS

**Sizes Available:** (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm

All Pictograms – Available in Circular or Square Plates.



**TOILETS**  
A1



**WOMENS TOILETS**  
A2



**MENS TOILETS**  
A3



**DISABLED TOILETS**  
A4



**FIREPLACES**  
A5



**PICNIC AREA**  
A6



**PICNIC SHELTER**  
A7



**CAMPING AREA**  
A8



**PLAYGROUND**  
A9



**DRINKING WATER**  
A10



**PARKING**  
A11



**INFORMATION**  
A12



**TELEPHONE**  
A13



**FIRST AID**  
A14



**DIRECTIONAL ARROW (1)**  
A15



**DIRECTIONAL ARROW (2)**  
A16



**WALKING WALK**  
A17



**TELEPHONE**  
A18




**HIKING**  
A19



**CYCLING**  
A20



**HORSE RIDING**  
A21



**FISHING AREA**  
A22



**SWIMMING AREA**  
A23



**CANOEING**  
A24



**DIVING**  
A25

# RECREATIONAL SIGNS



## REGULATORY/PROHIBITION

**Sizes Available:** (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm  
All Pictograms – Available in Circular or Square Plates.



**CAMPING  
PROHIBITED**  
P1



**CATS & DOGS  
PROHIBITED**  
P2



**VEHICLES  
PROHIBITED**  
P3



**FIRES  
PROHIBITED**  
P4



**TRAILBIKES  
PROHIBITED**  
P5



**HORSES  
PROHIBITED**  
P6



**FIREARMS  
PROHIBITED**  
P7



**BICYCLES  
PROHIBITED**  
P8



**SWIMMING  
PROHIBITED**  
P9



**DIVING  
PROHIBITED**  
P10



**FISHING  
PROHIBITED**  
P11



**PICKING OF PLANTS  
PROHIBITED**  
P12



**CUSTOM**





# RECREATIONAL SIGNS

## WARNING

Sizes Available: (A) 300 x 300mm & (B) 450 x 450mm



SLIPPERY ROCKS  
WPV005



SLIPPERY WHEN WET  
WPV004



KANGAROOS  
WPV015



WALKING TRACK  
WPV036



HIGH SURF  
WPV032



KOALAS  
WPV016



SHARKS  
WPV020



STRONG  
CURRENTS  
WPV023



SNAKES  
WPV034



CUSTOM


## MULTIPLE MESSAGE SIGNS

Sizes Available: 75 x 200mm (1.5M), 75 x 300mm (1.5M), 75 x 300mm (1.5M) & 75 x 450mm (1.8M)


Totem Colour: Black, Grey, Green & Blue



TOTEM



TOTEM



Totem poles,  
Recycled plastic & Timber







## SPECIALITY PRODUCTS

### AIRPORT CONES AND GABLES



LARGE CONE  
WHITE



LARGE CONE  
YELLOW



LARGE CONE  
WHITE & RED



LARGE CONE  
WHITE



LARGE CONE  
YELLOW



LARGE CONE  
WHITE & RED



MINI CONE  
WHITE & SILVER



MINI CONE  
YELLOW & BLUE



TRIANGLE REFLECTOR  
YELLOW & BLUE



1500mm GABLE WHITE  
3000mm GABLE WHITE



1500mm GABLE YELLOW  
3000mm GABLE YELLOW

# SPECIALITY PRODUCTS



## AIRPORT LIGHTS



AV15



AV23



AV70  
RED



AV70  
BLUE



AV125



AV200



AV300



AV10

## STANDS



MALL STAND  
A1 & A2



MALL STAND  
A3 ECONOMY



A FRAME  
STRUT



### ROLL UP BANNERS

- ROLLUP-A 594 x 1188
- ROLLUP-B 840 x 2185
- ROLLUP-C 1000 x 2185
- ROLLUP-D 1200 x 2185



## SPECIALTY SIGNS



**NATIONAL BUILDING PROGRAM  
ROADS RECOVERY**  
900 x 1200



**NATIONAL BUILDING PROGRAM  
BLACK SPOT PROGRAM**  
900 x 1200




**SIZED TO STATE SPECIFICATIONS  
FC  
FCPOINTER**

## TOTAL FIRE BAN TODAY

**TOTAL FIRE BAN TODAY TFBT**  
2400 x 2400

## OTHER PRODUCTS

WIDTH	SIZE (mm)
W	600
W	900
W	1200



**WA ONLY  
GRAB RAIL  
HANDRAILS**

Cycle hand rails, available in various colours and sizes. Available with or without tapes.



## BRILLETACTILE

Norsign NT is the official distributor for the NT of **brillettactile™**.

The Braille and tactile sign system is fully compliant with all the requirements of the relevant Australian Standards and Building Codes.

Signs are fully encapsulated in a single unit to ensure that they are resistant to strong cleaning materials and vandalism.

Our manufacturing process means that not only can statutory requirements be met but also individual colour schemes and special graphic design elements can be incorporated to suit your clients' requirements.

We offer obligation-free design advice on the features relating to directories, tactile maps and way-finding systems.



BTM



BTf



BTA



## SPECIALITY PRODUCTS



BTUAA



BTUA



BTU



BTMA



BTUABC



BTFA



BTUAS

Stock signs are available with a standard blue background with white graphics applied to a blue PVC substrate. Custom **brailletactile™** signs can be manufactured to match any colour range and can be supplied applied to PVC, aluminium or to any nominated substrate. Custom **brailletactile™** signs are priced on application.

# ELECTRONIC SIGNAGE



## SPECIAL ORDER ELECTRONIC SIGNAGE



## ACTIVE ADVANCE WARNING SIGNS



W5-V116A 1875 x 1000  
W5-V116B 2201 x 1200  
W5-V116C 2638 x 1500



W5-V131A 1875 x 1000  
W5-V131B 2201 x 1200  
W5-V131C 2638 x 1500



W5-V122A 1770 x 1000  
W5-V122B 2075 x 1200  
W5-V122C 2470 x 1500



RX11A 1770 x 1000  
RX11B 2075 x 1200



W3-V101A 1770 x 1000  
W3-V101B 2075 x 1200  
W3-V101C 2470 x 1500


## ELECTRONIC SPEED LIMIT SIGNS (ESLS)



These are just a selection of our Electronic and Solar Panel Signs. Please contact our sales team on 1300 88 SIGN to find more information on the electronic signage options available.













# COMMERCIAL GRAPHICS







# 3M SIGN WARRANTY

DeNeeff Signs is an innovative manufacturer of Traffic Control Signage and associated equipment, ranging from the smallest pressure sensitive decal to the largest guide sign. Since the early 1950's, DeNeeff have had a close association with 3M Australia Pty Ltd and as such, are able to provide the full flow on benefits of 3M's extended sign replacement warranty for all of our durable and permanent traffic signs.

This together with our technical expertise and manufacturing know how, developed over the past 80 years, our ongoing commitment towards customer satisfaction and the manufacture of quality products has made us the largest traffic sign manufacturer in Australia with branches in VIC, NSW, QLD, ACT, WA, SA, TAS & NT.

We are proud to say we are an Australian owned company and promote Australian manufactured products.

BASE/BACKGROUND SHEETING			APPLICABLE EXTENDED WARRANTY	
Applicable Standards of Retroreflective Sheeting for AS/NZS 1906.1 2007	Compliant 3M Retroreflective Sheeting	3M Approved Legend & Graphics †	Warranted Vertical Outdoor Exposure	Warranted Retained Luminance (CIL/m <sup>2</sup> Percentile)*
CLASS 1100	3M Diamond Grade™ DG3 Reflective Sheeting Series 4000 (non-fluorescent colours)	3M Electrocut™ Film Series 1170	12 years	80%**
		3M UV Ink Series 8800, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M Diamond Grade™ DG3 Reflective Sheeting Series 4083 Fluorescent Yellow/Green & 4081 Fluorescent Yellow	3M Electrocut™ Film Series 1170	10 years‡	
		3M UV Ink Series 8800, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M Diamond Grade™ DG3 Reflective Sheeting Series 4084 Fluorescent Orange	3M Electrocut™ Film Series 1170	3 years	
		3M UV Ink Series 8800, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 900	3M VIP 3990 series (non-fluorescent colours)	3M Electrocut™ Film Series 1170	12 years	80%**
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M VIP 3990 series 3983 Fluorescent Yellow/Green & 3981 Fluorescent Yellow	3M Electrocut™ Film Series 1170	10 years	
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 400	3M High Intensity Prismatic Reflective Sheeting Series 3900	3M Electrocut™ Film Series 1170	10 years	50%**
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 100	3M Engineer Grade™ 3200 Beaded Series	3M UV Ink Series 8800 and 8900, with 1170 clear overlay	7 years	
		3M Screen Process Colours Series 990 for series 3200 only		

\* Warranted retained brightness levels apply to reflective sheetings used for sign background borders and legends.

\*\* Retained CIL percentile is based on minimum CIL values for new reflective sheetings by Class for Observation Angle 0.2° and Entrance Angle 4° defined in relevant tables included in AS/NZS 1906.1:2007

† If 3M® Scotchcal® Electrocut Film Series 725-12 Black is used for legend or graphics, the sign will only have a Warranted Vertical Outdoor Exposure of 8 years.

‡ 3M full replacement warranty applicable for 12 years in NSW on RWS permanent signs.

NB: 3M 1160 Anti Graffiti Film and 1180 Anti Dew Film can be used in addition to any of the above legend and graphic material combinations. The finished signs maintain the warranty periods and conditions listed above.

The 1180 maintains anti dew properties for up to 5 years.



**AVERY  
DENNISON**

Certified Authorised Converter

**SIGN**

**WARRANTY**



ICS Platinum Warranty

## Avery Dennison ICS Platinum Warranty Certificate

ICS Warranty No: 20171212DS

Avery Dennison is pleased to offer the following ICS Platinum Extended Warranty Certificate:

**Sign Manufacturer:** De Neefe Signs, 25 Brisbane Street, Eltham, Victoria, 3095  
**Application:** Permanent Traffic Signs to Government Agencies in Australia  
**Substrate:** Conditioned aluminium as per AS/NZS1906.1:2007  
**Films:** The complete range of Avery Dennison Reflective Traffic Products

**Warranty Period:** T-1500 EG Class 2 to 7 years with 4930 series screen inks or OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

T-6500 Prismatic Class 1/1W to 10 years with 4930 series screen inks and to 12 years with OL-2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

T-11500 Omni-Cube Prismatic Class 1X to 10 years with 4930 series screen inks and to 12 years with OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

From the date of sign manufacture and if within the warranted period of vertical outdoor exposure, the reflective sheeting deteriorates due to natural causes to the extent that the sign fails to retain the minimum retro reflectivity values as defined in the Warranty Schedule, **Avery Dennison shall meet the total cost of replacing the sign including all labour and materials.** This ICS Platinum Extended Warranty shall remain in place for 24 months from the date of issue subject to De Neefe Signs complying with ongoing Avery Dennison Quality Audits.

### Warranty Conditions

This warranty shall be effective only if all of the following conditions are met:

The sign manufacturer must have been an Avery Dennison certified authorized converter at the time the sign was manufactured.

The failure must have resulted solely from a manufacturing defect or deterioration of the sheeting due to natural causes. Without limiting the generality of the foregoing, there is no warranty for the failure of the sheeting due to improper sign fabrication, improper storage, handling, installation, or maintenance, or failure of the sign substrate, or vandalism or malicious mischief. Slight color fading, cracking, chalking, edge lifting, or slight reduction in gloss or reflectivity will not materially detract from appearance and does not constitute a breach of warranty.

If Avery Dennison products with differing warranty periods are combined on a sign, the lesser warranty period will apply.

Avery Dennison has published instructional bulletins pertaining to the storage, handling, and cleaning of sheeting, approved sheeting substrates, and sheeting application procedures (collectively, the "Procedures"). The sheeting must have been processed and applied to blank sign material in accordance with the Procedures, as such may be amended from time to time. The sign dating, warranty registration, and claim procedures promulgated by Avery Dennison must be followed, and failure to follow such procedures shall void this warranty.

Replacement sheeting carries only the unexpired warranty of the sheeting it replaces.

It is a condition of this warranty that Avery Dennison reserves the right to properly clean the sign under complaint and subject it to any testing deemed necessary to determine the validity of any claim.

### Warranty Limitations

The remedies provided under this warranty are exclusive. Avery Dennison shall not be liable for any direct, indirect, incidental or consequential damages or specific relief, and, except as specifically provided herein, in no event shall Avery Dennison's liability hereunder exceed the value of the Avery Dennison product giving rise to liability. **THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHERS. ANY AND ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANT-ABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED.**

# SIGN STORAGE AND HANDLING



## THIS GUIDE SERVES TO HIGHLIGHT THE IMPORTANT ASPECTS OF REFLECTIVE SIGN STORAGE AND HANDLING

### GENERAL STORAGE

Signs should be handled, transported and stored to protect the sign face. Signs should be stored vertically with edges clear of the ground.

### INDOOR STORAGE

Storing signs indoors is preferable. Moisture should not come in contact with the sign face. Packing that becomes damp or wet should be removed immediately. Steps should be taken to ensure signs are not stored in areas of high temperature and humidity.

### OUTDOOR STORAGE

Signs stored outdoors should be unwrapped, stored upright and sit on wooden battens. A racking system ensures sign faces do not become damaged by signs resting against each other and allows adequate air circulation which prevents a build up of moisture.

### SIGN TRANSPORTATION

Large direction signs should be braced with stiffener to avoid buckling and adequately supported and secured to avoid damage due to scuffing, abrasion and load shifting.

### SIGN ERECTION

Once on site, signs should not be laid flat on the ground as it can result in damage to the reflective sign face. Bolts should be tightened using offset spanners. Avoid over tightening. Nylon washers should be used between the bolt head and sign face. After installation, signs should be inspected to see that they have not been damaged and are free of oil and dirt residue.

### SIGN COVERING

The covering of signs is not recommended. If it is necessary to cover a sign then a porous cloth should be used allowing air circulation, and then only for limited periods. Do not use paper or plastic covers as heat and moisture entrapment can cause permanent damage to the reflective sign face.

### SIGN CLEANING

For maximum performance signs should be kept clean and free from dirt, road tar, oil, bituminous material and mulch. Cleaning with a wet, detergent type non-abrasive cleaner is recommended. Following the use of any cleaning agent, the sign face should be thoroughly and immediately rinsed with water. Care should be taken not to abrade the sign face.



# Norsign

**N.T.**

A Subsidiary of Traffic Technologies Ltd.

## **NORSIGN NT**

7 Brooker St,  
Winnellie, 0820  
PO Box 39944  
Winnellie NT 0820

P: 08 8947 0733  
F: 08 8947 0713  
E: sales@norsign.com.au  
www.norsign.com.au

## **WA**

### **SUNNY SIGN COMPANY**

10 Boulder Rd,  
Malaga, 6090  
P: 08 9248 1002  
F: 08 9209 2288

## **VIC**

### **DENEFE SIGNS**

25 Brisbane St,  
Eltham, 3095  
P: 03 9430 0266  
F: 03 9430 0277

## **QLD**

### **DENEFE SIGNS**

84 Bluestone Circuit,  
Seventeen Mile Rocks, 4073  
P: 07 3184 2000  
F: 07 3266 2244

## **ACT**

### **DENEFE SIGNS**

61 Aurora Ave,  
Queanbeyan, 2620  
P: 02 6299 7922  
F: 02 6299 7977

## **SA**

### **DENEFE SIGNS**

P: 03 9430 0266  
F: 03 9430 0277

## **TAS**

### **DENEFE SIGNS**

Unit 4/ 18A Hull St,  
Glenorchy, 7010  
P: 03 6273 1177  
F: 03 6273 1759

## **NSW**

### **DENEFE SIGNS**

12-14 Leeds St,  
Rhodes, 2073  
P: 02 9701 9999  
F: 02 9736 3391

**TRAFFIC**  
TECHNOLOGIES

**FOR ORDERS AND ENQUIRIES PHONE**

**08 8947 0733**