

PRODUCT
CATALOGUE

Norsign

YOUR ONE-STOP
SIGN SHOP

N.T.

A subsidiary of Traffic Technologies Ltd.



FOR ORDERS AND ENQUIRIES PHONE - 08 8947 0733

DENEFFE SIGNS HISTORY



Established in 1926, DeNeefe Signs is Australia's largest manufacturer of fixed metal directional and instructional traffic signs. It has operations in every state of Australia, with the main production facility located in Melbourne and Norsign, a division of DeNeefe, located in the Northern Territory.

Primarily, DeNeefe Signs manufacture a wide range of traffic control products, vests, brackets, cones and bollards, as well as Corporate Signage to both Government and private sectors. We also provide sign installation and computer assessment of Local Government Signage.

In September 1993, DeNeefe Signs Victoria, was accredited with Australian Standard 3902 and have since attained ISO 9001 certification. All our interstate branches now also have the same accreditation. We have initiated an Occupational Health and Safety Program to safeguard the health and well being of our employees.

We are proud to say we are an Australian owned company and promote Australian manufactured products.

DeNeefe Signs seek the latest technology and systems to support our continued growth and success. Our computerised Graphics Department currently have 5 work stations, an image setter for screen printing positives and computer and flatbed cutters which increase workflow to other areas of the company. Our administration has the latest 'state of the art' computer system, which services the processing of orders, invoicing, estimating and production planning.

Our mission is to provide our customers with a product which meets their requirements and expectations, at a price acceptable to all parties and a customer service which exceeds their expectations.

As the Signage Division of Traffic Technologies, DeNeefe Signs work in conjunction with the other divisions of Traffic Technologies, to provide a 'one-stop-shop' for all our customers traffic requirements.



TABLE OF CONTENTS

	PAGE	
➤ REGULATORY SIGNS	03	
➤ (PARKING SIGNS - PAGE 12)		
➤ WARNING SIGNS	17	
➤ GUIDE SIGNS	27	
➤ (STREET NAME SIGNS - PAGE 33)		
➤ HAZARD MARKERS	35	
➤ TEMPORARY ROADWORK SIGNS	39	
➤ (CORFLUTES & MULTI MESSAGE SIGNS - PAGE 43)		
➤ TRANSPORT SIGNS	49	
➤ WORK ZONE PRODUCTS	53	
➤ SIGN ACCESSORIES	59	
➤ SAFETY SIGNS	65	
➤ RECREATIONAL SIGNS	71	
➤ SPECIALTY PRODUCTS	75	
➤ (SPECIAL ORDER ELECTRONIC SIGNAGE - PAGE 80)		
➤ COMMERCIAL GRAPHICS	81	





REGULATORY SIGNS

All signs are available in CLI Hi Intensity **(H)** & CLIX Diamond Grade **(DG)** Materials



R1-1A 600 x 600
R1-1B 750 x 750
R1-1C 900 x 900



R1-2AA 375
R1-2A 750
R1-2B 900
R1-2C 1200



R1-3A 750
R1-3B 900
R1-3C 1200



NSW ONLY
R1-4A 450 x 450



R2-2A 450 x 600
R2-2B 600 x 800
 (L or R)



R2-3AA 300 x 400
R2-3A 450 x 600
R2-3B 600 x 800
 (L or R)



NSW, NT & ACT ONLY
R2-4A-RTA 450 x 750
R2-4B-RTA 600 x 1000
R2-4C-RTA 750 x 1250



R2-4AA 300 x 300
R2-4A 450 x 450
R2-4B 600 x 600
R2-4C 750 x 750
R2-4D 900 x 900



NSW, NT & ACT ONLY
R2-5A-RTA 450 x 750
R2-5B-RTA 600 x 1000



R2-5A 450 x 450
R2-5B 600 x 600
R2-5C 750 x 750
R2-5D 900 x 900



NSW, NT & ACT ONLY
R2-6A-RTA 450 x 900
R2-6B-RTA 600 x 1200
 (L or R)



R2-6A 450 x 450
R2-6B 600 x 600
R2-6C 750 x 750
R2-6D 900 x 900
 (L or R)

REGULATORY SIGNS



All signs are available in CLI Hi Intensity **(H)** & CLIX Diamond Grade **(DG)** Materials



R2-7A 450 x 600
R2-7B 600 x 800



R2-8A 450 x 600
R2-8B 600 x 800



R2-9A 450 x 750
R2-9B 600 x 1000
(L or R)



R2-10A 600 x 600



R2-11A 450 x 600
R2-11B 600 x 800



R2-14A 600 x 800
R2-14B 900 x 1200
(L or R)



R2-15A 450 x 600
R2-15B 600 x 800



R2-16A 750 x 600



R2-17A 450 x 800
R2-17B 600 x 1050
R2-17C 900 x 1600



R2-19A 800 x 1200



R2-20 450 x 800



R2-2 800 x 1100



REGULATORY SIGNS

All signs are available in CLI Hi Intensity **(H)** & CLIX Diamond Grade **(DG)** Materials



R2-22 750 x 750




R2-209 150 x 1150



R3-1A 600
R3-1B 750
R3-1C 900



R3-2A 450
R3-2B 600



R3-3A 600 x 600
FLAG C/W DOWELL
NON/REFLECTIVE



R3-4A 450 x 1200
R3-4B 600 x 1600



R3-5A 90 x 110
(L or R)
DECAL



R4-1A 450 x 600
R4-1B 600 x 800
R4-1C 900 x 1200
R4-1D 1200 x 1600



WA & NT ONLY
R4-2A 600 x 800
R4-2B 900 x 1200



R4-3A 450 x 300
R4-3B 600 x 400
R4-3C 900 x 600



R4-4A 450 x 750



R4-5A 450 x 750

REGULATORY SIGNS



All signs are available in CL1 Hi Intensity (H) & CLIX Diamond Grade (DG) Materials




R4-8A 450 x 300
R4-8B 600 x 400



R4-9A 450 x 450
R4-9B 600 x 600



R4-10A 450 x 750
R4-10B 600 x 1000



R4-11A 450 x 750
R4-11B 600 x 1000




R4-12B 600 x 1000
R4-12C 800 x 1334



NSW ONLY

R4-231A-RTA 900 x 850
R4-231B-RTA 1200 x 1135
R4-231C-RTA 1800 x 1700



VIC ONLY

R4-V105A 900 x 850
R4-V105B 1200 x 1135
R4-V105C 1800 x 1700



VIC ONLY


R4-V106AA 360 x 1016
R4-V106A 450 x 1270



R4-V114-1AA 360 x 463
R4-V114-1A 450 x 612
R4-V114-1B 600 x 877




R4-V1115 (L)



R4-V1115 (R)

VIC ONLY

R4-V115AA 360 x 540
R4-V115A 450 x 675
R4-V115 600 x 900



R4-V121AA 360 x 876
R4-V121A 450 x 1095
R4-V121B 600 x 1460



NSW ONLY

R4-212A 450 x 900
R4-212B 600 x 1200
R4-212C 900 x 1745
R4-212D 1200 x 2400
(Hinged or Unhinged)



REGULATORY SIGNS

All signs are available in CLI Hi Intensity (H) & CLIX Diamond Grade (DG) Materials




R5-58A 1500 x 1100
(L or R)



R6-1A 750 x 900
R6-1B 1200 x 1440



R6-2A 750 x 900
R6-2B 1200 x 1440



R6-3A 600 x 900
R6-3B 900 x 1350



R6-4A 600 x 900
R6-4B 900 x 1350



R6-6A 450 x 750
R6-6B 675 x 1125



R6-7A 450
R6-7B 600



R6-8A 450
R6-8B 600



R6-9A 450 x 600



R6-10-1A 600 x 600
R6-10-1B 900 x 900
R6-10-1C 1200 x 1200



R6-10-2A 600 x 600
R6-10-2B 900 x 900
R6-10-2C 1200 x 1200



R6-10-3A 450 x 450
R6-10-3B 600 x 600
R6-10-3C 750 x 750
R6-10-3D 900 x 900

REGULATORY SIGNS



All signs are available in CL1 Hi Intensity (H) & CLIX Diamond Grade (DG) Materials



R6-11A 1950 x 600



R6-12A 1500 x 600



R6-13A 1200 x 1500



R6-14A 450 x 750

R6-14B 675 x 1125




R6-15A 300 x 300

R6-15B 450 x 450



R6-16 1950 x 180



R6-17A 1200 x 750



R6-18A 600 x 700

R6-18B 900 x 1050

R6-18C 1200 x 1400



R6-19A 1200 x 600

R6-19B 1800 x 900



R6-20A 1200 x 600

R6-20B 1800 x 900



R6-21A 900 x 450

R6-21B 1800 x 900



R6-22A 1200 x 1000

R6-22B 1400 x 1200

R6-22C 1800 x 1500



R6-23A 1000 x 800

R6-23B 1500 x 1200



R6-25 1350 x 900



R6-26 1350 x 900



REGULATORY SIGNS

All signs are available in CLI Hi Intensity (H) & CLIX Diamond Grade (DG) Materials



R6-27A 600 x 700
R6-27B 900 x 1050
R6-27C 1200 x 1400



R6-28A 900 x 900
R6-28B 1200 x 1200
R6-28C 1800 x 1800



R6-29A 1200 x 600
R6-29B 1800 x 900
R6-29C 2400 x 1200



R6-30A 600 x 1200
R6-30B 900 x 1800



R6-31A 350 x 350
Decal



R6-32A 1200 x 800



R6-33 1200 x 1350



R7-1C 600 x 800
R7-1D 900 x 1200
R7-1E 1200 x 1600



R7-1-3C 600 x 800
R7-1-3D 900 x 1200
R7-1-3E 1200 x 1600



R7-1-4B 450 x 600
R7-1-4C 600 x 800
R7-1-4D 900 x 1200



R7-1-5C 600 x 800
R7-1-5D 900 x 1200



R7-1-6C 600 x 800
R7-1-6D 900 x 1200
R7-1-6E 1200 x 1600

REGULATORY SIGNS



All signs are available in CL1 Hi Intensity (H) & CLIX Diamond Grade (DG) Materials



R7-2B 450 x 150
R7-2C 600 x 200
R7-2D 900 x 300
R7-2E 1200 x 400



R7-3B 450 x 300
R7-3C 600 x 400
R7-3D 900 x 600
R7-3E 1200 x 800
 (L & R)



R7-4A 300 x 100
R7-4B 450 x 150
R7-4C 600 x 200
R7-4D 900 x 300
R7-4E 1200 x 400



R7-5B 450 x 300
R7-5C 600 x 400
R7-5D 900 x 600
R7-5E 1200 x 800



R7-6-1A 1400 x 400
 (L & R)



R7-6-2A 1400 x 400



R7-6-3A 1600 x 400

R7-6-4 1600 x 400



R7-7-1C 600 x 800
R7-7-1D 900 x 1200
R7-7-1E 1200 x 1600



R7-7-2C 600 x 800
R7-7-2D 900 x 1200
R7-7-2E 1200 x 1600



R7-8C 600 x 800
R7-8D 900 x 1200
R7-8E 1200 x 1600



R8-1A 300 x 450
R8-1B 450 x 600
R8-1C 600 x 800



R8-2A 300 x 450
R8-2B 450 x 600
R8-2C 600 x 800



R8-3A 300 x 300
R8-3B 450 x 450
R8-3C 600 x 600
 (L or R) (R Shown)



REGULATORY SIGNS

All signs are available in CLI Hi Intensity **(H)** & CLIX Diamond Grade **(DG)** Materials



R9-1-1A 450 x 300
R9-1-1B 600 x 400
R9-1-1C 900 x 600
R9-1-1D 1200 x 800



R9-1-2A 450 x 450
R9-1-2B 600 x 600
R9-1-2C 900 x 900
R9-1-2D 1200 x 1200



R9-1-3B 600 x 400
R9-1-3C 900 x 600
R9-1-3D 1200 x 800



R9-2A 450 x 300
R9-2B 600 x 400
R9-2C 750 x 500



R9-3A 450 x 300
R9-3B 600 x 400
R9-3C 750 x 500



R9-4A 450 x 300
R9-4B 600 x 400



R9-5C 750 x 375
R9-5D 900 x 450



R9-6-1A 750 x 150
R9-6-1B 1000 x 200
R9-6-1C 1200 x 240



QLD ONLY
TC1195A 750
TC1195B 900
TC1195C 1200



QLD ONLY
TC9265A 180 x 1200



QLD ONLY
R4-Q01A 450 x 1400
R4-Q01B 600 x 1900
R4-Q01C 900 x 2800

REGULATORY SIGNS



PARKING SIGNS

Parking controls and the times that they apply vary so widely that parking signs generally have to be designed individually. Many signs contain a number of separate controls on one sign.

A special numbering code comprising a generic number in the R5 Series, together with additional coding has been developed for ordering those signs whose message is variable.

LINEAR PARKING CONTROL PANELS

TYPE OF CONTROL		SIGN NUMBER
PARKING		
Whole Hours:	1P	R5-1
	2P	R5-2
	3P	R5-3
	4P	R5-4
	5P	R5-5
	6P	R5-6
	7P	R5-7
	8P	R5-8
	P No Duration Stated	R5-10
Part of Hours:	P2 Minute	R5-12
	P5 Minute	R5-13
	P10 Minute	R5-14
	¼ P	R5-15
	½ P	R5-16
	1½ P	R5-17
ZONE	Bus Zone	R5-20
	Taxi Zone	R5-21
	Permit Zone	R5-22
	Loading Zone	R5-23
	Truck Zone	R5-24
	Works Zone	R5-25
	Mail Zone	R5-26
NO-STOPPING	No - Stopping (At any time)	R5-35
	No - Stopping (Specific times of operation)	R5-36
NO-PARKING	No - Parking (At any time)	R5-40
	No - Parking (Specific times of operation)	R5-41
CLEARWAY	Clearway (At all times)	R5-45
	Clearway (Specific times of operation)	R5-46






REGULATORY SIGNS


All signs are available in Enamel (E), CL2 Engineers Grade & CL1 Hi Intensity

PANEL ARRANGEMENTS ON SIGNS

CODE	SIZE (mm)
N1	225 x 300
N2	225 x 450
W1	450 x 225
W2	450 x 300




Examples of Panel Arrangement Layouts



PARKING SIGNS

Sizes Available: S = Single 225 x 450, D = Double 450 x 450, T = Triple 450 x 675. Left, Right & Double Arrows also available.



REGULATORY SIGNS



All signs are available in Enamel (E), CL2 Engineers Grade & CL1 Hi Intensity

PARKING SIGNS

Sizes Available: S = Single, D = Double, T = Triple



R5-23



R5-26



R5-35




R5-39A 600 x 225

R5-39B 900 x 337



R5-40



R5-46



R5-50A 600 x 800

R5-50B 900 x 1200



R5-51A 600 x 600

R5-51B 900 x 900



R5-61A 600 x 900

R5-61B 900 x 1350



R5-62A 450 x 800

R5-62B 600 x 1065



R5-63A 600 x 600

R5-63B 900 x 900



R5-65A 450 x 300

R5-65B 600 x 400



R5-71A 600 x 800

R5-71B 900 x 1200



R5-72A 450 x 900

R5-72B 600 x 1065



REGULATORY SIGNS


All signs are available in Enamel (E), CL2 Engineers Grade & CL1 Hi Intensity

PARKING SIGNS

Left, Right & Double Arrows available.




R5-73A 450 x 600
R5-73B 600 x 800



ACT ONLY
ACTR5-1 300 x 450
(Class 2)



ACT ONLY
ACTR5-2 300 x 450
(Class 2)



ACT ONLY
ACTR5-3 300 x 450
(Class 2)



ACT ONLY
ACTR5-20 300 x 450
(Class 2)



ACT ONLY
ACTR5-22/1 300 x 450
(Class 2)



ACT ONLY
ACTR5-23 300 x 450
(Class 2)



ACT ONLY
ACTR5-35 300 x 450
(Class 2)



ACT ONLY
ACTR5-40 300 x 450
(Class 2)



NSW ONLY
RTAR5-400







WARNING SIGNS

All signs are available in CLI Hi Intensity **(H)**, CLIX Diamond Grade **(DG)**, Fluoro Yellow/Green **(FYG)** materials

SIZE	DIMENSIONS (mm)
A	600 x 600
B	750 x 750
C	900 x 900
D	1200 x 1200



TURN

W1-1A
W1-1B
W1-1C
(L or R)



REVERSE TURN

W1-2A
W1-2B
W1-2C
(L or R)



CURVE

W1-3A
W1-3B
W1-3C
(L or R)



REVERSE CURVE

W1-4A
W1-4B
W1-4C
(L or R)



WINDING ROAD

W1-5A
W1-5B
W1-5C
(L or R)




HAIRPIN BEND

W1-7A
W1-7B
W1-7C
(L or R)



TILTING TRUCK
W1-8B 1500 x 3000
(L or R)



W1-9-1 1400 x 1800



CROSS ROAD

W2-1A
W2-1B
W2-1C



T JUNCTION

W2-3A
W2-3B
W2-3C



SIDE ROAD JUNCTION

W2-4A
W2-4B
W2-4C
(L or R)



ROUNDABOUT

W2-7A
W2-7B
W2-7C

WARNING SIGNS



All signs are available in CL1 Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



STAGGERED SIDE ROAD JUNCTION

W2-8A
W2-8B
W2-8C
(L or R)



SIDE ROAD JUNCTION ON A CURVE

W2-9A
W2-9B
W2-9C
(L or R)



SIDE ROAD JUNCTION ON A CURVE

W2-10A
W2-10B
W2-10C
(L or R)



SUCCESSIVE SIDE ROAD JUNCTION

W2-11A
W2-11B
W2-11C
(L or R)



SUCCESSIVE SIDE ROAD JUNCTION

W2-12A
W2-12B
W2-12C
(L or R)



SUCCESSIVE SIDE ROAD

W2-13A
W2-13B
W2-13C
(L or R)



T-JUNCTION BEYOND

W2-14A
W2-14B
W2-14C
(L or R)



CROSSROAD ON CURVE

W2-15
(L or R)



STOP SIGN AHEAD

W3-1A
W3-1B
W3-1C
W3-1D



GIVE WAY SIGN AHEAD

W3-2A
W3-2B
W3-2C
W3-2D



SIGNALS AHEAD

W3-3A
W3-3B
W3-3C
W3-3D



ROAD HUMPS AHEAD

W3-4A
W3-4B
W3-4C



NARROW BRIDGE

W4-1A
W4-1B
W4-1C



ROAD NARROWS

W4-3A
W4-3B
W4-3C



DIVIDED ROAD

W4-4A
W4-4B
W4-4C



ISLAND

W4-5A
W4-5B
W4-5C
W4-5D



WARNING SIGNS

All signs are available in CLI Hi Intensity (**H**), CLIX Diamond Grade (**DG**), Fluoro Yellow/Green (**FYG**) materials



LOW CLEARANCE
...m (AHEAD)
W4-8B
W4-8C



LEFT LANE ENDS
W4-9B
W4-9C



LANE ALLOCATION
W4-10B
W4-10C



TWO WAY TRAFFIC
W4-11A
W4-11B
W4-11C
W4-11D



FERRY
W5-1A
W5-1B
W5-1C



OPENING BRIDGE
W5-2A
W5-2B
W5-2C



FORD
W5-6A
W5-6B
W5-6C



FLOODWAY
W5-7-1A
W5-7-1B
W5-7-1C



FLOODWAYS
W5-7-2A
W5-7-2B
W5-7-2C



LOW LEVEL BRIDGE
W5-8A
W5-8B
W5-8C



DIP
W5-9A
W5-9B
W5-9C



ROAD HUMP
W5-10A
W5-10B
W5-10C



CREST
W5-11A
W5-11B
W5-11C



STEEP DESCENT
W5-12A
W5-12B
W5-12C



STEEP CLIMB
W5-13A
W5-13B
W5-13C



GATE
W5-14A
W5-14B
W5-14C

WARNING SIGNS



All signs are available in CL1 Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



GRID
W5-16A
W5-16B
W5-16C



ROAD ENDS
W5-18A
W5-18B
W5-18C



GRAVEL ROAD
W5-19A
W5-19B
W5-19C



SLIPPERY
W5-20A
W5-20B
W5-20C



TRUCKS CROSSING OR ENTERING
W5-22A
W5-22B
W5-22C



KANGAROOS
W5-29A
W5-29B
W5-29C



AIRCRAFT
W5-30A
W5-30B
W5-30C



SLOW POINT
W5-33A
W5-33B



MERGING TRAFFIC
W5-34A
W5-34B
W5-34C
W5-34D
(L or R)



ADDED LANE
W5-35A
W5-35B
W5-35C
W5-35D
(L or R)



FIRE STATION
W5-36A
W5-36B
W5-36C



AMBULANCE STATION
W5-37A
W5-37B
W5-37C



STOCK
W5-38A
W5-38B
W5-38C



FALLING ROCKS
W5-42A
W5-42B
W5-42C
(L or R)



TRUCKS TURNING
W5-205A
W5-205B
W5-205C



KOALAS
W5-47A
W5-47B
W5-47C



WARNING SIGNS

All signs are available in CLI Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



WOMBATS
W5-48A
W5-48B
W5-48C



TREES CLOSE TO ROAD
VIC ONLY
W5-V127A
W5-V127B
W5-V127C



PEDESTRIANS
W6-1A
W6-1B
W6-1C



**PEDESTRIAN
CROSSING AHEAD**
W6-2A
W6-2B
W6-2C



SCHOOL BUS
W6-204A
W6-204B
W6-204C



CHILDREN
W6-3A
W6-3B
W6-3C



HOSPITAL
W6-6A
W6-6B
W6-6C



BICYCLES
W6-7A
W6-7B
W6-7C



ROAD AHEAD
W6-8A 300 x 300
W6-8B 450 x 450



W6-9A
W6-9B
W6-9C



TRACKS
...numbers
W7-2-1A 600 x 275
W7-2-1B 800 x 367



TRACKS
...numbers
W7-2-2 1000 x 150



**RAILWAY LEVEL CROSSING
FLASHING SIGNAL AHEAD**
W7-4B
W7-4C
W7-4D



TRAIN
W7-7A
W7-7B
W7-7C
(L or R)



**TRAIN CROSSING
RIGHT ANGLE**
W7-8A
W7-8B
W7-8C



TRAIN CROSSING ANGLE
W7-9A
W7-9B
W7-9C
(L or R)

WARNING SIGNS



All signs are available in CL1 Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



**TRAIN CROSSING
T-JUNCTION**

W7-12A
W7-12B
W7-12C
(L or R)



**TRAIN CROSSING
INTERSECTION**

W7-13A
W7-13B
W7-13C
(L or R)



TRAIN CROSSING
W7-14-1A 600 x 400



DO NOT CROSS
W7-14-2A 600 x 400



DO NOT CROSS
W7-14-4 450 x 400



DO NOT CROSS
W7-14-5 450 x 400



DO NOT CROSS
W7-14-6 450 x 400



RAILWAY GATE
W7-15A
W7-15B
W7-15C



**DRY WEATHER
ROAD ONLY**
W8-DWROA
W8-DWROB
W8-DWROC



HORSE AND RIDER
W-H&RA
W-H&RB
W-H&RC



W-RAISPAVA
W-RAISPAVB
W-RAISPAVC



ADVISORY SPEED
...km/h
W8-2A 600 x 400
W8-2B 750 x 500
W8-2C 900 x 600
W8-2D 1200 x 800



ON SIDE ROAD
W8-3A 600 x 400
W8-3B 750 x 500
W8-3C 900 x 600
(L or R)



DISTANCE ...m
W8-5A 600 x 200
W8-5B 750 x 250
W8-5C 900 x 300
W8-5D 1200 x 400



WHEN WET
W8-7A 600 x 400
W8-7B 750 x 500
W8-7C 900 x 600



WHEN FROSTY
W8-8A 600 x 400
W8-8B 750 x 500
W8-8C 900 x 600



WARNING SIGNS

All signs are available in CLI Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



UNDER SNOW

W8-9A 600 x 400
W8-9B 750 x 500
W8-9C 900 x 600



PLAYGROUND

W8-13A 600 x 400
W8-13B 750 x 500
W8-13C 900 x 600



SCHOOL

W8-14A 600 x 200
W8-14B 750 x 250
W8-14C 900 x 300



MERGE

W8-15B 750 x 500
W8-15C 900 x 600
W8-15D 1200 x 800
(L or R)



ONE LANE

W8-16A 600 x 200
W8-16B 750 x 500
W8-16C 900 x 600



NEXT ...km

W8-17-1A 600 x 400
W8-17-1B 750 x 500
W8-17-1C 900 x 600
W8-17-1D 1200 x 800



NEXT ...m

W8-17-2A 600 x 400
W8-17-2B 750 x 500
W8-17-2C 900 x 600



AGED

W8-18A 600 x 200
W8-18B 750 x 250
W8-18C 900 x 300



BLIND

W8-19A 600 x 200
W8-19B 750 x 250
W8-19C 900 x 300



DISABLED

W8-20A 600 x 200
W8-20B 750 x 250
W8-20C 900 x 300



BOGGY WHEN WET

W8-21A 600 x 400
W8-21B 750 x 500
W8-21C 900 x 600



CROSSING AHEAD

W8-22A 600 x 400
W8-22B 750 x 500
W8-22C 900 x 600



CROSSING ARROWS

W8-23A 600 x 200
W8-23B 750 x 250



PRESCHOOL

W8-24A 600 x 200
W8-24B 750 x 250
W8-24C 900 x 300



REFUGE ISLAND

W8-25A 600 x 400
W8-25B 750 x 500
W8-25C 900 x 600



ADDED LANE

W8-26A 600 x 400
W8-26B 750 x 500
W8-26C 900 x 600
W8-26D 1200 x 800

WARNING SIGNS



All signs are available in CL1 Hi Intensity (H), CLIX Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials

**PREPARE
TO STOP**

PREPARE TO STOP

W8-27B 750 x 375
W8-27C 900 x 450
W8-27D 1200 x 600



W9-1A
W9-1B
W9-1C
(L or R)

**CROSSING
RAMP**

CROSSING RAMP

W8-28B 750 x 500
W8-28C 900 x 600
W8-28D 1200 x 800



W9-2A
W9-2B
W9-2C
(L or R)

**SCHOOL
BUS STOP
AHEAD**

VIC ONLY

W8-V113A 600 x 480
W8-V113B 750 x 600
W8-V113C 900 x 720



W9-3A
W9-3B
W9-3C
(L or R)

**INJURED
WILDLIFE**
0499 999 999

VIC ONLY

W8-V115 900 x 600



W9-4A
W9-4B
W9-4C
(L or R)



**SCHOOL
QLD ONLY**

TC1192A 750 x 750
TC1192B 900 x 900
TC1192C 1200 x 1200



**CHILDREN
QLD ONLY**

TC1193A 750 x 750
TC1193B 900 x 900
TC1193C 1200 x 1200



**SCHOOL CROSSING
AHEAD
QLD ONLY**

TC1194A 750 x 750
TC1194B 900 x 900
TC1194C 1200 x 1200



**WA ONLY
MR-WDAD-2**



**WA ONLY
MR-WDAD-3**



**WA ONLY
MR-WDAD-6**



**WA ONLY
MR-WDAD-7**



**WA ONLY
MR-WDAD-8**



WARNING SIGNS

All signs are available in CLI Hi Intensity (**H**), CLIX Diamond Grade (**DG**), Fluoro Yellow/Green (**FYG**) materials



WA ONLY
MR-WDAD-9



WA ONLY
MR-WDAD-10



WA ONLY
MR-WDAD-11



WA ONLY
MR-WDAD-12



WA ONLY
MR-WDAD-13



WA ONLY
MR-WDAD-14



WA ONLY
MR-WDAD-15



WA ONLY
MR-WDAD-16



WA ONLY
MR-WDAD-17



WA ONLY
MR-WDAD-18



WA ONLY
MR-WDAD-19



WA ONLY
MR-WDAD-20



W5-73



W3-V109A 1445 x 1000
W3-V109B 1645 x 1200
W3-V109C 1945 x 1500



W5-V116A 1875 x 1000
W5-V116B 2201 x 1200
W5-V116C 2638 x 1500



RX11A 1770 x 1000
RX11B 2075 x 1200





GUIDE SIGNS

G1 - ADVANCE DIRECTION SERIES




G1-1



G1-2




G1-3



G1-4



G1-5



G1-6

G2 - INTERSECTION DIRECTION SERIES



G2-1



G2-2(A)



G2-2(B)



G2-4



G2-5(A)



G2-5(B)

G3 - FINGER BOARDS



G3-3



G3-8



G3-4



G3-5

G4 - REASSURANCE DIRECTION SERIES



G4-1



G6 - GEOGRAPHICAL FEATURE SERIES

ECHUCA

G6-1

SWAN RIVER

G6-2

**CITY OF
ALBURY**

**SHIRE OF
HUME**

G6-5

MOONBI RANGE
914 m

G6-6

G7 - SERVICE SERIES



G7-1-1A
G7-1-1B



G7-1-2A
G7-1-2B



G7-2-3A
G7-2-3B



G7-3-4A
G7-3-4B



G7-4-3A
G7-4-3B



G7-6-1A
G7-6-1B



DNP1 450 x 750
CENTRE MOUNTED



DNPBSM 500 x 750
SIDE MOUNTED
DOUBLE SIDED



G7-7-1A
G7-7-1B



G7-8-2A
G7-8-2B



G7-9-1A



G7-10-1A

PARKING →

G7-11



G7-12



GUIDE SIGNS



G8 - ROUTE MARKER SERIES




G8-1-1A 310 x 360
G8-1-1B 413 x 480



G8-1-2A 310 x 360
G8-1-2B 413 x 480



G8-2-1A 310 x 200
G8-2-1B 410 x 265




G8-2-2A 310 x 200
G8-2-2B 410 x 265



G8-2-3A 310 x 200
G8-2-3B 410 x 265
(L or R)



G8-2-4A 310 x 200
G8-2-4B 410 x 265
(L or R)



G8-2-5A 310 x 200
G8-2-5B 410 x 265



G8-2-6A 310 x 200
G8-2-6B 410 x 265



G8-2-7A 310 x 200
G8-2-7B 410 x 265



G8-3-1A 310 x 200
G8-3-1B 410 x 265



G8-4-1A 310 x 200
G8-4-1B 410 x 265



G8-8-8A 375 x 360
G8-8-8B 500 x 480



G8-9-1 360 x 360



G8-9-2 360 x 360



G8-9-3 360 x 360

G9 - TRAFFIC INSTRUCTION SERIES



G9-3 1700 x 900
(L or R)



G9-4 1700 x 900
(L or R)



G9-5-1 1300 x 350
(L or R)



G9-5-2 1400 x 350
(L or R)



G9 - TRAFFIC INSTRUCTION SERIES



G9-9A 1500 x 750
G9-9B 1800 x 900



G9-10A 900 x 900



G9-11A 900 x 1100



G9-12A 950 x 1100



G9-15A 600 x 800
G9-15B 900 x 1200
G9-15C 1200 x 1600




G9-16A 600 x 800
G9-16B 900 x 1200
G9-16C 1200 x 1600




G9-18A 600 x 400
G9-18B 900 x 600





G9-20 900 x 550



G9-22A 200 x 1350



G9-22-1 200 x 2350
G9-22-2 200 x 2350
G9-22-3 200 x 2350
(QLD - RHS ONLY)



G9-21-1 2150 x 800



G9-21-2 1400 x 1400



G9-24A 2200 x 800
G9-24B 4400 x 1600



G9-25A 2200 x 800
G9-25B 4400 x 1600



GUIDE SIGNS

G9 - TRAFFIC INSTRUCTION SERIES



G9-26 2200 x 1100



G9-32 2100 x 450



G9-33 2100 x 450



G9-37 2600 x 1200



G9-38 2600 x 1200



G9-40-1A 900 x 600



G9-48A 600 x 600

G9-48B 750 x 750

G9-48C 900 x 900



G9-57A 900 x 800

G9-57B 1200 x 1100



G9-58A 450 x 450

G9-58B 600 x 600



G9-60A 450 x 600

G9-60B 600 x 800



G9-63A 900 x 900

(L or R)



G9-64A 750 x 600



G9-65A 600 x 1200



G9-73A 900 x 900

G9-73B 1200 x 1200



G9-78A 600 x 200

G9-78B 900 x 300

G9-78C 1200 x 400



G9-79A 450 x 750

G9-79B 600 x 1000

G9-79C 800 x 1350

GUIDE SIGNS



G10 - KILOMETRE POSTS



G10-3A 450 x 450



G11-1



G11-4

GE - FREEWAY GUIDE SERIES



GE1-6



GE1-11



GE2-1-1



GE1-13



GE1-14



GE2-3 1800 x 1600



GE7-6A 600 x 700
GE7-6B 900 x 1050



GE7-8 200 x 350
(L or R)



GE7-9 200 x 100



GE9-15AA 450 x 300
GE9-15A 600 x 400
GE9-15B 750 x 500



GE9-3A 2600 x 2000



GE9-V22-1B 1800 x 1100
GE9-V22-1C 2400 x 1470
GE9-V22-1D 3200 x 1960



G5 - STREET NAME SERIES

Guide signs are generally rectangular.

Australian Standard 1742-5: 1997 "Street Name and Community Facility Name Signs" requires the following:

- That "street name signs" be mounted at the "optimum height for illumination by vehicle headlights".
- They should be made using a retro-reflective material as a background which in the least meets the requirements of Class I material as specified.
- Where possible "Series D" letters should be used. This letter style spaced in accordance with the Standard ensures quick name recognition and facilitates traffic flow.



LEGEND	BACKGROUND					
	WHITE	YELLOW	STANDARD GREEN	BLUE	BROWN	BLACK
WHITE	-	NO (3)	YES (5)	YES (5)	NO (2,4)	NO (2,4)
YELLOW	NO (3)	-	NO (2)	NO (2,3)	NO (2,4)	NO (4)
STANDARD GREEN	YES (1)	YES (1)	-	NO (3)	NO (3)	NO (3)
BLUE	YES (1)	YES (1)	NO (3)	-	NO (3)	NO (3)
BROWN	YES (1)	YES (1)	NO (3)	NO (3)	-	NO (3)
BLACK	YES (1)	YES (1,6)	NO (3)	NO (3)	NO (3)	-

Notes:

- Legend shall be non-reflectorised.
- Not suitable for street name. May be used for local government name or logo.
- Inadequate contrast between colours.
- Sign will not be sufficiently conspicuous.
- Background shall be reflectorised
- Use of this combination in conjunction with the NO THROUGH ROAD sign may compromise the warning impact of the colour of the latter.

Source: AS1742.5:2.7 – 1997

ABBREVIATIONS		
Arcade ARC	Drive DR	Place, Plaza PL
Avenue AV	Esplanade ESP	Promenade PRM
Boulevard BVD	Expressway EXP	Quay QY
Brace, Brae BR	Freeway FWY	Road RD
Chase CH	Gardens GDN	Square SQ
Circuit CCT	Grove GR	Street ST
Circle, Circlet, Circus CIR	Highway HWY	Terrace TCE
Close CL	Junction JNC	Walk WK
Corner CNR	Lane LA	Way (Not usually abbreviated) WY
Court CT	Parade PDE	
Crescent CR	Parkway PWY	

Source: AS1742.55:2.5 – 1997

Note: Some councils use abbreviations different to the above

GUIDE SIGNS



G5 - STREET NAME SERIES



G5-1



G5-2



G5-3



G5-4



G5-5



G5-6



G5-10
WHITE OR YELLOW
B/GROUND



G5-11

STREET NAME PLATES WITH LOGOS

Increasingly common is the practice of municipal councils using their logos and other branding on Street Name signs. In this circumstance logos can be screened on a reflective or non-reflective background and can be in a variety of colours.





HAZARD MARKERS

LEGEND

UNI-DIRECTIONAL HAZARD MARKER

Used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.




BI-DIRECTIONAL HAZARD MARKER

Used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.



WIDTH MARKER

Normally erected in pairs, one on either side of a vertical obstruction facing in the direction of traffic flow.



OBSTRUCTION MARKERS

Used to delineate obstructions such as road closures or obstructions above the road.



HAZARD MARKERS



UNI-DIRECTIONAL
HAZARD MARKER

D4-1-1A 1600 x 400

D4-1-1B 3200 x 800



UNI-DIRECTIONAL
HAZARD MARKER

D4-1-2A 450 x 450

D4-1-2B 600 x 600



BI-DIRECTIONAL
HAZARD MARKER

VIC ONLY

D4-V103 1800 x 600

D4-V108 1000 x 500



UNI-DIRECTIONAL
HAZARD MARKER

D4-1-3C 1800 x 300

VIC ONLY

D4-V102 1800 x 600



BI-DIRECTIONAL
HAZARD MARKER

D4-2-1C 1800 x 300



BI-DIRECTIONAL
HAZARD MARKER

D4-2-2 400 x 1000

QLD ONLY

D4-2-2A 300 x 750



**BI-DIRECTIONAL
HAZARD MARKER**

D4-2-3A 1600 X 400
D4-2-3B 3200 X 800



**WIDTH MARKER
(L or R)**

D4-3A 225 x 450
D4-3B 450 x 900




**OBSTRUCTION
MARKER**

D4-5A 1800 x 400



**CHEVRON
ALIGNMENT MARKER**

D4-6A 600 x 750
D4-6B 750 x 900
D4-6C 900 x 1125



**WIDTH MARKER
VIC ONLY**

D4-V105A 450 x 300
D4-V105B 600 x 400



**WA ONLY
MR-HM1** 2400 x 400



**WA ONLY
MR-HM2** 2400 x 400



**WA ONLY
MR-HM3** 2400 x 400



**WA ONLY
MR-HM4** 2400 x 400



**WA ONLY
MR-HM5** 2400 x 400



**NSW ONLY
G9-257** 700 x 390
(L or R)
(Self Adhesive)



**WA ONLY
MR-HM6** 2400 x 400



HAZARD MARKERS



WA ONLY

MR-HM7 2400 x 400



WA ONLY

MR-HM8 4800 x 800



WA ONLY

MR-HM9 4800 x 800



WA ONLY

MR-HM10 4800 x 800



WA ONLY

MR-HM11 230 x 230



WA ONLY

MR-HM12 450 x 600

QLD ONLY

D4-2-2-Q01A 450 x 600

D4-2-2-Q01B 900 x 1200



WA ONLY

MR-HM16A 360 x 1300

MR-HM16B 480 x 1340

MR-HM16C 600 x 1460





TEMPORARY ROADWORK SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



T1-1A 1800 x 600
T1-1B 2400 x 900



T1-2A 1800 x 600
T1-2B 2400 x 900



T1-3-1A 900 x 600



T1-3-2A 1800 x 600



T1-4A 900 x 600



T1-5A 900 x 600
T1-5B 1200 x 900
T1-5C 1800 x 1200
Fluoro Diamond
Grade



T1-6A 1200 x 600
T1-6B 1800 x 900



T1-10A 1200 x 600



T1-15A 1500 x 600



T1-16A 1800 x 600
T1-16B 2400 x 900



T1-18A 900 x 600
T1-18B 1200 x 900



T1-19A 900 x 600
T1-19B 1200 x 900



T1-21A 1800 x 600



T1-22A 1200 x 600



T1-23A 1800 x 900

TEMPORARY ROADWORK SIGNS



All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials

**ROADWORK
NEXT 8 km**

T1-24A 1800 x 600
T1-24B 2400 x 900

**ROADWORK
ON SIDE ROAD**

T1-25A 1800 x 600
T1-25B 2400 x 900

**ROAD PLANT
ON SIDE ROAD**

T1-27 1800 x 600



T1-28A 600 x 200
T1-28B 900 x 900



T1-29A 1800 x 600
T1-29B 2400 x 900



T1-30A 900 x 600
T1-30B 1200 x 900



T1-31 900 x 1200



T1-34A 900 x 600
T1-34B 1200 x 900
T1-34C 1800 x 1200
Fluoro Diamond
Grade



NSW ONLY
T1-200-2B 1200 x 900



NSW ONLY
T1-200-3B 1200 x 900
T1-200-3C 1800 x 1200



NSW ONLY
T1-224A 1200 x 900
T1-224C 1800 x 1200

ROAD CLOSED

T2-4A 1800 x 300

**PART ROAD
CLOSED**

T2-5A 1500 x 600



T2-6-MAGARR 400 x 610
(Available in various
arrow combinations)



T2-6-ITOPBMAG 400 x 300



T2-6-1 1200 x 900



TEMPORARY ROADWORK SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials




T2-6-2 1800 x 900



T2-13A 900 x 600
T2-13B 1200 x 900



T2-16A 1800 x 600



T2-17A 900 x 1200



T2-23A 1200 x 600



T2-24A 900 x 600



T2-25 900 x 600



T3-3A 900 x 600
T3-3B 1500 x 900



T3-6A 900 x 600



T3-7A 900 x 600
T3-7B 1500 x 750



T3-9A 900 x 600
T3-9B 1500 x 900



T3-11 1500 x 900



T3-12A 1500 x 900



T3-13A 900 x 600
T3-13B 1500 x 750



T3-14A 900 x 600
T3-14B 1500 x 900

TEMPORARY ROADWORK SIGNS



TRI-V5 750 x 900
Box Edge



TRI-V6 900 x 900
Box Edge



T4-5A 1800 x 900



T4-6A 900 x 600
T4-6B 1200 x 900



T5-1A 1200 x 300



T5-1B 1800 x 450
(L or R)



T5-4A 1500 x 450



T5-5A 600 x 600
(Flat or Box)



T5-6A 450 x 450
T5-6B 600 x 600



T8-1A 900 x 600



T8-2A 1200 x 300
(L or R)



T8-3A 900 x 600



T8-4A 900 x 600



TAS ONLY

TASERW 1200 x 600

(Box edge or Quad Sign Magnetic Speed overlays available).



STOP/SLOW BATS

SSB450 450

SSB600 600

(Class 1, & D/G)

EXTHAN - Alum. Extendable Handle

WOODH - Wooden Handle



STOP/STOP BATS
DOUBLE SIDED

BAT-H - Class 1

BAT-FR - Diamond Grade 450mm Dia.

BCOV450 - Bat Cover 450mm Dia.

BCOV600 - Bat Cover 600mm Dia.



QLD ONLY

T1-Q05A 900 x 1000

T1-Q05B 1200 x 900




TEMPORARY ROADWORK SIGNS

CORFLUTES & MULTI MESSAGE SIGNS

The multi-message sign system regulates speed limits on work sites with minimal light weight signs that are more conspicuous because of their striking colour combinations.

The new Australian Standard AS1742.3:2002 requires that retro-reflective material be used on signs for roadworks. It must meet at least the requirements of Class 1. Signs warning of works personnel shall have a combination fluorescent reflective red or orange background.

Please note that Corflute and Multi Message Signs are not used in the Northern Territory or NSW.



CT284-24H 600 x 600
QLD ONLY - TC1217



CT284-50KH 600 x 600
QLD ONLY - TC1217



CT284-25H 600 x 600
QLD ONLY - TC1217



CT284-55H 600 x 600
QLD ONLY - TC1217



CT284-26H 600 x 600
QLD ONLY - TC1217



CT284-57H 600 x 600
QLD ONLY - TC1217



CT284-39H 600 x 600
QLD ONLY - TC1217



CT284-110H 600 x 600
QLD ONLY - TC1217



CT284-27H 600 x 600



CT284-28H 600 x 600
QLD ONLY - TC1172



CT284-40FR 600 x 600
QLD ONLY - TC1332

TEMPORARY ROADWORK SIGNS



CT284-29H 600 x 600
CT284-29-12X3H 1200 x 300
QLD ONLY - TC1170



CT284-32H 600 x 600
QLD ONLY - TC1218



CT284-33H 600 x 600
QLD ONLY - TC1219



CT284-42H 600 x 600
QLD ONLY - TC1169



TM1-V3 600 x 600



CT284-43H 600 x 600



CT284-44H 600 x 600



CT284-52H 600 x 600



CT284-FCH 600 x 600



CT284-LTOHW 600 x 600



CT284-LTOHY 600 x 600



CT284-PRCH 600 x 600



CT284-R2-4H 600 x 600



CT284-R2-6LH 600 x 600



CT284-R2-6RH 600 x 600



TEMPORARY ROADWORK SIGNS



CT284-T1-6H 600 x 600



CT284-T1-10H 600 x 600



CT284-T1-200-DG 600 x 600



CT284-T2-13H 600 x 600




CT284-T2-23H 600 x 600



CT284-T2-25CH 600 x 600



CT284-T3-7H 600 x 600



CT284-T8-1H 600 x 600



CT284-RC-AH 600 x 600



CT284-SDH 600 x 600



CT284-W3-3H 600 x 600



CT284-6X6HY 600X600



GM9-V79-40 600 x 900



GM9-V79-60 600 x 900



GM9-V79-80 600 x 900



CT284-42-6X9H 600 x 900



DO NOT OVERTAKE

CT284-12H 1200X300
QLD ONLY - TC1174

LOOSE STONES

CT284-13H 1200X300

PREPARE TO STOP

CT284-15H 1200 x 300
CT284-156X6H 600 x 600
QLD ONLY - TC1362

MERGE RIGHT

CT284-16H 1200X300

MERGE LEFT

CT284-17H 1200X300

DRIVE SAFELY

CT284-18H 1200X300
QLD ONLY - TC1177

ROADWORK AHEAD

CT284-20H 1200 x 300

AHEAD

CT284-36H 1200X300

ON SIDE ROAD

CT284-37-12X3H 1200X300
CT284-37H 600 x 600
QLD ONLY - TC1325

ROADWORKS

CT284-38-12X3H 1200X300



TEMPORARY ROADWORK SIGNS

ROAD CLOSED

CT284-49H 1200X300

CT284-56H 600X600

CT284-56-12x6H 1200X600

← DETOUR

CT284-T5-1LH 1200X300

DETOUR →

CT284-T5-IRH 1200X300

DETOUR ↑

CT284-T1-6UPH 1200X300

DETOUR AHEAD

CT284-T1-612X3H 1200X300

← PEDESTRIANS

CT284-T8-1LH 1200X300

PEDESTRIANS →

CT284-T8-IRH 1200X300

REDUCE SPEED

CT284-REDUCESP 1200X300



CT284-ARROW3X6H 300X600

CT284-ARROWH 600X600



CT284-TONLYH 300X600



CT284-12X3HY 1200X300



CT284-12X6HY 1200X600

TEMPORARY ROADWORK SIGNS



STANDS



QUADRAPED STAND

QST6x6 600 x 600

QST9x6 900 x 600

QST12x9 1200 x 900
STAND ONLY



WLM STAND

WLM600 600 x 600

WLM900 900 x 600
STAND ONLY



AD BASE BOARD

ADBT1-5FR 600 x 900


ADBASE
BASE ONLY



QUAD STAND

QST12X6 - 1200 x 600

TAS ONLY



BI-POD

BIPODSMEDIUM

1200mm
(Spread)




MULTI MESSAGE SIGN AND FRAME

MMSF



FOLDING BI-POD CLOSED MMBL



STAR PICKET & DRIVER STARPICKET STARPICKETDRIVE



COLLAPSIBLE CHEVRON DELINEATOR T5-Q02 250 x 1200



TRANSPORT SIGNS

HEAVY VEHICLE MARKER PLATES

AS 4001.2: CLASS 1 ON ALUMINIUM




31L
300 x 100



33
300 x 300



33L
300 x 300



34A
300 x 400



41A
400 x 100



41B
400 x 100



615A-L
600 x 150



615B-R
600 x 150



161
1600 x 100



81A-LEFT 800 x 100
81B-RIGHT 800 x 100
81C-DOUBLE 800 x 100

ADR 45 CLASS 2 REAR MARKER PLATES: STEEL OR PRESSURE SENSITIVE



1801 P/S
1801ZS STEEL
420 x 300



1803 P/S
1806 STEEL
400 x 400



1805 P/S
1808 STEEL
400 x 400

DO NOT OVERTAKE TURNING VEHICLE

1800
1675 x 75

TRANSPORT SIGNS



ADR 45 CLASS 2 REAR MARKER PLATES: STEEL OR PRESSURE SENSITIVE



1811 P/S
1810 STEEL
1600 x 200



1814 P/S (L)
1812 STEEL (L)
800 x 200



1815 P/S (R)
1813 STEEL (R)
800 x 200

R4 SERIES 100KM/H SPEED LIMITED



R4-213 STEEL 300 x 400
R4-213P P/S 300 x 400



R4-214 STEEL 300 x 300
R4-214P P/S 300 x 300



R4-218 STEEL 250 x 250
R4-218P P/S 250 x 250



R4-215 STEEL 680 x 80
R4-215P P/S 680 x 80

REFLECTIVE SIGNS: STEEL, ALUMINIUM, PRESSURE SENSITIVE, PVC, BANNER, CL2, CL1



OSZSS STEEL 1200 x 450 (S/S)
OSALS ALUM 1200 x 450 (S/S)
OSALD ALUM 1200 x 450 (D/S)
OSBR BANNER 1200 x 450



OSLAALS ALUM 1200 x 600 (S/S)
OSLAZSD STEEL 1200 x 600 (D/S)
OSLAALD ALUM 1200 x 600 (D/S)
OSLABR BANNER 1200 x 600



RT12250AL 1200 x 250
RT1200B BANNER 1200 x 300



TRANSPORT SIGNS




DUI 525 x 250



OSFD 450 x 450 (Cloth)
(Dowel Flag)



OSFE 450 x 450 (Cloth)
(Eyelet)



BREAKDOWN TRIANGLES
BREAKT
Set of 3

HAZARDOUS GOODS SIGNS



EXP1M250 STEEL 250 x 250
EXP1P250 DECAL 250 x 250



C8M250 STEEL 250 x 250
C8P250 DECAL 250 x 250



NFNTGM250 STEEL 250 x 250
NFNTGP250 DECAL 250 x 250



OA5M250 STEEL 250 x 250
OA5P250 DECAL 250 x 250



DWWM250 STEEL 250 x 250
DWWP250 DECAL 250 x 250



FG2M250 STEEL 250 x 250
FG2P250 DECAL 250 x 250



HAZCHEM6X3 600 x 300



HAZ 600 x 120



HAZ-2WE 600 x 150



CLASS LABEL
HOLDER
MHOLD250 250 x 250





WORK ZONE PRODUCTS

HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/ WHITE	PRODUCT CODE
TRAFFIC CONE 300 	300mm	Plain With Class I Collar	X	300 300HCS
TRAFFIC CONE 450 	450mm	Plain With Class I Collar	X	450 450HCS
TRAFFIC CONE 700 	700mm	Plain With Class I Collar	X	700 700HCS
TRAFFIC CONE 900 	900mm	Plain With Class I Collar	X	900 900HCS

WORK ZONE PRODUCTS



HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/ WHITE	PRODUCT CODE
STACKABLE T-TOP BOLLARD				
	1m Stem	Class 1 Reflective Band 8kg base		TTOPSTEMAS TTOPBASE8
HBAS BOLLARD				
	1M Stem	Class 1 Reflective Band 8kg Base		HBASSTEM HBBASE8

LIGHTS



FLASHING LAMPS & BATTERIES

(Sold Separately)

FLASHING LAMP - FA
BATTERY - BATT



SAFETY PRODUCTS



VIC ROADREFLECTIVE VEST
VRSV



WORK ZONE PRODUCTS


BARRIERS/SAFETY FENCING & TAPES



BUNTING
BUNT F30



FLUORESCENT FLAG
FFL - 400 x 400
FFL 300 - 300 x 300



NIGHT LINE
NL23HN



STANDARD BARRIER
PBBH



RED/WHITE
BLACK/YELLOW BARRIER TAPE
RWB T100 - Red/White
BYBT75-100 - Black/Yellow
100m Rolls



STANDARD DENEFFE WEBBING
DNWEB50T - 5KG
DNWEB50HD - 9KG



WEBBING
BNET50N

DELINEATORS & ACCESSORIES



CORNER CUBE DELINEATOR
ACC - Amber
WCC - White/Clear
GCC - Green
RCC - Red
BCC - Blue



GD3 DELINEATOR
GD3



GD4 DELINEATOR
GD4

WORK ZONE PRODUCTS




DELINEATORS & ACCESSORIES



CH3 DELINEATOR
CH3



RD3 DELINEATOR
RD3



**DIAMOND GRADE
3900 SERIES**
DEL - 50 x 200-3990 (White)
DEL - 50 x 200-3992 (Red)
(Pressure Sensitive)



STAR PICKET COVER
STARCOVYCAP
(Yellow Cap)
STARCOVER
(Orange Reflective Cap)



**TEMPORARY REFLECTIVE
ROAD FLAP**
TRF - White
TRFR - Red
TRFY - Yellow



**HAND GUN FOR 600MM
TWIN PACK MEGAPOXY**
AHG - Gun



**A & B MEGAPOXY 36
MEGATT - 600grams**



**A & B MEGAPOXY
MEGA4L - 4 Litre Mega 4L**



PLASTIC LINE-O-DOT
LINODOTWHITE



**1 WAY REFLECTIVE
PAVEMENT MARKERS**
80B SERIES - Standard
C80B SERIES - Coated



**2 WAY REFLECTIVE
PAVEMENT MARKERS**
80A SERIES - Standard
C80A SERIES - Coated



SPOT PAINT - 350grams
WSPAIN - White
BLSPAIN - Blue
PSPAIN - Pink
YSPAIN - Yellow
BSPAIN - Black



WORK ZONE PRODUCTS




**LINEMARKING PAINT CANS
(500gm) 12 PER BOX**

WTPAINT - White
YTPAINT - Yellow
GTPAINT - Green
BTPAINT - Black



**LINEMARKING MACHINE
LMMACH**



**BLOCKS OF BITUMEN
ADHESIVE
BIT-6.25KG BLOCK
BITACT-1KG BLOCK**



**AMP BITUMINOUS PAD
6903AMP**



CRACK-BAK DELINEATOR

RHCB - 50 x 100
WHCB - 50 x 100



**NSW ONLY
PEDESTRIAN BOLLARD
REFBOL1 - 600 x 400**



**NSW ONLY
RUMBLE BARS
RUMBLEBARWHI - White
RUMBLEBARYEL - Yellow**



**TRAFFIC WAND
TWAND**

GUIDE POSTS & DRIVERS




**STEEL
STEELGP
STEELGPDRIVER - Driver**



**FLEXIBLE
PVCPOST - 1400 x 100 x 4
PVCPOSTDRIVER - Driver**



**RECYCLED
RECPGPD - 95 x 45 x 1500**







SIGN ACCESSORIES

BRACKETS


UNBRACED SIGNS



TD1
Single Sided
60mm OD
TD1
(Hex Head Bolt)
TD3
(Anti-Vandal Bolt)




TD2
Double Sided
60mm OD
TD2
(Hex Head Bolt)
TD4
(Anti-Vandal Bolt)



FRISBEE
FBEE
2 piece
Single/Double
Sided
60mm OD Post




TRILOBULAR
KEY
(TD3 Key)



SECURITY SPANNER
SPAN
Suits Trilobular


BRACED SIGNS




UNISTRUT BRACKETS
Single
P2041 60mm OD
P2046 76mm OD
P2050 89mm OD
P2054 102mm OD
P2058 114mm OD
P2066 140mm OD




CAM
BRACKETS
CAMBKTDS - Alum Rib
CAMBKTDS - Uni - Unistrut




UNISTRUT
BRACKETS
CB2-TT
Double Sided
60mm OD




SADDLE BRACKET
Single Sided
UN15-60 60mm OD
UN15-76 76mm OD
UN15-89 89mm OD
UN15-102 102mm OD
UN15-114 114mm OD
UN15-140 140mm OD




ARC BRACKET
ARC060 60mm OD
ARC076 76mm OD
ARC089 89mm OD
ARC102 102mm OD
ARC114 114mm OD




CB1
Single Sided
CB1




CB2
Double Sided
CB2




UCC BRACKET
UCC002




RSJ CLAMP
RSJ/CLAMP




TIMBER FRANGIBLE
BRACKET
FRANGBKT



DN 250



BACK TO BACK CLIP
BBC060
BBC076
BBC089




RHS BRACKET
RHSBRACKET

SIGN ACCESSORIES




STREET NAME SIGNS




STREET BLADE
(1 Way)

AL16 150mm
AL18 200mm



STREET BLADE
(2 Way)

AL26 150mm
AL28 200mm




STREET BLADE
(3 Way)


AL36 150mm
AL38 200mm



B.S. CAP
BSCAP



B.S. JOINING SET
BSJS




STREET BLADE
TIMBER POST


ALT6 150mm
ALT8 200mm




ML1




ML2



BSL BRACKET




BS CROSS BRACKET



SLOTTED BRACKET
ALT6B/ALT8B




FOLDED
BRACKETS
ALT6B-F
ALT8B-F



SUSPENSION
BRACKET
CODE SB
1.6 AL PLATE ONLY



TD BOLT
TDBOLT




ANTI-VANDAL
BOLT
TDTRIBOLT

BAND-IT RANGE




STAINLESS STEEL
BAND ROLLS
(30MT)

STR13 13mm
STR19 19mm



BANDING
BRACKET
UR151 19mm High
(13mm Band)
UR251 29mm High
(16 & 19mm Band)



BANDIT BUCKLE
BBUC13 13mm
BBUC19 19mm



BANDING TOOL
BTOOL



NSW PARKING
SIGN BRACKETS
SINGLE/DOUBLE
RTA-SPB
RTA-DPB



SIGN ACCESSORIES

SOCKETS



LOC-SOCKET
LSOCKETORIG
370mm




LOC-SOCKET SPIKE
LSOCSPI450
450mm
LSOCSPI600
600mm




LOC-SOCKET
DRIVING TOOL
LSOCDRIV



LOC-SOCKET
WEDGE
LSWEDGE



STB SLEEVE
STB 400mm
STB550 550mm
c/w Anti Twist Bar




ROSTA SLEEVE
RS 540mm Long
(With Anti Twist Bar)



ANTI TWIST BAR
ATBAR



GIBB/ROSTA KEY
RK




ROADSIDE WEDGE
WEDGE




VLOC
VLOC-CON
VLOC-SOIL



VLOC WEDGE
VLOCWEDGE



LOC-SOCKET
ALUMINIUM
(Signfix Version)
ALUM-SOC 300
ALUM-SOC 450



BASE PLATE
BASE PLATE 150
150 X 150mm
BASE PLATE 200
200 x 200mm



POSTCAPS
PCAP - Aluminium
PCAPGAL - Steel
Galvanised



POSTS

- All posts are galvanized
- Can be plain or pre-drilled to any specification, generally with 1, 2, 3 or 4 holes.
- Posts can be powder coated or 2 pack painted in any colour.
- Can be manufactured with base plates for surface mount installations.
- Standard base plate: 250 x 250 x 6mm
- Standard lengths: 1600, 2800, 3200, 3600, 3900, 4200 & 6500mm.

POST DIMENSIONS							
Nominal Bore (mm)	50	65	80	90	100	125	150
Outside Diameter (mm)	60.3	76.1	88.9	101.6	114.3	139.7	165.1






SIGN ACCESSORIES

FRANGIBLE FLUTED POSTS

- Manufactured from Marine Grade alloy
- Light and easy to handle
- Simple to install
- The pole flutes are designed to assist in the breakaway process by reducing the external contact surface at the shear point.
- Available in: 60, 76, 89, 102, 114 OD (mm).




SIGN ACCESSORIES



GALVANISED STEEL SLIP BASE POST

- Slip Base Posts are generally used for mounting large signs in exposed locations such as freeways.
- The unique design of the Slip Base post ensures that the supports fail in a controlled manner when struck. The stubs are often undamaged after impact, allowing easy replacement of the posts.
- All components are hot dip galvanized to prevent corrosion.





SAFETY SIGNS

DANGER SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 225	A	Steel	S
450 x 300	B	Steel	S
600 x 450	C	Steel	S
300 x 225	A	Polypropylene	P
450 x 300	B	Polypropylene	P
600 x 450	C	Polypropylene	P
450 x 300	B	Fluted Plastic	F

Note: Steel & aluminium only available in NT. Please specify sizes and add to end of code when ordering.



DB-AUTHO



DB-HIGHVOL



DB-LIVEWIRESI



DB-NOACCESS



DB

EMERGENCY FIRE / FIRST AID SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

Note: Steel & aluminium only available in NT



HOSEREEL



FIREREEL



CUSTOM



AS473



AS471



AS472

SAFETY SIGNS



HAZARD SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

Note: Steel & aluminium only available in NT



AS 441



AS 442



AS 443



AS 444



AS 445



AS 446



AS 447



AS 448



AS 449



AS 450



AS 451



AS 452



AS 453



CUSTOM



SAFETY SIGNS

MANDATORY SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

Note: Steel & aluminium only available in NT



AS 421



AS 422



AS 423



AS 424



AS 425



AS 426




AS 427




AS 428



AS 429



AS 430



CUSTOM

PIPE MARKERS

PIPE DIAMETER (OUTER DIAMETER)	PIPE MARKER DIMENSION
40mm or less	100 x 450mm
41mm to 75mm	450 x 30mm
75mm or more	450 x 60mm



PIPELINEMARKERS-FH



PIPELINEMARKERS-E



PIPELINEMARKERS-NG

SAFETY SIGNS



PROHIBITED SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F



AS402

Note: Steel & aluminium only available in NT



AS403



AS404



NO
ENTRY



NO
SMOKE



CUSTOM

SAFETY TAGS

MATERIAL	SIZE (mm)	COLOUR	CODE	PACK SIZE
Polypropylene	82 x 140	Yellow	ST7-P	100
Polypropylene	82 x 140	Blue	ST8-P	100
Polypropylene	82 x 140	Red	ST9-P	100
Polypropylene	82 x 140	White	ST10-P	100
Polypropylene	82 x 140	Green	ST11-P	100
Polypropylene	82 x 140	Orange	ST12-P	100



82 x 140



82 x 140



82 x 140



82 x 140



CUSTOM



SAFETY SIGNS

HYDRANT MARKERS

Available in red or green Scotchlite letters on a white Scotchlite background.



FH-A 150 x 100mm




HP-A 150 x 100mm




SV-A 150 x 100mm



H 75 x 125mm



HP-B 75 x 250mm



FH-B 75 x 250mm



HR 75 x 250mm



SV-B 75 x 250mm

FIRE SIGNS

SIZE (mm)	CODE
100	FT100
200	FT200
350	FT350



WATER



WET CHEMICAL



FOAM



DRY CHEMICAL



**CARBON
DIOXIDE**





RECREATIONAL SIGNS

Sizes Available: (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm

All Pictograms – Available in Circular or Square Plates.



TOILETS
A1



WOMENS TOILETS
A2



MENS TOILETS
A3



DISABLED TOILETS
A4



FIREPLACES
A5



PICNIC AREA
A6



PICNIC SHELTER
A7



CAMPING AREA
A8



PLAYGROUND
A9



DRINKING WATER
A10



PARKING
A11



INFORMATION
A12



TELEPHONE
A13



FIRST AID
A14



DIRECTIONAL ARROW (1)
A15



DIRECTIONAL ARROW (2)
A16



WALKING WALK
A17



TELEPHONE
A18



HIKING
A19



CYCLING
A20



HORSE RIDING
A21



FISHING AREA
A22



SWIMMING AREA
A23



CANOEING
A24



DIVING
A25

RECREATIONAL SIGNS



REGULATORY/PROHIBITION

Sizes Available: (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm

All Pictograms – Available in Circular or Square Plates.



**CAMPING
PROHIBITED**
P1



**CATS & DOGS
PROHIBITED**
P2



**VEHICLES
PROHIBITED**
P3



**FIRES
PROHIBITED**
P4



**TRAILBIKES
PROHIBITED**
P5



**HORSES
PROHIBITED**
P6



**FIREARMS
PROHIBITED**
P7



**BICYCLES
PROHIBITED**
P8



**SWIMMING
PROHIBITED**
P9



**DIVING
PROHIBITED**
P10



**FISHING
PROHIBITED**
P11



**PICKING OF PLANTS
PROHIBITED**
P12



CUSTOM





RECREATIONAL SIGNS

WARNING

Sizes Available: (A) 300 x 300mm & (B) 450 x 450mm



SLIPPERY ROCKS
WPV005



SLIPPERY WHEN WET
WPV004



KANGAROOS
WPV015



WALKING TRACK
WPV036



HIGH SURF
WPV032



KOALAS
WPV016



SHARKS
WPV020



STRONG
CURRENTS
WPV023



SNAKES
WPV034




CUSTOM

MULTIPLE MESSAGE SIGNS

Sizes Available: 75 x 200mm (1.5M), 75 x 300mm (1.5M), 75 x 300mm (1.5M) & 75 x 450mm (1.8M)

Totem Colour: Black, Grey, Green & Blue







SPECIALITY PRODUCTS

AIRPORT CONES AND GABLES



LARGE CONE
WHITE



LARGE CONE
YELLOW



LARGE CONE
WHITE & RED



LARGE CONE
WHITE



LARGE CONE
YELLOW



LARGE CONE
WHITE & RED



MINI CONE
WHITE & SILVER



MINI CONE
YELLOW & BLUE



TRIANGLE REFLECTOR
YELLOW & BLUE



1500mm GABLE WHITE
3000mm GABLE WHITE



1500mm GABLE YELLOW
3000mm GABLE YELLOW

SPECIALITY PRODUCTS



AIRPORT LIGHTS



AV15



AV23



AV70
RED



AV70
BLUE



AV125



AV200



AV300



AV10

STANDS



MALL STAND
A1 & A2



MALL STAND
A3 ECONOMY



A FRAME
STRUT



ROLL UP BANNERS

- ROLLUP-A 594 x 1188
- ROLLUP-B 840 x 2185
- ROLLUP-C 1000 x 2185
- ROLLUP-D 1200 x 2185



SPECIALITY PRODUCTS

SPECIALTY SIGNS



**NATIONAL BUILDING PROGRAM
ROADS RECOVERY**
900 x 1200



**NATIONAL BUILDING PROGRAM
BLACK SPOT PROGRAM**
900 x 1200




**SIZED TO STATE SPECIFICATIONS
FC
FCPOINTER**

TOTAL FIRE BAN TODAY

TOTAL FIRE BAN TODAY TFBT
2400 x 2400

OTHER PRODUCTS

WIDTH	SIZE (mm)
W	600
W	900
W	1200



**WA ONLY
GRAB RAIL
HANDRAILS**

Cycle hand rails, available in various colours and sizes. Available with or without tapes.



BRAILLETACTILE

Norsign NT is the official distributor for the NT of **brailletactile™**.

The Braille and tactile sign system is fully compliant with all the requirements of the relevant Australian Standards and Building Codes.

Signs are fully encapsulated in a single unit to ensure that they are resistant to strong cleaning materials and vandalism.

Our manufacturing process means that not only can statutory requirements be met but also individual colour schemes and special graphic design elements can be incorporated to suit your clients' requirements.

We offer obligation-free design advice on the features relating to directories, tactile maps and way-finding systems.



BTM



BTf



BTA



SPECIALITY PRODUCTS



BTUAA



BTUA



BTU



BTMA



BTUABC



BTFA



BTUAS

Stock signs are available with a standard blue background with white graphics applied to a blue PVC substrate. Custom **brailletactile™** signs can be manufactured to match any colour range and can be supplied applied to PVC, aluminium or to any nominated substrate. Custom **brailletactile™** signs are priced on application.

ELECTRONIC SIGNAGE



SPECIAL ORDER ELECTRONIC SIGNAGE



ACTIVE ADVANCE WARNING SIGNS



W5-V116A 1875 x 1000

W5-V116B 2201 x 1200

W5-V116C 2638 x 1500



W5-V131A 1875 x 1000

W5-V131B 2201 x 1200

W5-V131C 2638 x 1500



W5-V122A 1770 x 1000

W5-V122B 2075 x 1200

W5-V122C 2470 x 1500



RX11A 1770 x 1000

RX11B 2075 x 1200



W3-V101A 1770 x 1000

W3-V101B 2075 x 1200


W3-V101C 2470 x 1500



ELECTRONIC SPEED LIMIT SIGNS (ESLS)



These are just a selection of our Electronic and Solar Panel Signs. Please contact our sales team on 1300 88 SIGN to find more information on the electronic signage options available.









COMMERCIAL GRAPHICS





3M SIGN WARRANTY

DeNeeff Signs is an innovative manufacturer of Traffic Control Signage and associated equipment, ranging from the smallest pressure sensitive decal to the largest guide sign. Since the early 1950's, DeNeeff have had a close association with 3M Australia Pty Ltd and as such, are able to provide the full flow on benefits of 3M's extended sign replacement warranty for all of our durable and permanent traffic signs.

This together with our technical expertise and manufacturing know how, developed over the past 80 years, our ongoing commitment towards customer satisfaction and the manufacture of quality products has made us the largest traffic sign manufacturer in Australia with branches in VIC, NSW, QLD, ACT, WA, SA, TAS & NT.

We are proud to say we are an Australian owned company and promote Australian manufactured products.

BASE/BACKGROUND SHEETING			APPLICABLE EXTENDED WARRANTY	
Applicable Standards of Retroreflective Sheeting for AS/NZS 1906.1 2007	Compliant 3M Retroreflective Sheeting	3M Approved Legend & Graphics †	Warranted Vertical Outdoor Exposure	Warranted Retained Luminance (CIL/m² Percentile)*
CLASS 1100	3M Diamond Grade™ DG3 Reflective Sheeting Series 4000 (non-fluorescent colours)	3M" Electrocut™ Film Series 1170	12 years	80%**
		3M UV Ink Series 8800, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M Diamond Grade™ DG3 Reflective Sheeting Series 4083 Fluorescent Yellow/Green & 4081 Fluorescent Yellow	3M" Electrocut™ Film Series 1170	10 years‡	
		3M UV Ink Series 8800 , with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M Diamond Grade™ DG3 Reflective Sheeting Series 4084 Fluorescent Orange	3M Electrocut™ Film Series 1170	3 years	
		3M UV Ink Series 8800 , with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 900	3M VIP 3990 series (non-fluorescent colours)	3M Electrocut™ Film Series 1170	12 years	80%**
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
	3M VIP 3990 series 3983 Fluorescent Yellow/Green & 3981 Fluorescent Yellow	3M Electrocut™ Film Series 1170	10 years	
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 400	3M High Intensity Prismatic Reflective Sheeting Series 3900	3M Electrocut™ Film Series 1170	10 years	50%**
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay		
		3M Screen Process Colours Series 880i		
CLASS 100	3M Engineer Grade™ 3200 Beaded Series	3M UV Ink Series 8800 and 8900, with 1170 clear overlay	7 years	
		3M Screen Process Colours Series 990 for series 3200 only		

* Warranted retained brightness levels apply to reflective sheetings used for sign background borders and legends.

** Retained CIL percentile is based on minimum CIL values for new reflective sheetings by Class for Observation Angle 0.2° and Entrance Angle 4° defined in relevant tables included in AS/NZS 1906.1:2007

† If 3M" Scotchlite™ Electrocut Film Series 7725-12 Black is used for legend or graphics, the sign will only have a Warranted Vertical Outdoor Exposure of 8 years.

‡ 3M full replacement warranty applicable for 12 years in NSW on RMS permanent signs.

NB: 3M 1160 Anti Graffiti Film and 1180 Anti Dew Film can be used in addition to any of the above legend and graphic material combinations. The finished signs maintain the warranty periods and conditions listed above. The 1180 maintains anti dew properties for up to 5 years.



**AVERY
DENNISON**
Certified Authorised Converter

SIGN WARRANTY



ICS Platinum Warranty

Avery Dennison ICS Platinum Warranty Certificate

ICS Warranty No: 20171212DS

Avery Dennison is pleased to offer the following ICS Platinum Extended Warranty Certificate:

Sign Manufacturer: De Neeff Signs, 25 Brisbane Street, Eltham, Victoria, 3095
Application: Permanent Traffic Signs to Government Agencies in Australia
Substrate: Conditioned aluminium as per AS/NZS1906.1:2007
Films: The complete range of Avery Dennison Reflective Traffic Products

Warranty Period: T-1500 EG Class 2 to 7 years with 4930 series screen inks or OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

T-6500 Prismatic Class 1/IW to 10 years with 4930 series screen inks and to 12 years with OL-2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

T-11500 Omni-Cube Prismatic Class 1X to 10 years with 4930 series screen inks and to 12 years with OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

From the date of sign manufacture and if within the warranted period of vertical outdoor exposure, the reflective sheeting deteriorates due to natural causes to the extent that the sign fails to retain the minimum retro reflectivity values as defined in the Warranty Schedule, **Avery Dennison shall meet the total cost of replacing the sign including all labour and materials.** This ICS Platinum Extended Warranty shall remain in place for 24 months from the date of issue subject to De Neeff Signs complying with ongoing Avery Dennison Quality Audits.

Warranty Conditions

This warranty shall be effective only if all of the following conditions are met:

The sign manufacturer must have been an Avery Dennison certified authorized converter at the time the sign was manufactured.

The failure must have resulted solely from a manufacturing defect or deterioration of the sheeting due to natural causes. Without limiting the generality of the foregoing, there is no warranty for the failure of the sheeting due to improper sign fabrication, improper storage, handling, installation, or maintenance, or failure of the sign substrate, or vandalism or malicious mischief. Slight color fading, cracking, chalking, edge lifting, or slight reduction in gloss or reflectivity will not materially detract from appearance and does not constitute a breach of warranty.

If Avery Dennison products with differing warranty periods are combined on a sign, the lesser warranty period will apply.

Avery Dennison has published instructional bulletins pertaining to the storage, handling, and cleaning of sheeting, approved sheeting substrates, and sheeting application procedures (collectively, the "Procedures"). The sheeting must have been processed and applied to blank sign material in accordance with the Procedures, as such may be amended from time to time. The sign dating, warranty registration, and claim procedures promulgated by Avery Dennison must be followed, and failure to follow such procedures shall void this warranty.

Replacement sheeting carries only the unexpired warranty of the sheeting it replaces.

It is a condition of this warranty that Avery Dennison reserves the right to properly clean the sign under complaint and subject it to any testing deemed necessary to determine the validity of any claim.

Warranty Limitations

The remedies provided under this warranty are exclusive. Avery Dennison shall not be liable for any direct, indirect, incidental or consequential damages or specific relief, and, except as specifically provided herein, in no event shall Avery Dennison's liability hereunder exceed the value of the Avery Dennison product giving rise to liability. **THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHERS. ANY AND ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANT-ABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED.**

SIGN STORAGE AND HANDLING



THIS GUIDE SERVES TO HIGHLIGHT THE IMPORTANT ASPECTS OF REFLECTIVE SIGN STORAGE AND HANDLING

GENERAL STORAGE

Signs should be handled, transported and stored to protect the sign face. Signs should be stored vertically with edges clear of the ground.

INDOOR STORAGE

Storing signs indoors is preferable. Moisture should not come in contact with the sign face. Packing that becomes damp or wet should be removed immediately. Steps should be taken to ensure signs are not stored in areas of high temperature and humidity.

OUTDOOR STORAGE

Signs stored outdoors should be unwrapped, stored upright and sit on wooden battens. A racking system ensures sign faces do not become damaged by signs resting against each other and allows adequate air circulation which prevents a build up of moisture.

SIGN TRANSPORTATION

Large direction signs should be braced with stiffener to avoid buckling and adequately supported and secured to avoid damage due to scuffing, abrasion and load shifting.

SIGN ERECTION

Once on site, signs should not be laid flat on the ground as it can result in damage to the reflective sign face. Bolts should be tightened using offset spanners. Avoid over tightening. Nylon washers should be used between the bolt head and sign face. After installation, signs should be inspected to see that they have not been damaged and are free of oil and dirt residue.

SIGN COVERING

The covering of signs is not recommended. If it is necessary to cover a sign then a porous cloth should be used allowing air circulation, and then only for limited periods. Do not use paper or plastic covers as heat and moisture entrapment can cause permanent damage to the reflective sign face.

SIGN CLEANING

For maximum performance signs should be kept clean and free from dirt, road tar, oil, bituminous material and mulch. Cleaning with a wet, detergent type non-abrasive cleaner is recommended. Following the use of any cleaning agent, the sign face should be thoroughly and immediately rinsed with water. Care should be taken not to abrade the sign face.



A Subsidiary of Traffic Technologies Ltd.

NT

10 Swan Crescent,
Winnellie, NT 0820
P: 08 8947 0733
F: 08 8947 0713

P: 08 8947 0733
F: 08 8947 0713
E: sales@norsign.com.au
www.norsign.com.au

WA

SUNNY SIGN COMPANY

30 Emerald Rd,
Maddington, 6109
P: 08 9248 1002
F: 08 9209 2288

VIC

DENEFFE SIGNS

320 Darebin Road,
Fairfield, 3078
P: 03 9430 0266
F: 03 9430 0277

QLD

DENEFFE SIGNS

Unit 19/15 Holt St,
Pinkenba, QLD 4008
P: 07 3184 2000
F: 07 3266 2244

ACT

DENEFFE SIGNS

61 Aurora Ave,
Queanbeyan, 2620
P: 02 6299 7922
F: 02 6299 7977

SA

DENEFFE SIGNS

P: 03 9430 0266
F: 03 9430 0277

TAS

DENEFFE SIGNS

11A Lampton Ave,
Derwent Park TAS, 7009
P: 03 6273 1177
F: 03 6273 1759

NSW

DENEFFE SIGNS

Unit 38, 38-46 South St,
Rydalmere, 2116
P: 02 9701 9999
F: 02 9736 3391



FOR ORDERS AND ENQUIRIES PHONE

08 8947 0733



Catalogue No: 008